

15TH EUROPEAN SYMPOSIUM ON POULTRY NUTRITION

PROCEEDINGS

25 – 29 September, 2005

Balatonfüred, Hungary

EUROPEAN FEDERATION OF BRANCHES OF THE WPSA

Working Group No. 2

NUTRITION

Chairman:	C. C. WHITEHEAD	United Kingdom
Members:	G. HUYGHEBAERT	Belgium
	L. PAPESOVA	Czech Republic
	J. ZELENKA	Czech Republic
	S. STEENFELDT	Denmark
	P. A. GERAERT	France
	Y. NYS	France
	E. HELANDER	Finland
	I. HALLE	Germany
	H. TILLER	Germany
	K. DUBLECZ	Hungary
	M. VETÉSI	Hungary
	Y. NOY	Israel
	N. RAND	Israel
	F. CALINI	Italy
	L. CAVALCHINI	Italy
	R. KWAKKEL	Netherlands
	P. LANGHOUT	Netherlands
	B. SVIHUS	Norway
	D. JAMROZ	Poland
	J. KORELESKI	Poland
	J. BRUFAU	Spain
	J. CASTELLO	Spain
	L. WALDENSTADT	Sweden
	H. P. PFIRTER	Switzerland
	N. SENKOYLU	Turkey
	C. FISHER	United Kingdom
	P. GARLAND	United Kingdom

15th European Symposium on Poultry Nutrition
is organized by the

Hungarian Branch of WPSA

in co-operation with the

Hungarian Scientific Organizing Committee

Dr. Ferenc Bogenfürst

University of Kaposvár, Faculty of Animal Science

Dr. Károly Dublicz

University of Veszprém, Georgikon Faculty of Agriculture

Dr. Péter Horn

University of Kaposvár, Faculty of Animal Science

Dr. Miklós Mézes

Szent István University,
Faculty of Agricultural and Environmental Sciences

Dr. Andrea Molnár

Institute for Small Animal Research

Dr. Margit Vetési

Szent István University,
Faculty of Agricultural and Environmental Sciences



Organizing Committee

Dr. Péter Horn

Chairman

Dr. Károly Dublicz

Secretary

Members

Dr. Barna Forgách

consultant for research and development

Péter Földi

Poultry Product Board of Hungary

Dr. Anita Juhász

University of West-Hungary, Faculty of Agricultural and Food Sciences

Dr. László Pál

University of Veszprém, Georgikon Faculty of Agriculture

Contents	Page
Session 1	18
Interaction between genotype and nutrition	
Invited papers	
Genotype x environment interactions in poultry with special reference to genotype nutrition interactions <i>P. Horn</i>	20
The endocrine and metabolic interface of genotype-nutrition interaction in broilers and broiler breeders <i>E. Decuyper, O. Onagbesan, Q. Swennen, J. Buyse and V. Bruggeman</i>	30
Sequence and comparative analysis of the chicken genome: A new challenge for poultry breeding and nutrition <i>M.A.M. Groenen</i>	38
Short communications	
Nutritional effects of feed form, and wheat compared to maize, in the D+ and D- chicken lines selected for divergent digestion capacity <i>B. Carré, S. Mignon-Grasteau, B. Svihus, A. Péron, D. Bastianelli, J. Gomez, J. Besnard and N. Sellier</i>	42
Nutritional and genetic interactions in avian osteoporosis <i>R.H.Fleming, H.A. McCormack, L. McTeir and C.C. Whitehead</i>	45
Interactions between diet composition and genotype of broiler chickens on feed intake regulation <i>Q. Swennen, G.P.J. Janssens, A. Collin, E. Le Bihan-Duval, K. Verbeke, E. Decuyper and J. Buyse</i>	48
Effect of age upon digestibility of starch in chickens with different growth rate <i>J. Zelenka and Z. Čerešňáková</i>	51
Genotype – nutrition interactions in broilers; response to balanced protein in two commercial strains. <i>C. Kemp, C. Fisher and M. Kenny</i>	54
Posters	
Genetic variation in broilers and predicted response <i>R.M. Gous , C. Fisher and E.T. Berhe</i>	58

Session 2	61
Recent developments in water-fowl nutrition	
Invited papers	
Effect of nutrition on the reproductive parameters of geese <i>F. Bogenfürst</i>	63
Comparative characteristic of gastrointestinal tract development and digestibility of nutrients in young chickens, ducks and geese <i>D. Jamroz</i>	73
Towards an optimal utilisation of phosphorus sources in growing meat ducks <i>M. Rodehutscord</i>	84
Short communications	
The effect of exogenous enzymes (amylase-protease-xylanase combination) on performance, liver and carcass characteristics of mule ducks <i>A. M. Debicki-Garnier, N. Robin and B. Messenger</i>	95
Alternative methods for reducing heat stress in the practice of lake integrated table duck production <i>T. Kószó, M. Vetési, L. Kiss, Á. Kiss and V. Darvas</i>	98
Session 3	101
Alternative housing systems and their nutritional impact	
Invited papers	
Diet x genotype interactions in different housing systems <i>K. Elwinger</i>	103
Alternative meat chicken production ; is our nutritional knowledge sufficient for their further development in EU ? <i>L.P. Borgida</i>	112
Ventilation, a major but a paradoxal environmental parameter in broilers and turkeys development <i>S. Yahav</i>	122
Short communications	
Effect of housing system on balanced protein requirements in laying hens <i>R.M. Eits, R.P. Kwakkel, B.G.E. Reindsen, T. Zandstra and A.A. Maatman</i>	129
Effect of free-choice feeding and feed restriction on the performance of free-range Zagorje turkeys <i>Z. Janječić, S. Mužic and D. Županić</i>	132

Session 4	135
Effect of nutrition on skeletal development and maintenance in broilers and turkeys	
Invited papers	
Mechanisms and nutritional influences in skeletal development: Influence of macro- and microelements on bone formation <i>C. C. Whitehead</i>	137
The interaction between the macrominerals calcium and phosphorous, vitamin E and phytase in broilers <i>G. Huyghebaert, M. Lippens, P. Lescoat and Y. Nys</i>	146
The Role of Nutrition in Tibial Dyschondroplasia Occurrence in Turkeys <i>C. Nixey</i>	161
Short communications	
Performance, Gait Score and Calcium and Phosphorus Retention at Different Levels of Calcium and Phosphorus in Broiler Diets <i>S. Steinfeldt, P. Sørensen and B.L. Nielsen</i>	170
Replacement of inorganic Cu, Mn, Fe and Zn with Bioplex on growth performance and faecal mineral excretion in broilers <i>L. Nollet, W. Wakeman and C. Belyavin</i>	173
Effect of different phosphorus sources in broiler diets on the chemical composition and breaking strength of bones <i>L. Perić, N. Milošević, V. Stanaćev and D. Žikić</i>	176
Effects of 25-hydroxy-cholecalciferol (Hy•D) at doses from 35 to 560 µg per kg feed on the performance of broiler chickens fed a diet based on maize, wheat and soybean meal <i>P. Philipps, R. Aureli, G. Weber and Anna-Maria Klünter</i>	179
Effect of diet phosphate source and phosphorus level on Ca and P utilisation of broilers at different ages and final tibia parameters <i>E. Venäläinen, J. Valaja, E. Valkonen and E. Kujala</i>	182
Posters	
Effect of phytase supplementation of rapeseed cake-containing diets on performance and skeletal development in broilers <i>S. Smulikowska, A. Mieczkowska, C.V. Nguyen and D. Weremko</i>	186
Effect of Natural Zeolite on Performance, and Tibia Ash of Broiler Chicks <i>H. Nassiri Moghaddam, M. Rezaei and A. Hassan Abadi</i>	189
Effects of Boron Supplementation on Tibia Mineral, Ash and Weight Parameters and Peripheral Blood Leucocyte Percentages of Layers <i>V. Kurtoğlu, F. Kurtoğlu and F. Önder</i>	192

The influence of <i>Enterococcus faecium</i> M-74 bacteria on bone mineralization in chickens <i>E. Horniaková</i>	195
Efficacy and safety of a novel phytase in turkeys fed diets to market weight <i>D.R. Ledoux, J.N. Broomhead and I. Kühn</i>	198
The reduction of mineral phosphorus source in diets for broilers and addition of phytase in conditions of temperature stress <i>M. Lukić, Z. Sinovec, Z. Pavlovski, Z. Škrbić and R. Cmiljanić</i>	201
Performance and tibia bones quality in broilers fed diet supplemented with particulate limestone and 25-hydroxycholecalciferol <i>J. Koreleski and S. Świątkiewicz</i>	204
Effect of Hy-D [®] addition on performance and slaughterhouse results of broilers <i>Y. Santos and M.F. Soto-Salanova</i>	207
Session 5	210
Strategies to improve gut performance	
Invited papers	
The effect of natural alternatives for anti-microbial growth promoters in broiler diets <i>L.A. den Hartog, A. Gutiérrez del Álamo Oms, J. Doorenbos and A. Flores Miñambres</i>	212
Secondary plant metabolites to control growth of <i>Clostridium perfringens</i> from chickens <i>J. Zrustova, M. Ritter, K.P.Svoboda and J.D. Brooker</i>	221
Effects of nutrition on development of immune competence in chicken's gut-associated lymphoid system <i>A. Friedman and E. Bar-Shira</i>	234
Short communications	
MINTREX [™] Zn and MINTREX [™] Cu organic trace minerals improve intestinal strength and immune response to coccidiosis infection and/or vaccination in broilers <i>J.D. Richards, T.R. Hampton, C.W. Wuelling, M.E. Wehmeyer, D. Parker and J.J. Dibner</i>	244
Is there a correlation between the nutritional value of wheat-based diets and efficacy of NSP-enzymes for broiler chickens as measured by a zootechnical and a balance trial ? <i>G. Huyghebaert, M. Lippens and R. Mombaerts</i>	247

The Effect of a Mixture of Herbal Essential Oils on the Performance of Broiler Chicks Originated From Young and Old Broiler Breeder Flocks <i>M. Çabuk, M. Bozkurt and A. Alçiçek</i>	250
Alternatives for flavomycin in broiler chicken nutrition <i>A. Rutkowski, S. Kaczmarek and D. Józefiak</i>	253
The effect of conditioning temperature and exogenous xylanase addition on the viscosity of wheat-based diets and the performance of broiler chickens. <i>A. J. Cowieson, M. Hruby and M. Faurschou Isaksen</i>	256
Effect of glycerides and free short chain fatty acids replacing avilamycin in the diet of broiler chickens <i>M. Antongiovanni, A. Buccioni, F. Petacchi, A. Martini and S. Minieri</i>	260
Efficacy of GalliPro - a microbial feed additive for broilers <i>B. Lund, S. Hansen and P. Kürti</i>	263
Effect of Immunovet-HBM supplementation on layer-parents' production <i>E. Bajcsy, E. Kósa, Á. Resetár and I. Sári</i>	266
Posters	
Effect of probiotics supplementation on immuno-competence and in prevention of experimental <i>Salmonella gallinarum</i> infection in broiler chicken <i>S.K. Khurana</i>	270
Influence of <i>Bacillus subtilis</i> on broiler performance <i>A. Kőrösi Molnár, B. Podmaniczky, P. Kürti, Zs. Juhász, M. Mørk Jensen, D. Gerendai and Zs. Szabó</i>	273
Influence of <i>Bacillus subtilis</i> on immune-response of broiler chickens <i>A. Kőrösi Molnár, B. Podmaniczky, P. Kürti, M. Mørk Jensen, Zs. Farkas and Zs. Szabó</i>	276
Effects of a graded supplementation of herbs and essential oils in broiler feed on growth and carcass traits <i>I. Halle, R. Thomann, U. Bauermann, M. Henning and P. Köhler</i>	279
The effect of grind size and wet feeding of wheat-based diets on gastrointestinal tract development of broiler chicks <i>M. Afsharmanesh and T.A. Scott</i>	282
Effect of dietary antibiotic, mannan oligosaccharide with or without oregano and hop supplementation on the growth performance and carcass characteristic of male broilers <i>M. Bozkurt, K. Küçükylmaz, A.U. Çatlı and M. Çınar</i>	285

The Effect of Dietary Supplementation of Prebiotic, Probiotic and Organic Acid, either Alone or Combined, on Broiler Performance and Carcass Characteristics <i>M. Bozkurt, K. Küçükylmaz, A.U. Çatlı and M. Çınar</i>	288
Effect of Enzyme Supplementation to Improve Gut Performance of Broilers Fed Diets Containing Varying Levels of Wheat <i>Z. Hayat, T.N. Pasha and Z. Nasir</i>	291
The nutritional efficacy of Hostazym X in relation to its dosage and difference in nutrient density with reference to 3 other NSP-enzymes in wheat-based broiler diets <i>G. Huyghebaert and M. Lippens</i>	294
Physiological response of turkeys fed diets with a different content of fructooligosaccharides <i>J. Jankowski, Z. Zduńczyk and J. Juśkiewicz</i>	297
Benefits of Feeding Bio-Mos to Commercial Broilers in a Large Scale Study <i>A. Kocher, P. Geliot and L.A. Tucker</i>	300
Effects of Bio-Mos for laying hens 20-52 weeks under commercial conditions <i>A. Kocher, P. Garcia and L.A. Tucker</i>	302
Effects of Bio-Mos supplementation on the performance of broiler chicks: a Serbian study <i>L. Perić, G. Ušćebrka, D. Žikić, M. Vranjes and L. Nollet</i>	304
Effect of probiotic inclusion in different levels of barley substitution for corn diets on laying hen's histological changes of duodenum <i>A.H. Mahdavi, H.R. Rahmani and J. Pourreza</i>	307
Effect of supplementation of different treatments of sodium bentonite in feed on the performance of broilers <i>T.N. Pasha, A. Mahmood, F.M. Khattak, M.A. Jabbar and A.D. Khan</i>	310
Effects of phytase and/or organic acids on broiler performance <i>A.M. Pérez-Vendrell, L. Llauradó and J. Brufau de Barberà</i>	313
Digestibility of amino acids in malted sorghum sprouts supplemented with polyethylene glycol, charcoal, phytase and xylanase, when fed to broilers <i>O. Oduguwa, V. Pirgozliev and T. Acamovic</i>	316
Effect of dietary phytase on performance, metabolisable energy and endogenous losses of broiler chickens <i>V. Pirgozliev, O. Oduguwa, T. Acamovic and M.R. Bedford</i>	319
Poultry Nutrition- Modulator of the Immune Response in Both Animals and Consumers <i>A. Pop, I. Togoe, N. Constantin, G. Gajaila and E. Balint</i>	322

The Effect of Intestinal pH on Broiler Performance and Immunity <i>H.R. Rahmani, W. Speer and M. Modirsanei</i>	324
Microbial Population of Broiler's Ileum is Affected by Oil Extracted Propolis (OEP) <i>H.R. Rahmani, A. Tabatabaei and M.A. Edriss</i>	327
The Acorn's Tannin May Affect the Microbial Content of Broilers Ileum <i>H.R. Rahmani and A.H. Abarghoui</i>	330
The effect of selected prebiotics on performance and ileal microbiota of broiler chickens. <i>A. Rutkowski, S. Kaczmarek and D. Józefiak</i>	333
Enzyme supplementation of barley based diet for broilers <i>Gh. Sadeghi and A. Samie</i>	336
Influence of Bio-Mos on broilers performances and gut morphology <i>Z. Sinovec, R. Markovic and D. Gledic</i>	339
Effect of Dried Whey and Probiotic Supplementation on Growth Performance in Broilers <i>M. Torki and B. Molanapour</i>	342
The Development and Use of Molecular Tools to Monitor the Gut Microflora of Poultry <i>V.A. Torok, K. Ophel-Keller and R. J. Hughes</i>	345
Effect of mannan oligosaccharides (Bio-Mos) supplementation on the small intestine morphology of broiler chickens <i>G. Ušćebrka, D. Žikić, L. Perić, L. Nollet and M. Vukić-Vranješ</i>	348
Effects of mannanoligosaccharides on composition of the cecal microflora and performance of broiler chickens <i>S.A. Denev, I. Dinev, I. Nikiforov and V. Koinarski</i>	351
Modified glucomannans prevent negative effect of ergot mycotoxin in layers <i>J. Dvorska</i>	354
Effect of an organic acids and medium-chain fatty acids containing product in feed on the course of artificial Necrotic Enteritis infection in broiler chickens <i>G.F. Mathis, J.T.P. van Dam, A. Corujo Fernández and C.L. Hofacre</i>	357
The influence of non-phytate phosphorus levels and phytase supplementation on broiler chicks performance <i>A. Karimi and M.M. Bedford</i>	360

<i>Effect of non-phytate phosphorus levels and phytase sources on performance in broiler chicks</i>	363
<i>A. Karimi and M.M. Bedford</i>	
Benefit of NSP enzymes on corn soybean meal based diet in poultry	366
<i>S. Maisonnier-Grenier, P. Dalibard and P.A. Geraert</i>	
Supplementing drinking water with NSP-enzyme: an alternative solution to post-pelleting application	369
<i>S. Maisonnier-Grenier, K. Liu, M. Balasini, P. Dalibard and P.A. Geraert</i>	
Benefits of <i>Bacillus subtilis</i> supplementation in chicken diets	372
<i>J. McLean, T. Acamovic, S. Hansen, M. Moerk-Jensen and I. Nevison</i>	
Methionine hydroxy-analogue : an efficient mean to reduce intestinal microflora activity	375
<i>Y. Mercier, P.M. Becker, J.D. van der Klis and P.A. Geraert</i>	
Intestinal viscosity and metabolizable energy in chickens and turkeys of different ages fed cereal-based diets with or without enzyme supplementation	378
<i>S. Palander, M. Näsi and P. Hägg</i>	
Effects of ACTIVATE™WD on <i>Clostridium perfringens</i> colonization and broiler performance using a necrotic enteritis model in broiler chickens	381
<i>M. Quiroz, C. Hofacre, J. Dibner, T. York, C. Knight, R. Gonzales and D. S. Parker</i>	
Field trial of Herb-Mos™	383
<i>L. Körösi , F. Iván and Gy. Kanyóné Princes</i>	
Calcium level modulate phytate conversion degree and type of phytase A effects on production traits and egg shell quality in laying hens	386
<i>K. Żyła, M. Mika, J. Koreleski and S. Świątkiewicz</i>	
Liquid and solid wheat starch in diets for broilers: effect on feed intake, foregut development and performance	389
<i>A.K. Mai, G. Bosch, A.F.B. Van der Poel and R.P. Kwakkel</i>	
The effect of Immunovet-HBM® supplement on broiler turkey production results	392
<i>E. Kósa, Gy. Nagy, L. Jakab, M. Hidvégi, Á. Resetár and I. Sári</i>	
Effect of different feed additives on the caecal microflora of broiler chickens	395
<i>L. Babinszky, G. Csitári, Sz. Tóth, L. Wágner, L. Pál and K. Dublec</i>	
Impacts of organic acids and nutrient density of basal diets on broiler growth and gut histomorphology	398
<i>N. Senkoylu, H.E. Samli, H. Akyürek, A. Agma</i>	

Round Table	402
Feed formulation; principles and practice	
Invited papers	
The NIRS method to support practical feed formulation <i>J.C. Bodin and J.M. Aubret</i>	404
Determining the feed composition and feeding programme that will optimise the performance of a broiler flock <i>R.M. Gous</i>	412
Least cost feed formulation by linear programming: Limitations and Extensions <i>A. G. Munford</i>	421
Energy and amino acid systems for formulating poultry feeds <i>C. Fisher</i>	429
Posters	
Estimation of the MEN-content of wheat for broilers by means of physico-chemical parameters and NIRS <i>G. Huyghebaert, J. De Boever, M. Lippens and J. Vanacker</i>	435
The use of near-infrared reflectance spectroscopy to predict the protein, fat and gross energy contents of broiler ileum content and broiler excreta. <i>P. Philipps, R. Aureli, B. Cochin de Billy and A.-M. Klünter</i>	438
Net Energy Requirement Models for Broiler Breeders, Laying Hens and Broilers <i>N.K. Sakomura, K.T. Resende, J.B.K. Fernandes, C.B.V. Rabelo, F.A. Longo and R. Neme</i>	441
Standardised ileal digestibility of crystalline amino acids <i>A. Lemme, H.S. Rostagno, A. Petri and L.F. Albino</i>	444
Responses of growing broilers to varying dietary energy and balanced amino acid levels <i>A. Lemme, C. Kemp, C. Fisher, M. Kenny and A. Petri</i>	447
Other topics	450
Short communications	
Responses of growing male broilers to graded threonine levels at low and adequate balanced dietary protein <i>A. Lemme, J. Tossenberger and A. Petri</i>	452
A comparison of pelleting and expander treatment on nutritional value of a broiler diet containing two different fat sources <i>O. Zimonja and B. Svihus</i>	455

Influence of Ochratoxin A on the performance of broiler chicken <i>S. Nitsch, E. Pichler, E.M. Binder and G. Schatzmayr</i>	458
Posters	
Relationship between Lysine Levels and Packed Cell Volume under Different Temperatures in Caged Broiler Breeders <i>A.A. Al-saffar</i>	462
Effect of early feed restriction on broilers performance <i>A. Mahmud, F.M. Khattak, Z. Ali and T.N. Pasha</i>	465
Protein (Amino acid) metabolism of high productive laying hens <i>A. Chudy</i>	468
Modelling Energy Utilization In Laying-Type Pullets <i>N.K. Sakomura, R. Neme, E. Fukayama, F.B. Fialho and K.T. Resende</i>	471
The influence of supplementation food with “Bio-Chrome” and “Sel-Plex” over the quantitative and qualitative collagen matter from broiler muscles <i>D. Curcă, L. Pantă and A. Pop</i>	474
Effect of Sorghum Tannin on Egg Quality and Quantity of Laying Hen <i>M.R. Ebadi, J. Pourreza, S. Esmailkhanian and A.A. Gharadaghi</i>	477
<i>Kolanut husk as a partial substitute for maize in broiler diet</i> <i>A.O. Fanimu, J. Abioye, A.M. Bamgbose, M.A. Dipeolu and O. Olubamiwa</i>	481
Influence of the corn endosperm type on the <i>in vitro</i> starch digestion rate in the small intestine of broiler chickens <i>D. Grbesa, B. Homen and G. Kis</i>	484
Natural betaine maintains layer performance in methionine/choline chloride reduced diets <i>M. Hruby, A. Ombabi and A. Schlagheck</i>	487
Ileal apparent digestibility of nutrients in chickens at 7 and 21 days of life under feeding differed in protein level mixtures <i>T. Wertelecki and D. Jamroz</i>	490
Polish dose response data demonstrate superiority of DL-methionine over liquid methionine hydroxy analogue in broilers. <i>A. Kaszuba, J. Koreleski, S. Świątkiewicz, W. Szczurek and A. Lemme</i>	493
The effect of breed, gender, protein content of the starter diet and litter material on the performances of broilers <i>M. Lippens and G. Huyghebaert</i>	496

Effect of Se (Sel-Plex [®]) in combination with α -tocopherol on fresh and frozen poultry meat	499
<i>O. Pesut, L. Nollet and L. Tucker</i>	
Effect of Se (Sel-Plex [®]) in combination with α -tocopherol on GSH-Px activity and TBARS in plasma of broilers	502
<i>O. Pesut, I. Jovanovic, L. Nollet and L. Tucker</i>	
Producing selenium enriched eggs by different Se-sources in the feed.	505
<i>L.L.M. de Lange, G. Oude Elferink and L. Nollet</i>	
Impact of oregano essential oil on production data and lipid oxidation parameters in broiler chickens	508
<i>R. Messikommer, S. Baltzer and C. Wenk</i>	
Effect of Feeding Powdered <i>Nigella Sativa L.</i> (Kalongi) Seeds on Poultry Egg Production and Their Suitability for Human Consumption	511
<i>Z. Nasir, T.N. Pasha, Z. Hayat, H.I. Shakoor and M.S. Akhtar</i>	
Effect of the method of drying on the concentration of sialic acid in poultry excreta	514
<i>V. Pirgozliev, S. Shanmugavelu and T. Acamovic</i>	
Influence of organic selenium food supplements on age-related changes on antioxidant system in thigh muscle of broiler chicken	517
<i>J. Piršljin, S. Milinković Tur, B. Beer Ljubić, M. Zdelar-Tuk and N. Poljičak-Milas</i>	
Eggshell Quality is Improved by Excessive Dietary Zinc and Manganese	520
<i>A. Zamani, H.R. Rahmani and J. Pourreza</i>	
Protein and valine gain of broilers in response to supplemented L-valine	523
<i>M. Rodehutsord and A.A. Fatufe</i>	
A linear regression approach to compare precaecal amino acid digestibility in broilers, turkeys and ducks	526
<i>H. Kluth and M. Rodehutsord</i>	
Effect of Hulled and Hull-Less Barley With and Without Beta-Glucanase Enzyme on Performance of Broiler Chicks	529
<i>S.A. Tabeidian and M. Toghyani</i>	
Serum Biochemistry and Organs Weight of Broilers Fed with Raw and Treated Ervil (<i>Vicia ervilia</i>) Seeds.	532
<i>Gh. Sadeghi, J. Pourreza, F. Khajehali and H.R. Rahmani</i>	
Digestible lysine and arginine levels of broilers in pre-starte ration	535
<i>J.H. Stringhini, C.P. Cruz, M.S. Thon, M.B. Café, M.A. Andrade and N.S.M. Leandro</i>	

Effect of Dietary Cumulative Levels of Cotton Seed Meal on the Performance and Certain Blood Parameters of Broiler Chicks <i>M. Toghyani, A. Gheisari and O. Saraeian</i>	538
Effect of ω 3 or saturated dietary fatty acids on lipid metabolism parameters in broiler chickens <i>G. Ferrini, D. Menoyo, E. Esteve-Garcia and A. C. Barroeta</i>	541
The interactions between balanced protein level and feed form in broiler production <i>A. Lemme, J. van Wichen, P.J.A. Wijtten, D.J. Langhout and A. Petri</i>	544
Varying protein and amino acid profiles with changing ballast protein concentration in diets for male broilers <i>J. van Wichen, A. Lemme, P.J.A. Wijtten, A. Petri and D.J. Langhout</i>	547
The effect of body weight of laying hens on the intake of methionine-deficient diet. <i>S. Cadirci and W. K. Smith</i>	550
Effect of using high levels of soybean meal on performance and carcass characteristics of broiler chicks <i>M.A. El-Moniary</i>	553
Inclusion of dust bathing materials in housing systems for layers can affect performance and functionality <i>H. Hetland, B. Svihus and M. Choct</i>	556
Effects of Delayed Placement and Dietary Lysine Levels on Performance and Diameter of the Skeletal Muscle Fibers of Broiler Chickens in the Starting Period <i>J.R.G. Franco, A.E. Murakami, M.A.O. Mituo and J.I.M. Fernandes</i>	559
Effects of hull-less barley inclusion in corn-soy diet on the nutrients digestion of broiler chickens <i>S.D. Sharifi, A. Yaghobfar, F. Shariatmadari and H. Manafi Rasi</i>	562
Grinding size and grinding method and interaction with pelleting for wheat-based broiler chicken diets <i>B. Svihus, O. Zimonja and K.H. Kløvstad Viken</i>	565
Performance of Broilers Fed on Low Protein Diets Fortified with Graded Levels of Methionine <i>M. Torki</i>	568
Consumption of Se-enriched eggs improved Se status of human volunteers <i>J.E. Dvorska, P.F. Surai, F.O. Yaroshenko, Y.F. Yaroshenko, F. Karadas and N.H.C. Sparks</i>	571

Application of a sub-optimal protocol to evaluate broiler response to additional methionine supplied as either Alimet® or DLM <i>D.S. Parker, P. Hillebrand and P. Buttin</i>	574
Preliminary results of study on the use of corn and rye distillers dried grains with solubles in the laying hens nutrition <i>S. Świątkiewicz and J. Koreleski</i>	577
Effect of Extrusion of Corn on Nutrient Digestibility, Metabolizable Energy, and Performance in Poultry under Tropical Environment <i>N. Amornthewaphat, S. Lerdsuwan and S. Attamangkune</i>	580
The effects of different Ochratoxin A contaminated starter diets on the performance and some physiological parameters of broiler chicks <i>K. Dublec, A. Bányai, L. Pál, Á. Bartos, Sz. Tóth and L. Wágner</i>	583
The effects of physical, chemical and enzymatic treatment on rapeseed meal N- digestibility and metabolizable energy in broilers and chick performance <i>S. Ghazi and M.T. Mirakzehi</i>	586
Evaluation of three bioassay methods and apparent metabolizable energy of 5 Iranian barley cultivars in broiler chicks <i>A.A. Gheisari, A.H. Pourabadeh, K.E. Bach Knudsen, J. Pourreza, M. Mahloji and R. Bahadoran</i>	589
Effects of Delayed Access to Feed and Different Crude Protein Levels in Broiler Chicks After Hatching 1. Performances and Digestibility of Nutrients <i>D. Gökçeyrek and İ. Çiftci</i>	592
Effects of Delayed Access to Feed and Different Crude Protein Levels in Broiler Chicks After Hatching 2. Physical Development of Digestive System <i>D. Gökçeyrek and İ. Çiftci</i>	595
Effects of Delayed Access to Feed and Different Crude Protein Levels in Broiler Chicks After Hatching 3. Morphological Development of Small Intestine Segments <i>D. Gökçeyrek and İ. Çiftci</i>	598
Effects of Feeding Olive Cake and Barley Radicle as fiber sources on lipids, cholesterol and fatty acids in Hen Eggs <i>S.M. Hashish and L.D. Abd El-Samee</i>	601
Large scale Sel-Plex™ trial in broiler breeder <i>L. Körösi, Z. Szöcs and A. Séllyei</i>	604
The effect of feeding malted sorghum sprout on laying characteristics of domestic hens <i>A.O. Fafiolu, O.O. Oduguwa, C.O.N. Ikeobi and C.F.I. Onwuka</i>	606

The Effects of China Tea (<i>Camellia Sinensis</i>) Supplementation in Laying Hen Diets on Production, Quality and Cholesterol Content of Egg <i>P. Panja</i>	609
Effect of Dietary Amino Acids on the Production of Broilers <i>L. Papesova, P. Tupy and A. Fucikova</i>	612
Effect of Ovocrack on performance and egg shell quality in laying hens. <i>R. Wiltenburg and A. van der Lee</i>	615
Biotransformation - A successful way to deactivate T-2 toxin in growing broiler chickens <i>U. Hofstetter, D. Schatzmayr and E.M. Binder</i>	618
Development of a competitive exclusion product for chicken meeting the regulatory requirements for registration in the EU <i>R. Plail, V. Klose, M. Mohnl, D. Jölli, A. Klimitsch, G. Schatzmayr and A.P. Loibner</i>	621

Session 1

Interaction between genotype and nutrition