

COMMONWEALTH INSTITUTE OF ENTOMOLOGY
DISTRIBUTION MAPS OF PESTS


Series A (Agricultural), Map No. 300. June 1972.

Published at:—56 Queen's Gate, London, S.W.7.

Pest: *Chilo auricilius* (Dudg.)

(*Chilotraea auricilia* (Dudg.))
(Lep., Pyralidae) (Gold-fringed Rice Borer)

Host Plants: Sugar cane, rice, sorghum.



Chilo auricilius (Dudg.)

Map No. 300

ASIA

- Bhutan [Kapur (39 429) p. 409]
Borneo [Bleszynski (58 3439) pp. 135-138—see under Indonesia and East Malaysia]
Burma [Rao & Nagaraja (56 1743) p. 179]
China [Hanson (54 528) p. 12 Kwangsi, Kwangtung (north, east, west, central)]
Hong Kong [Grist & Lever (57 1649) p. 75]
India [58 823, 826 Mysore, Assam (Gauhati); Bleszynski (*loc. cit.*) Bihar (Burogah, Pusa), Darjeeling; Rao & Nagaraja (*loc. cit.*) Gujarat (Bardoli), Orissa (Bhubaneswar), Uttar Pradesh (Lucknow), West Bengal (Chandranagar, Kalimpong); 55 899 Himachal Pradesh, Punjab; Anon. (53 306) p. 9 Andhra Pradesh, Delhi, Madhya Pradesh, Maharashtra, Rajasthan, Tamil Nadu (=Madras), Tripura]
Indonesia [Bleszynski (*loc. cit.*) Celebes (Palao), Kalimantan (cited as Borneo), Pulau Laut, Sangihe, Ternate; 48 317 Java; specimens in Brit. Mus. (Nat. Hist.) Sumatra (Tibis Tinggi) 1963]
Jammu and Kashmir [Rao & Nagaraja (*loc. cit.*) Katua]
Malaysia, East [Bleszynski (*loc. cit.*) (cited as Borneo)]

- Nepal [Bleszynski (*loc. cit.*) Bhimpedi, Megouli, Rapti Tal, Sunkosi]
Pakistan, East [58 3383 Dacca; Kapur (56 263) p. 19 Karimganj, Sylhet]
Philippines [Bleszynski (*loc. cit.*) Luzon]
Sikkim [Kapur (39 429)]
Taiwan } [Bleszynski (*loc. cit.*)]
Thailand }
Vietnam [South: Hanson (54 462) p. 12 (cited as Annam, Cochin China); North: de Joannis, *J. Ann. Soc. ent. Fr.* 98 (suppt.) p. 362 (p. 600), 1931 Phutho]
N.B.—Cambodia and Laos. These have been included on the map on the basis of records from North and South Vietnam, and Thailand.
Ceylon. Early references have been shown by Kapur (39 429) to refer to a doubtful singleton taken in 1908; this has therefore been ignored.
Malaysia, West. Early references to *C. auricilius*, e.g. 25 195, 24 104, were later referred to as *C. polychrysa* (Meyr.) or *C. suppressalis* (Wlk.) (Map No. 254). See Grist & Lever (*op. cit.*) p. 70 and Ahmad Yunus (54 619) p. 41.