

Scientific name of organisms, author (order, family)	Popular name / type of organism	Chapter in which name is mentioned
A		
<i>Acacia</i> sp. (Fabales: Fabaceae)	wattles	MX
<i>Acanthocereus pentagonus</i> (L.) Hummelinck (Caryophyllales: Cactaceae)	cactus	AR
<i>Acanthops falcata</i> Stål (Mantodea: Acanthopidae)	South America dead leaf mantid	VE
<i>Acanthoscelides obtectus</i> (Say) (Coleoptera: Chrysomelidae)	bean bruchid	CO
<i>Acaulona erythropyga</i> Sabrosky (Diptera: Tachinidae)	parasitoid	RC
<i>Acaulona peruviana</i> Tns (Diptera: Tachinidae)	parasitoid	RC
<i>Aceratoneuromyia</i> (= <i>Synthomosphyrum indicum</i>) <i>indica</i> (Silv.) (Hymenoptera: Eulophidae)	parasitoid	BZ, AR, CR
<i>Aceratoneuromyia indica</i> Silvestri (Hymenoptera: Eulophidae)	parasitoid	BZ, CR, DM, MX, RC, 32
<i>Aceria chondrillae</i> Canestrini (Canestrini) (Acari: Eriophyidae)	chondrilla gall mite	AR
<i>Aceria guerreronis</i> Keifer (Acari: Eriophyidae)	coconut mite	DO
<i>Aceria sheldoni</i> Ewing (Acari: Eriophyidae)	citrus bud mite	DO
<i>Acerophagous papayae</i> Noyes & Schauff (Hymenoptera: Encyrtidae)	parasitoid	BB, DO, JM, RC, 32
<i>Acerophagus coccois</i> Smith (Hymenoptera: Encyrtidae)	parasitoid	BR
<i>Acerophagus</i> spp. (Hymenoptera: Encyrtidae)	parasitoid	PR, RC
<i>Achatina fulica</i> (Férussac) (Gastropoda: Achatinidae)	giant African land snail	BB
<i>Achrysochari</i> sp. (Hymenoptera: Eulophidae)	parasitoid	VE
<i>Acmella oppositifolia</i> (Lam.) R.K. Jansen (Asterales: Asteraceae)	oppositeleaf spotflower	CO
<i>Acontiothespis brevipennis</i> (Saussure) (Mantodea: Acontistidae)	praying mantid	PY
<i>Acontiothespis concinna</i> (Perty) (Mantodea: Acontistidae)	praying mantid	PY
<i>Acontiothespis multicolor</i> (Saussure) (Mantodea: Acontistidae)	praying mantid	VE
<i>Acremonium persicinum</i> (Nicot.) W. Gams (Hypocreales: Hypocreaceae)	antagonistic fungus	BR
<i>Acremonium zonatum</i> (Sawada) W. Gams (Hypocreales: Hypocreaceae)	antagonistic fungus	MX
<i>Aculops lycopersici</i> Massee (Acarina: Eriophyidae)	tomato russet mite	BB, DO
<i>Acyrthosiphon kondoi</i> Shinji (Hemiptera: Aphididae)	blue alfalfa aphid	BR
<i>Acyrthosiphon pisum</i> Harris (Hemiptera: Aphididae)	pea aphid	AR, BR, PE, 32
<i>Adalia bipunctata</i> L. (Coleoptera: Coccinellidae)	two-spotted lady beetle	32
<i>Adelencyrtus moderatus</i> (How.) (Hymenoptera: Encyrtidae)	parasitoid	BB
<i>Adelencyrtus odonaspidis</i> Fullaway (Hymenoptera: Encyrtidae)	parasitoid	BB
<i>Aedes aegypti</i> (L.) (Diptera: Culicidae)	mosquito	BR, CO, RC, SV
<i>Aegorhinus nodipennis</i> (Hope) (Coleoptera: Curculionidae)	weevil	CL, 32

<i>Aegorhinus superciliosus</i> (Guérin) (Coleoptera: Curculionidae)	weevil	CL, 32
<i>Aenasius vexans</i> (Kerrich) (Hymenoptera: Encyrtidae)	parasitoid	BR
<i>Aeneolamia albofasciata</i> (Lailemand) (Homoptera: Cercopidae)	spittlebug	GT,32
<i>Aeneolamia flavilatera</i> (Urich) (Homoptera: Cercopidae)	yellow-sided froghopper	SR, 32
<i>Aeneolamia postica</i> (Walker) (Hemiptera: Cercopidae)	spittlebug	NI
<i>Aeneolamia</i> sp. (Homoptera: Cercopidae)	spittlebug	MX, PE, VE
<i>Aeneolamia</i> spp. (Homoptera: Cercopidae)	spittlebug	CR, HN, MX, RC, VE
<i>Aeneolamia varia</i> (F.) (Homoptera:Cercopidae)	froghopper	VE
<i>Aeneolamia varia saccharina</i> (Dist.) (Homoptera:Cercopidae)	sugarcane froghopper	BZ, RC, TT
<i>Aganaspis daci</i> (Weld) (Hymenoptera: Eulophidae)	parasitoid	CR
<i>Aganaspis pelleranoi</i> (Brethes) (Hymenoptera: Eulophidae)	parasitoid	MX, SR, 32
<i>Agasicles hygrophila</i> Selman & Vogt (Coleoptera: Chrysomelidae)	alligatorweed flea beetle	AR, PR
<i>Agathis diversa</i> (Mues.) (Hymenoptera: Braconidae)	parasitoid	AR
<i>Agathis</i> sp. (Hymenoptera: Braconidae)	parasitoid	BB
<i>Agathis stigmatera</i> (Cresson) (Hymenoptera: Braconidae)	parasitoid	AR, BB,RC, RC, SR, TT
<i>Ageniaspis citricola</i> (Logvinovskaya) (Hymenoptera: Encyrtidae)	parasitoid	AR, BB, BR, EC, FA, MX, PE, RC, UY
<i>Ageratina riparia</i> (Regel) K. & R. (= <i>Eupatorium riparium</i> Regel) (Asterales: Asteraceae)	mistflower	JM
<i>Ageratum conyzoides</i> L. (Asterales: Asteraceae)	billi goat weed	CR
AgMNPV virus (<i>A. gemmatalis</i> nucleopolyhedrosis)	entomoptogenic virus	BR
AgMNPV virus	entomoptogenic virus	PY
<i>Agonopterix ulicetella</i> (Stainton) (Lepidoptera: Oecophoridae)	gorse moth	CL
<i>Agraulis</i> sp. (Lepidoptera: Nymphalidae)	butterfly	CO
<i>Agraulis vanillae</i> (L.) (Lepidoptera: Nymphalidae)	silverspotted flambeau	VE
<i>Agrobacterium radiobacter</i> (Beijerinck and van Delden) (Rhizobiales: Rhizobiaceae)	phytopathogenic bacterium	CL
<i>Agrobacterium tumefaciens</i> Smith & Townsend (Rhizobiales: Rhizobiaceae)	phytopathogenic bacterium	CL
<i>Agrothereutes diatraeae</i> Myers (Hymenoptera: Ichneumonidae)	parasitoid	VE
<i>Agrotis deprivata</i> Walker (Lepidoptera: Noctuidae)	cutworm	EC
<i>Agrotis ipsilon</i> (Hufnagel) (Lepidoptera: Noctuidae)	black cutworm	BO, PA
<i>Agrotis</i> sp (Lepidoptera: Noctuidae)	cutworms	CL, VE
<i>Agrotis</i> spp. (Lepidoptera: Noctuidae)	cutworms	CU
<i>Akanthomyces</i> sp. (Hypocreales:Cordycipitaceae)	entomopathogenic fungus	CO, CR
<i>Alabagrus stigma</i> Brullé (Hymenoptera: Braconidae)	parasitoid	GY
<i>Alabama argillacea</i> (Hueb.) (Lepidoptera: Noctuidae)	cotton leaf worm	BB, BO, BR, CO, NI, PY, RC, SV, UY, VE, 32

<i>Alabama</i> sp. (Lepidoptera: Noctuidae)	cotton leaf worm	CO
<i>Alcaeorrhynchus grandis</i> (Dallas) (Hemiptera: Pentatomidae)	predatory stinkbug	PY
<i>Alcidion cereicola</i> Fisher (Coleoptera: Cerambycidae)	longicorn beetle	AR
<i>Aleiodes</i> sp (Hymenoptera: Braconidae)	parasitoid	PY
<i>Aleurocanthus woglumi</i> (Ashby) (Hemiptera: Aleyrodidae)	citrus blackfly	BB, CR, CU, DM, DO, EC, FA, JM, HT, MX, PA, PR, RC, SV, TT, VE, 32
<i>Aleuroctonus vittatus</i> (Dozier) (Hymenoptera: Eulophidae)	parasitoid	FA
<i>Aleurocybotus occiduus</i> Russell (Hemiptera: Aleyrodidae)	whitefly	MX
<i>Aleurodicus cocois</i> (Curtis) (Hemiptera: Aleyrodidae)	coconut whitefly	BB, RC, TT, 32
<i>Aleurodicus dispersus</i> Russell (Hemiptera: Aleyrodidae)	spiralling whitefly	1, CR, FA, TT
<i>Aleurodicus juleikae</i> Bondar (Hemiptera: Aleyrodidae)	whitefly	PE
<i>Aleurodicus pulvinatus</i> Maskell (Hemiptera: Aleyrodidae)	coconut whitefly	TT, RC
<i>Aleurodicus</i> spp. (Hemiptera: Aleyrodidae)	coconut whiteflies	RC
<i>Aleurothrixus floccosus</i> (Maskell) (Hemiptera: Aleyrodidae)	woolly whitefly	EC, FA, MX, PE, 32
<i>Aleurotrachelus trachoides</i> Back (Hemiptera: Aleyrodidae)	solanum or pepper whitefly	FA
<i>Aleyrodes proletella</i> (L.) (Hemiptera: Aleyrodidae)	cabbage whitefly	FA
<i>Allium</i> spp. (Asparagales: Amaryllidaceae)	garlic	JM
<i>Allograpta</i> (Diptera: Syrphidae)	hoverfly	FA
<i>Allograpta (Fazia)</i> CR-2 aff. <i>hians</i> (Enderlein) (Diptera: Syrphidae)	hoverfly	CO
<i>Allograpta citri</i> Muesebeck (Diptera: Syrphidae)	hoverfly	BB
<i>Allograpta exotica</i> (Wiedemann) (Diptera: Syrphidae)	hoverfly	PY, VE
<i>Allorhogas pyralophagus</i> (Marsh) (Hymenoptera: Braconidae)	parasitoid	GY
<i>Allorhogas</i> sp. (Hymenoptera: Braconidae)	parasitoid	RC
<i>Allotropa citri</i> (Muesebeck) (Hymenoptera: Platigasteridae)	parasitoid	CL
<i>Allotropa</i> sp. (Hymenoptera: Platygasteridae)	parasitoid	DO, RC
<i>Alternanthera philoxeroides</i> Griseb (Caryophyllales: Amaranthaceae)	alligator weed	AR, PR
<i>Alternaria</i> (Pleosporales: Pleosporaceae)	pathogenic fungi	EC, MX
<i>Alternaria alternata</i> (Keissl) (Pleosporales: Pleosporaceae)	pathogenic fungus	CL
<i>Alternaria dauci</i> (J.G. Kühn) J.W. Groves & Skolko (Pleosporales: Pleosporaceae)	pathogenic fungus	BR
<i>Alternaria eichhorniae</i> Nag Raj & Ponnappa (Pleosporales: Pleosporaceae)	pathogenic fungus	MX
<i>Alternaria longipes</i> (Ellis & Everh.) E.W. Mason (Pleosporales: Pleosporaceae)	pathogenic fungus	CU
<i>Alternaria porri</i> (Ellis) Cif. (Pleosporales: Pleosporaceae)	pathogenic fungus	BR
<i>Alternaria solani</i> Sorauer (Pleosporales: Pleosporaceae)	pathogenic fungus	PY
<i>Alurnus humeralis</i> Rosenberg (Coleoptera: Chrysomelidae)	chrysomelid beetle	EC

<i>Amaranthus</i> sp. (Caryophyllales: Amaranthaceae)	amaranth	JM
<i>Amaranthus spinosus</i> L. (Caryophyllales: Amaranthaceae)	spiny amaranth	CR
<i>Amauromyza maculosa</i> (Malloch) (Diptera: Agromyzidae)	blotch leafminer	FA
<i>Amazona vittata</i> Boddaert (Psittaciformes: Psittacidae)	Puerto rican parrot	PR
<i>Amblydromalus limonicus</i> (Garman & McGregor) (Acari: Phytoseiidae)	predatory mite	MX
<i>Amblyseiopsis musae</i> Garman (Acari: Phytoseiidae)	predatory mite	DO
<i>Amblyseius</i> (Acari: Phytoseiidae)	predatory mite	BB, DO
<i>Amblyseius chungas</i> Denmark & Muma (Acari: Phytoseiidae)	predatory mite	PE
<i>Amblyseius cucumeris</i> (Oudemans) (Acari: Phytoseiidae)	predatory mite	HN
<i>Amblyseius herbicolus</i> (Chant) (Acari: Phytoseiidae)	predatory mite	CO
<i>Amblyseius largoensis</i> (Muma) (Acari: Phytoseiidae)	predatory mite	CU, DO, GY, JM, PE, RC
<i>Amblyseius obtusus</i> (Koch) (Acari: Phytoseiidae)	predatory mite	DO
<i>Amblyseius perlongisetus</i> Berlese (Acari: Phytoseiidae)	predatory mite	DO
<i>Amblyseius</i> sp. (Acari: Phytoseiidae)	predatory mite	BB, EC, DO
<i>Amblyseius swirskii</i> Athias-Henriot (Acari: Phytoseiidae)	predatory mite	EC, HN, UY
<i>Amblyseius tamatavensis</i> Blommers (Acari: Phytoseiidae)	predatory mite	BR, DO
<i>Ameiva atrigularis</i> (L.) (Squamata: Teiidae)	ground lizard	TT
<i>Ameiva</i> spp. (Squamata: Teiidae)	giant ameiva, green ameiva	BB, RC
<i>Amitus bennetti</i> Viggiani & Evans (Hymenoptera: Platygasteridae)	parasitoid	FA
<i>Amitus fuscipennis</i> (MacGown & Nebeker) (Hymenoptera: Platygastridae)	parasitoid	DO, CO, FA
<i>Amitus hesperidum</i> Silvestre (Hymenoptera: Platygastridae)	parasitoid	DM, EC, PR, RC, TT, 32
<i>Amitus</i> sp. (Hymenoptera: Platigastridae)	parasitoid	PA
<i>Amitus spiniferus</i> (Brethes) (Hymenoptera: Plastigastridae)	parasitoid	32
<i>Amynothrips andersoni</i> O'Neill (Thysanoptera: Phlaeothripidae)	alligator weed thrips	AR
<i>Anacardium</i> (Sapindales: Anacardiaceae)	cashew nut	BR
<i>Anagrus flaveolus</i> Waterhouse (Hymenoptera: Mymaridae)	parasitoid	BZ, JM, RC, TT, VE
<i>Anagrus gonzalezae</i> Triapitsyn (Hymenoptera: Mymaridae)	parasitoid	HN
<i>Anagrus optabilis</i> (Perkins) (Hymenoptera: Mymaridae)	parasitoid	EC
<i>Anagrus urichi</i> Pickles (Hymenoptera: Mymaridae)	parasitoid	TT
<i>Anagyrus (=Apoanagyrus) californicus</i> (Compere) (Hymenoptera: Encyrtidae)	parasitoid	DO, RC
<i>Anagyrus diversicornis</i> (Howard) (Hymenoptera: Encyrtidae)	parasitoid	BR
<i>Anagyrus kamali</i> Moursi (Hymenoptera: Encyrtidae)	parasitoid	BB, BZ, DO, FA, GY, HT, JM, MX, PR, RC, SR, TT, VE, 32
<i>Anagyrus loecki</i> Noyes and Menezes (Hymenoptera: Encyrtidae)	parasitoid	BB, DO, JM, RC, 32

<i>Anagyrus mangicola</i> Noyes (Hymenoptera: Encyrtidae)	parasitoid	FA
<i>Anagyrus pseudocacci</i> (Girault) (Hymenoptera: Encyrtidae)	parasitoid	CL, MX, PE
<i>Anagyrus saccharicola</i> Timb. (Hymenoptera: Encyrtidae)	parasitoid	BB, BO, PE, RC, 32
<i>Anagyrus</i> sp. (Hymenoptera: Encyrtidae)	parasitoid	PE
<i>Anagyrus</i> spp. (Hymenoptera: Encyrtidae)	parasitoid	PR, RC
<i>Ananas comosus</i> (L.) Merr. (Poales: Bromeliaceae)	pineapple	CU
<i>Anaphes iole</i> Girault (Hymenoptera: Mymaridae)	parasitoid	MX
<i>Anaphes nitens</i> Girault (Hymenoptera: Mymaridae)	parasitoid	BR, CL, UY
<i>Anastatus</i> sp. (Hymenoptera: Eupelmidae)	parasitoid	SR
<i>Anastatus</i> spp. (Hymenoptera: Eupelmidae)	parasitoid	RC
<i>Anastrepha</i> (Diptera: Tephritidae)	fruit fly	CR, SR
<i>Anastrepha fraterculus</i> (Wiedemann) (Diptera: Tephritidae)	South American fruit fly	AR, EC
<i>Anastrepha ludens</i> (Loew) (Diptera: Tephritidae)	Mexican fruit fly	BZ, CR, HN, 32
<i>Anastrepha mombinpraeoptans</i> Sein (Diptera: Tephritidae)	fruit fly	DM
<i>Anastrepha obliqua</i> Macquart (Diptera: Tephritidae)	West Indian fruit fly	BB, BZ, EC, DM, DO, TT
<i>Anastrepha serpentina</i> (Wiedemann) (Diptera: Tephritidae)	sapodilla fruit fly	EC
<i>Anastrepha</i> sp. (Diptera: Tephritidae)	fruit fly	EC, JM, RC
<i>Anastrepha</i> spp. (Diptera: Tephritidae)	fruit fly	BO, BZ, BR, CO, CR, DO, EC, FA, MX, RC
<i>Anastrepha striata</i> (Schiner) (Diptera: Tephritidae)	guava fruit fly	EC, SR, 32
<i>Anastrepha suspensa</i> (Loew) (Diptera: Tephritidae)	Caribbean fruit fly	DO
<i>Anatrachyntis</i> (= <i>Pyroderces</i>) <i>rileyi</i> (Wals.) (Lepidoptera: Cosmopterygidae)	pink scavenger caterpillar	DO
<i>Ancylostomia stercorea</i> (Zeller) (Lepidoptera: Crambidae)	pod borer	BB, RC, TT
<i>Anicetus</i> sp. (Hymenoptera: Encyrtidae)	parasitoid	BB
<i>Anisopteromalus calandrae</i> (Howard) (Hymenoptera: Pteromalidae)	parasitoid	MX, PY
<i>Annona cherimola</i> Mill (Magnoliales: Annonaceae)	cherimoya	EC
<i>Annona muricata</i> L. (Magnoliales: Annonaceae)	soursop	BZ, RC
<i>Anoda cristata</i> L. (Malvales: Malvaceae)	anodaweed	AR
<i>Anolis</i> (Squamata: Dactyloidea)	lizards	PR, RC
<i>Anomala</i> spp. (Coleoptera: Scarabaeidae)	white bug	CR, PE
<i>Anomis</i> sp. (Lepidoptera: Noctuidae)	lepidopteran	VE
<i>Anopheles albimanus</i> C.R.G. Wiedemann (Diptera: Culicidae)	mosquito	GT, NI, SV, 32
<i>Anopheles punctipennis</i> (Say) (Diptera: Culicidae)	mosquito	32
<i>Anopheles pseudopunctipennis</i> Theobald (Diptera: Culicidae)	mosquito	SV

<i>Anopheles</i> spp. (Diptera: Culicidae)	mosquito	CO, 32
<i>Anovia circumclusa</i> (Gorham) (Coleoptera: Coccinellidae)	predatory ladybeetle	HT
<i>Anovia punica</i> Gordon (Coleoptera: Coccinellidae)	predatory ladybeetle	CO, HT
<i>Anthonomus eugenii</i> Cano (Coleoptera: Curculionidae)	pepper weevil	CR, NI
<i>Anthonomus grandis</i> (Boheman) (Coleoptera: Curculionidae)	Mexican cotton boll weevil	AR, CO, MX, NI, PY
<i>Anticarsia gemmatalis</i> Hübner (Lepidotpera: Noctuidae)	soybean caterpillar	AR, BO, BR, CO, CU, MX, NI, PY, SR, UY, VE
<i>Anticarsia</i> sp. (Lepidotpera: Noctuidae)	soybean caterpillar	CO
<i>Antichloris</i> (= <i>Ceramidia</i>) <i>viridis</i> (Druce) (Lepidoptera: Arctiidae)	banana moth	EC
<i>Antonina graminis</i> (Maskell) (Hemiptera: Pseudococcidae)	rhodesgrass scale	BR, MX, 32
<i>Antrocephalus renalis</i> Wtstn (Hymenoptera: Chalcididae)	parasitoid	BZ
<i>Aonidiella aurantii</i> (Maskell) (Hemiptera: Diaspididae)	scale	AR, JM, MX, 32
<i>Aonidiella aurantii</i> Maskell (Hemiptera: Diaspididae)	red scale	AR, JM, 32
<i>Apanteles</i> (<i>Cotesia</i>) <i>plutellae</i> Kurd (Hymenoptera: Braconidae)	parasitoid	BZ, DM, RC
<i>Apanteles</i> (<i>Cotesia</i>) sp. poss. <i>marginiventris</i> (Cress.), (Hymenoptera: Braconidae)	parasitoid	BB
<i>Apanteles</i> (<i>Glyptapanteles</i>) sp. (Hymenoptera: Braconidae)	parasitoid	BB
<i>Apanteles</i> (<i>Rhygoplitis</i>) <i>aciculatus</i> (Ashm) (Hymenoptera: Braconidae)	parasitoid	RC
<i>Apanteles angeleti</i> Mues. (Hymenoptera: Braconidae)	parasitoid	BB, RC
<i>Apanteles etiellae</i> Viereck (Hymenoptera: Braconidae)	parasitoid	BB, TT
<i>Apanteles gelechiidivorus</i> Marsh (Hymenoptera: Braconidae)	parasitoid	CO
<i>Apanteles glomeratus</i> (L.) (Hymenoptera: Braconidae)	parasitoid	BB
<i>Apanteles marginiventris</i> (Cress.) (Hymenoptera: Braconidae)	parasitoid	SR
<i>Apanteles sesamiae</i> Cam. (Hymenoptera: Braconidae)	parasitoid	RC
<i>Apanteles</i> sp. (Hymenoptera: Braconidae)	parasitoid	BB, BO, CO, CR, EC, FA, PA, PR, RC, SR, 32
<i>Apanteles</i> spp. (Hymenoptera: Braconidae)	parasitoid	CR, PY, UY
<i>Apanteles talidicica</i> Wlkn (Hymenoptera: Braconidae)	parasitoid	RC
<i>Apanteles thurberiae</i> Muesebeck (Hymenoptera: Braconidae)	parasitoid	CO
<i>Apate monachus</i> Fabricius (Coleoptera: Bostrichidae)	black borer	CU
<i>Aphanognathus</i> sp. (Hymenoptera: Ceraphronidae)	parasitoid	DO
<i>Aphelinus abdominalis</i> Dalman (Hymenoptera: Aphelinidae)	aphid parasitoid	BR, MX
<i>Aphelinus albipodus</i> (Hayat and Fatima) (Hymenoptera: Aphelinidae)	aphid parasitoid	PY
<i>Aphelinus asychis</i> (Walker) (Hymenoptera: Aphelinidae)	aphid parasitoid	BR
<i>Aphelinus flavipes</i> Forster (Hymenoptera: Aphelinidae)	aphid parasitoid	BR
<i>Aphelinus gossypii</i> (Timberlake) (Hymenoptera: Aphelinidae)	aphid parasitoid	PY

<i>Aphelinus gossypii</i> Timberlake (Hymenoptera: Aphelinidae)	aphid parasitoid	FA
<i>Aphelinus mali</i> Haldeman (Hymenoptera: Aphelinidae)	woolly aphid parasitoid	AR, BO, BR, CL, CO, CR, EC, PE, UY, VE, 32
<i>Aphelinus varipes</i> Forster (Hymenoptera: Aphelinidae)	aphid parasitoid	BR
<i>Aphidius colemani</i> Viereck (Hymenoptera: Braconidae)	aphid parasitoid	AR, BR, CO, CR, DO, FA, MX, VE
<i>Aphidius ervi</i> Haliday (Hymenoptera: Braconidae)	aphid parasitoid	AR, BR, MX
<i>Aphidius matricariae</i> Haliday (Hymenoptera: Braconidae)	aphid parasitoid	CO, MX, 32
<i>Aphidius pascuorum</i> Marshall (Hymenoptera: Braconidae)	aphid parasitoid	BR
<i>Aphidius picipes</i> (Ness) (Hymenoptera: Braconidae)	aphid parasitoid	BR
<i>Aphidius rhopalosiphi</i> De Stefani (Hymenoptera: Braconidae)	aphid parasitoid	AR, BR
<i>Aphidius smithi</i> Sharma & Subba Rao (Hymenoptera: Braconidae)	aphid parasitoid	AR, PE, 32
<i>Aphidius</i> sp. (Hymenoptera: Braconidae)	aphid parasitoid	PE
<i>Aphidius</i> spp. (Hymenoptera: Braconidae)	aphid parasitoid	PY
<i>Aphidius uzbekistanicus</i> Luzhetski (Hymenoptera: Braconidae)	aphid parasitoid	AR, BR
<i>Aphidius</i> (Hymenoptera: Braconidae)	aphid parasitoid	BR
<i>Aphidoletes aphidimyza</i> (Rondani) (Diptera: Cecidomyiidae)	aphid midge	CO, MX, VE
<i>Aphis</i> (Hemiptera: Aphididae)	aphid	CU, VE
<i>Aphis craccivora</i> Koch (Hemiptera: Aphididae)	groundnut aphid	AR, VE
<i>Aphis gossypii</i> Glover (Hemiptera: Aphididae)	cotton aphid	BR, CO, CU, MX, PY, SR
<i>Aphis nerii</i> Boyer de Fonscolombe (Hemiptera: Aphididae)	sweet pepper aphid	VE
<i>Aphis sorghi</i> Theobald (Hemiptera: Aphididae)	aphid	EC
<i>Aphis spiraecola</i> Patch. (Hemiptera: Aphididae)	Spirea aphid	CU
<i>Aphis</i> sp. (Hemiptera: Aphididae)	aphid	NI
<i>Aphytis chrysomphali</i> Mercet (Hymenoptera: Aphelinidae)	parasitoid	SR
<i>Aphytis diaspidis</i> (How) (Hymenoptera: Aphelinidae)	parasitoid	JM, PE
<i>Aphytis diaspidis</i> (How.) (Hymenoptera: Aphelinidae)	parasitoid	JM
<i>Aphytis fuscipennis</i> (How) (Hymenoptera: Aphelinidae)	parasitoid	PE, 32
<i>Aphytis holoxanthus</i> DeBach (Hymenoptera: Aphelinidae)	parasitoid	AR, PE, 32
<i>Aphytis lepidosaphes</i> Compere (Hymenoptera: Aphelinidae)	parasitoid	AR, EC, PE, SV, 32
<i>Aphytis lingnanensis</i> Compere (Hymenoptera: Aphelinidae)	parasitoid	AR, MX
<i>Aphytis maculicornis</i> (Masi) (Hymenoptera: Aphelinidae)	parasitoid	AR
<i>Aphytis melinus</i> DeBach (Hymenoptera: Aphelinidae)	parasitoid	AR, MX, PE, 32
<i>Aphytis mytilaspidis</i> (Le Baron) (Hymenoptera: Aphelinidae)	parasitoid	AR
<i>Aphytis roseni</i> DeBach (Hymenoptera: Aphelinidae)	parasitoid	PE, 32

<i>Aphytis</i> sp. (Hymenoptera: Aphelinidae)	parasitoid	FA,32
<i>Aphytis yanonensis</i> DeBach & Rosen (Hymenoptera: Aphelinidae)	parasitoid	AR
<i>Apiomerus apicalis</i> Burmeister (Hemiptera: Reduviidae)	bee assassin stinkbug	PY
<i>Apiomerus lanipes</i> (F.) (Hemiptera: Reduviidae)	bee assassin stinkbug	PY
<i>Apiomerus</i> sp. (Hemiptera: Reduviidae)	bee assassin stinkbug	PY
<i>Apion ulicis</i> (Foster) (Coleoptera: Brentidae)	gorse seed weevil	CL
<i>Apoanagyrus diversicornis</i> (Howard) (Hymenoptera: Encyrtidae)	parasitoid	BR
<i>Apoanagyrus</i> sp. (Hymenoptera: Encyrtidae)	parasitoid	JM
<i>Apoanagyrus</i> spp. (Hymenoptera: Encyrtidae)	parasitoid	PR, RC
<i>Apodemus sylvaticus</i> (L.) (Rodentia: Muridae)	long-tailed field mouse	MX
<i>Aprostocetus</i> (Hymenoptera: Eulophidae)	parasitoid	DO
<i>Aprostocetus gala</i> (Walker) (Hymenoptera: Eulophidae)	parasitoid	FA, JM
<i>Aprostocetus haitiensis</i> (Gahan) (Hymenoptera: Eulophidae)	parasitoid	FA, JM
<i>Aprostocetus</i> sp. (Hymenoptera: Eulophidae)	parasitoid	FA
<i>Aprostocetus</i> Westwood (Hymenoptera: Eulophidae)	parasitoid	DO
<i>Arachis</i> (Fabales: Fabaceae)	groundnut	BR
<i>Araujia</i> spp. (Gentianales: Apocynaceae)	mothplant	AR
<i>Archytas divisa</i> (Walk.) Diptera: Tachinidae)	parasitoid	SR
<i>Archytas marmoratus</i> (Tns.) (Diptera: Tachinidae)	parasitoid	BB, BO, CU, SR, VE
<i>Archytas</i> sp. (Diptera: Tachinidae)	parasitoid	PY
<i>Archytas</i> spp. (Diptera: Tachinidae)	parasitoid	PY
<i>Archytas vernalis</i> Curran (Diptera: Tachinidae)	parasitoid	SR
<i>Arcola malloii</i> Pastrana (Lepidoptera: Pyralidae)	alligatorweed stem borer moth	AR
<i>Ardalus scutellatus</i> (How.) (Hymenoptera: Eulophidae)	parasitoid	BB, RC
<i>Argiope trifasciata</i> (Forskal) (Araneae: Araneidae)	banded garden spider	JM
<i>Argyrotaenia franciscana</i> Walsingham (Lepidoptera: Tortricidae)	orange tortrix	MX
<i>Argyrotaenia sphaleropa</i> (Meyrick) (Lepidoptera: Tortricidae)	orange tortrix	BR, PE, UY
<i>Arilus carinatus</i> (Forster) (Hemiptera: Reduviidae)	wheel stinkbug	PY
<i>Arilus</i> sp. aff. <i>cristatus</i> (L.) (Hemiptera: Reduviidae)	whell stinkbug	PY
<i>Armillaria mellea</i> (Vahl.) P. Kumm (Agaricales: Physalacriaceae)	armillaria root rot	PE
<i>Arrhenophagus chionaspidis</i> Auriv. (Hymenoptera: Encyrtidae)	parasitoid	PE, 32
<i>Arthrobotrys</i> (Helotiales: Orbiliaceae)	antagonistic fungi	CL, EC
<i>Arthrobotrys irregularis</i> (Matr.) Mekht (Helotiales: Orbiliaceae)	antagonistic fungus	EC

<i>Arthrobotrys oligospora</i> Fresen (Helotiales: Orbiliaceae)	antagonistic fungus	BR, EC
<i>Arthrobotrys</i> sp. (Helotiales: Orbiliaceae)	antagonist fungus	EC
<i>Arundo donax</i> L. (Poales: Poaceae)	giant reed	MX
<i>Asarkina ericetorum</i> (Fabricius) (Diptera: Syrphidae)	hover fly	TT
<i>Aschersonia aleyrodis</i> Webber (Sordariomycetes: Clavicipitaceae)	entomopathogenic fungus	CR, DO, JM, SV, 32
<i>Ascia monuste</i> (L.) (Lepidoptera: Pieridae)	gulf white cabbage worm	BB, FA, RC
<i>Ascia monuste eubotea</i> (Godart) (Lepidoptera: Pieridae)	gulf white cabbage worm	CU
<i>Ascia monuste orseis</i> Latrielle (Lepidoptera: Pieridae)	gulf white cabbage worm	BR
<i>Ascogaster</i> (Hymenoptera: Braconidae)	parasitoid	CL, CR
<i>Ascogaster quadridentata</i> Wesmael (Hymenoptera: Braconidae)	parasitoid	AR, CL, UY
<i>Aspergillus flavus</i> Link (Eurotiales: Trichocomaceae)	pathogenic + antagonistic fungus	BO, BR
<i>Asperillium</i> sp.	fungus	PE
<i>Aspidiella hartii</i> (Ckll.) (Hemiptera: Diaspididae)	yam scale	BB
<i>Aspidiotiphagus citrinus</i> (Crwf) (Hymenoptera: Aphelinidae)	parasitoid	PE, 32
<i>Aspidiotiphagus</i> sp. (Hymenoptera: Aphelinidae)	parasitoid	RC
<i>Aspidiotus destructor</i> Signoret (Hemiptera: Diaspididae)	coconut scale	BB, DO, EC, JM, RC, SR, TT, 32
<i>Aspidiotus hederae</i> (Vallot) (Hemiptera: Diaspididae)	armoured scale	PE
<i>Aspidiotus perniciosus</i> (Comstock) (Hemiptera: Diaspididae)	San José scale	UY
<i>Aspidiotus</i> spp. (Hemiptera: Diaspididae)	armoured scale	PE
<i>Aspisoma</i> sp. (Coleoptera: Lampyridae)	fireflies	PY
<i>Asterodiaspis quercicola</i> (Bouche) (Hemiptera: Asterolecaniidae)	oak pit scale	32
<i>Asynonychus</i> (= <i>Naupactus</i>) <i>cervinus</i> (Boh.) (Coleoptera: Curculionidae)	Fuller's rose weevil	CL
<i>Ataenius</i> spp. (Coleoptera: Scarabaeidae)	white grubs	CR
<i>Athelia rolfsii</i> (Curzi) C.C. Tu & Kimbr. (= <i>Sclerotium rolfsii</i>) (Atheliales: Atheliaceae)	sclerotium rot	CO
<i>Athesapeuta cyperi</i> Mshl (Coleoptera: Curculionidae)	nutgrass weevil	BB
<i>Athetia coriaria</i> Kraatz (Coleoptera: Staphylinidae)	rove beetle	MX
<i>Atopozelus opsimus</i> Elkins (Hemiptera: Reduviidae)	assassin stinkbug	PY
<i>Atrachelus cinereus crassicornis</i> (Burmeister) (Hemiptera: Reduviidae)	spined assassin stinkbug	PY
<i>Atta insularis</i> (Guérin-Méneville) (Hymenoptera: Formicidae)	leaf-cutter ant	CU
<i>Aulacaspis tuberculatus</i> Newstead (Hemiptera: Diaspididae)	mango scale	EC, MX
<i>Aulacaspis yasumatsui</i> Takagi (Hemiptera: Diaspididae)	cycad scale	BB, CR, DO
<i>Aulacorthum solani</i> (Kaltenbach) (Hemiptera: Aphididae)	foxglove aphid	MX
<i>Autographa californica</i> multiple nucleopolyhedrovirus (AcMNPV) (Baculoviridae)	entomopathogenic virus	BR

<i>Avena sativa</i> L. (Poales: Poaceae)	oat	AR
<i>Averrhoa carambola</i> L. (Oxalidales: Oxalidaceae)	carambola	SR
<i>Avetianella longoi</i> Siscaro (Hymenoptera: Encyrtidae)	parasitoid	UY
<i>Aximopsis</i> sp (Hymenoptera: Eurytomidae)	parasitoid	PY
<i>Azeta melanea</i> Stoll (Lepidoptera: Noctuidae)	gliricidia moth	BB
<i>Azolla filiculoides</i> Lamarck (Salviniales: Salviniaceae)	red water fern	PY
<i>Azolla</i> sp. (Salviniales: Salviniaceae)	water fern	AR
<i>Azotobacter</i> sp. (Pseudomonadales: Pseudomonadaceae/Azotobacteriaceae)	bacteria	EC
<i>Azya luteipes</i> Mulsant (Coleoptera: Coccinellidae)	predatory ladybeetle	PY
<i>Azya orbignera</i> Mulsant (Coleoptera: Coccinellidae)	predatory ladybeetle	AR, CO, RC, TT, VE
<i>Azya trinitatis</i> Marshall (Coleoptera: Coccinellidae)	predatory ladybeetle	SR
<i>Azya</i> sp. (Coleoptera: Coccinellidae)	predatory ladybeetle	RC
B		
<i>Baccha</i> sp. (Diptera: Syrphidae)	hoverfly	FA, SR
<i>Bacillus</i> (Bacillales: Paenibacillaceae)	pathogenic bacteria	CL, EC
<i>Bacillus</i> (= <i>Paenibacillus</i>) <i>popilliae</i> Dutky (Bacillales: Paenibacillaceae)	pathogenic bacterium	CO
<i>Bacillus amyloliquefaciens</i> Priest et al. (Bacillales: Bacillaceae)	pathogenic bacterium	BR
<i>Bacillus firmus</i> Bredemann & Werner (Bacillales: Bacillaceae)	pathogenic bacterium	BR
<i>Bacillus lentimorbus</i> Dutky (Bacillales: Bacillaceae)	pathogenic bacterium	CL
<i>Bacillus licheniformis</i> (Weigmann) Chester (Bacillales: Bacillaceae)	pathogenic bacterium	BR, EC, PY, UY, VE
<i>Bacillus megaterium</i> de Bary (Bacillales: Bacillaceae)	pathogenic bacterium	BR, VE
<i>Bacillus methylotrophicus</i> Madhaiyan et al (Bacillales: Bacillaceae)	pathogenic bacterium	BR
<i>Bacillus pumilus</i> Meyer and Gottheil (Bacillales: Bacillaceae)	pathogenic bacterium	BR, CO
<i>Bacillus</i> sp. (Bacillales: Bacillaceae)	pathogenic bacterium	EC
<i>Bacillus sphaericus</i> Meyer and Neide (Bacillales: Bacillaceae)	pathogenic bacterium	CO, GT
<i>Bacillus</i> spp. (Bacillales: Bacillaceae)	Bt	BR, CL
<i>Bacillus subtilis</i> Cohn (Bacillales: Bacillaceae)	pathogenic bacterium	BR, CL, CO, EC, MX, PE, PY, UY, VE
<i>Bacillus thuringiensis</i> var. <i>aizawai</i> (Bacillales: Bacillaceae)	Bta	AR, CO
<i>Bacillus thuringiensis</i> (Berliner) (Bacillales: Bacillaceae)	Bt	AR, BO, BR, CL, CO, CR, CU, DO, EC, GT, JM, MX, NI, PE, PY, UY, VE, 32
<i>Bacillus thuringiensis</i> var. <i>kurstaki</i> (Bacillales: Bacillaceae)	Btk	AR, CO
<i>Bacillus thuringiensis</i> var. <i>israelensis</i> (Bacillales: Bacillaceae)	Bti	CO, NI
<i>Bacillus thuringiensis</i> var. <i>thuringiensis</i> (Bacillales: Bacillaceae)	Bt	CO, PY

<i>Bactericera cockerelli</i> (Sulc) (Hemiptera: Triozidae)	tomato/potato psyllid	MX, NI
<i>Bactra</i> (Lepidoptera: Tortricidae)	moth	BB
<i>Bactra</i> spp. (Lepidoptera: Tortricidae)	moths	BB
<i>Bactris gasipaes</i> (Kunth.) (Arecales: Arecaceae)	peach palm	EC
<i>Bactrocera carambolae</i> Drew and Hancock (Diptera: Tephritidae)	carambola fruit fly	FA, GY, SR
<i>Bactrocera dorsalis</i> (Hendel) (Diptera: Tephritidae)	Oriental fruit fly	SR
<i>Baculovirus</i> (Baculoviridae)	entomopathogenic virus	CO, EC
<i>Baculovirus anticarsia</i> (Baculoviridae)	entomopathogenic virus	BR, MX, PY
<i>Baculovirus Anticarsia gemmatalis</i> (Baculoviridae)	entomopathogenic virus	BO
<i>Baculovirus diatraea</i> (Baculoviridae)	entomopathogenic virus	BO
<i>Baculovirus Helicoverpa armigera</i> (Baculoviridae)	entomopathogenic virus	BR
<i>Baculovirus phthorimaea</i> (Baculoviridae)	entomopathogenic virus	BO
<i>Baculovirus</i> VPN 80 & 82	entomopathogenic virus	GT
<i>Baltimora recta</i> L. (Asterales: Asteraceae)	weed	CR
<i>Bambusaspis bambusae</i> (Boisduval) (Hemiptera: Asterolecaniidae)	bamboo pit scale	32
Banana bunchy top virus (Nanoviridae)	Banana bunchy top	MX
<i>Baryscapus</i> (Hymenoptera: Eulophidae)	parasitoid	DO
<i>Baryscapus fennahi</i> (Schauff) (Hymenoptera: Eulophidae)	parasitoid	FA
<i>Bassus</i> sp. (Hymenoptera: Braconidae)	parasitoid	CR
<i>Bassus stigmaterus</i> Holloway (Hymenoptera: Braconidae)	parasitoid	PR
<i>Batkoia</i> (Entomophthorales : Entomophthoraceae)	entomopathogenic fungi	GT
<i>Beauveria</i> (Hypocreales: Cordycipitaceae)	entomopathogenic fungus	CL, CR, EC, MX, PE
<i>Beauveria bassiana</i> (Bals.-Criv) Vuill (Hypocreales: Cordycipitaceae)	white muscardine fungus	AR, BO, BR, CL, CO, CR, CU, DO, EC, HN, JM, MX, NI, PA, PE, PR, PY, RC, SV, UY, VE
<i>Beauveria brongniartii</i> (Saccardo) Petch (Hypocreales: Cordycipitaceae)	entomopathogenic fungus	BO, CO, PE
<i>Beauveria globulifer</i> (Speg.) Pic. (Hypocreales: Cordycipitaceae)	entomopathogenic fungus	RC
<i>Beauveria</i> sp. (Hypocreales: Cordycipitaceae)	entomopathogenic fungus	EC, PA
<i>Beauveria</i> spp. (Hypocreales: Cordycipitaceae)	entomopathogenic fungus	BO, CO
<i>Begomovirus</i> (Geminiviridae)	plant viruses	PA
<i>Belvosia nigrifrons</i> Aldrich (Diptera: Tachinidae)	parasitoid	SV
<i>Bemisia tabaci</i> (Gennadius) (Hemiptera: Aleyrodidae)	tobacco withefly	AR, BR, CL, CO, CU, DO, EC, FA, GT, HN, JM, MX, PA, PE, PY, RC, SR, TT, UY
<i>Beta vulgaris</i> L. (Caryophyllales: Amaranthaceae)	beetroot	CU
<i>Bidens pilosa</i> L. (Asterales:Asteraceae)	blackjack	CO, CU

<i>Billaea claripalpis</i> Wulp (Diptera: Tachinidae)	parasitoid	BR, CO, CR, EC, JM, PE, 32
<i>Biomphalaria glabrata</i> (Say) (Planobidae)	snails	DO
<i>Biosteres compensans</i> (Silvestri) (= <i>Opius compensans</i> Silvestri) (Hymenoptera: Braconidae)	parasitoid	BO, CR
<i>Biosteres formasanus</i> (Fullaway) (= <i>Opius formosanus</i> Fullaway) (Hymenoptera: Braconidae)	parasitoid	BO, CR
<i>Biosteres longicaudatus</i> (Ashmead) (= <i>Opius longicaudatus</i>) (Hymenoptera: Braconidae)	parasitoid	BO, BZ, CR, EC, DM, RC
<i>Biosteres novocaledonicus</i> Fullaway (Hymenoptera: Braconidae)	parasitoid	CR
<i>Biosteres taiensis</i> Fullaway (Hymenoptera: Braconidae)	parasitoid	CR
<i>Biosteres tryoni</i> (Cameron) (= <i>Opius tryoni</i> Cameron) (Hymenoptera: Braconidae)	parasitoid	CR
<i>Biosteres vandenboschi</i> (Fullaway) (= <i>Opius vandenboschi</i> Fullaway) (Hymenoptera: Braconidae)	parasitoid	BO, CR
<i>Bipolaris euphorbiae</i> (Han) Muc sfordhovej & Carvalho (Pleosporales: Pelosporaceae)	pathogenic fungus	BR
<i>Bipolaris oryzae</i> (Breda de Haan) Shoemaker (Pleosporales: Pleosporaceae)	rice brown spot pathogen	CU
<i>Blaesoxiphia aculeata</i> Aldrich (Diptera: Sarcophagidae)	sarcophagid fly	AR
<i>Blaesoxiphia atlantis</i> Aldrich (Diptera: Sarcophagidae)	sarcophagid fly	AR
<i>Blaesoxiphia australis</i> Blanchard (Diptera: Sarcophagidae)	sarcophagid fly	AR
<i>Blaesoxiphia caridei</i> (Brétes) (Diptera: Sarcophagidae)	sarcophagid fly	AR
<i>Blaesoxiphia filipjevi</i> Rhod (Diptera: Sarcophagidae)	sarcophagid fly	BB
<i>Blaesoxiphia hunteri</i> (Hough) (Diptera: Sarcophagidae)	sarcophagid fly	AR
<i>Blaesoxiphia neuquensis</i> Blanchard (Diptera: Sarcophagidae)	sarcophagid fly	AR
<i>Blaesoxiphia opifera</i> Coquillett (Diptera: Sarcophagidae)	sarcophagid fly	AR
<i>Blaesoxiphia reversa</i> Aldrich (Diptera: Sarcophagidae)	sarcophagid fly	AR
<i>Bonagota cranaodes</i> (Meyrick) (Lepidoptera: Tortricidae)	apple leafroller	UY
<i>Boophilus microplus</i> Lahille (Acarina: Ixodidae)	cattle tick	HN
<i>Botrytis</i> (Helotiales: Sclerotiniaceae)	pathogen	CL, EC, PE
<i>Botrytis cinerea</i> Pers. (Helotiales: Sclerotiniaceae)	pathogen	BR, CL, CO, PE
<i>Botrytis</i> sp. (Helotiales: Sclerotiniaceae)	pathogen	EC
<i>Brachiaria decumbens</i> Stapt (Poales: Poaceae)	signal grass	GT
<i>Brachiantha</i> sp. (Coleoptera; Coccinellidae)	predatory ladybeetle	BO
<i>Brachycoryphus nursei</i> (Cam.) (Hymenoptera: Ichneumonidae)	parasitoid	RC
<i>Brachygastra lecheguana</i> (Latreille) (Hymenoptera: Vespidae)	dark paper wasp	PY
<i>Brachymeria</i> (Hymenoptera: Chalcididae)	parasitoid	CR
<i>Brachymeria</i> (Hymenoptera: Chalcididae)	parasitoid	DO
<i>Brachymeria</i> aff. <i>compsilurae</i> (Crawford) (Hymenoptera: Chalcididae)	parasitoid	PY

<i>Brachymeria annulata</i> (Fabricius) (Hymenoptera: Chalcididae)	parasitoid	PY
<i>Brachymeria conica</i> (Ashmead) (Hymenoptera: Chalcididae)	parasitoid	CR
<i>Brachymeria incerta</i> (Cress) (Hymenoptera: Chalcididae)	parasitoid	SR, VE
<i>Brachymeria ovata</i> (Say) (Hymenoptera: Chalcididae)	parasitoid	VE
<i>Brachymeria</i> sp. (Hymenoptera: Chalcididae)	parasitoid	BB, FA, JM, RC, SR
<i>Brachymeria subconica</i> Bouček (Hymenoptera: Chalcididae)	parasitoid	PY
<i>Brachystola magna</i> Girard (Orthoptera: Romaleidae)	plains lubber grasshopper	MX
<i>Brachystola mexicana</i> Bruner (Orthoptera: Romaleidae)	plains lubber grasshopper	MX
<i>Brachytarsus</i> sp (Coleoptera: Anthribidae)	coleopteran	BO
<i>Brachyufens osborni</i> (Dozier) (Hymenoptera: Trichogrammatidae)	parasitoid	BB
<i>Brachyufens</i> sp. (Hymenoptera: Trichogrammatidae)	parasitoid	DM, JM
<i>Bracon cajani</i> Muesebeck (Hymenoptera: Braconidae)	parasitoid	BB, PR, TT
<i>Bracon chinensis</i> (Szepl.) (Hymenoptera: Braconidae)	parasitoid	BO
<i>Bracon chontalensis</i> (Cameron) (Hymenoptera: Braconidae)	parasitoid	CR
<i>Bracon gelechiae</i> Ashmead (Hymenoptera: Braconidae)	parasitoid	BB
<i>Bracon greeni</i> Ashmead (Hymenoptera: Braconidae)	parasitoid	BB, RC
<i>Bracon hebetor</i> Say (Hymenoptera: Braconidae)	parasitoid	BO, RC
<i>Bracon kirkpatricki</i> (Wilkinson) (Hymenoptera: Braconidae)	parasitoid	CO, EC, MX
<i>Bracon mellitor</i> Say (Hymenoptera: Braconidae)	parasitoid	PY
<i>Bracon</i> sp. (Hymenoptera: Braconidae)	parasitoid	GT, PY
<i>Bracon thurberiphagae</i> (Mues.) (Hymenoptera: Braconidae)	parasitoid	BB
<i>Bradyrrhoa</i> <i>gilveolella</i> (Treitschke) (Lepidoptera: Pyralidae)	chondrilla root moth	AR
<i>Bradysia matogrossensis</i> (Lane) (Diptera: Sciaridae)	fungus gnats	BR
<i>Bradysia</i> sp. (Diptera: Sciaridae)	fungus gnats	MX
<i>Bradysia</i> spp. (Diptera: Sciaridae)	fungus gnats	BR
<i>Brassica oleracea</i> L. (Brassicales: Brassicaceae)	cabbage	DO
<i>Brassica oleracea</i> L. var <i>capitata</i> (Brassicales: Brassicaceae)	cabbage	CU
<i>Brassica oleracea</i> L. var. <i>Botrytis</i> (Brassicales: Brassicaceae)	cauliflower	PA
<i>Brassica oleracea</i> L. var. <i>Italica</i> (Brassicales: Brassicaceae)	cabbage	EC, PA
<i>Brassica</i> spp. (Brassicales: Brassicaceae)	cabbage	CU
<i>Brassolis astyra</i> <i>astyra</i> (Godart) (Lepidoptera: Nymphalidae)	palm caterpillar	BR
<i>Brassolis sophorae</i> (L.) (Lepidoptera: Nymphalidae)	coconut caterpillar	BR
<i>Brassolis sophorae</i> <i>sophorae</i> (L.) (Lepidoptera: Nymphalidae)	coconut caterpillar	SR

<i>Brethesiella abnormicornis</i> (Gir.) (Hymenoptera: Encyrtidae)	parasitoid	BB
<i>Brethesiella cf. abnormicornis</i> (Girault) (Hymenoptera: Encyrtidae)	parasitoid	CO
<i>Brevibacterium</i> (Actiomycetales: Brevibacteriaceae)	pathogenic bacteria	CL
<i>Brevicoryne brassicae</i> (L.) (Hemiptera: Aphididae)	cabbage aphid	CU
<i>Brevipalpus</i> spp. (Acari: Tenuipalpidae)	flat mites	CO
<i>Brevundimonas vesicularis</i> (Busing) Segers (Caulobacterales: Caulobacteriaceae)	proteobacteria	PY
Bt talcum	Bt	PE
<i>Bucrates capitatus</i> (De Geer) (Orthoptera: Tettigoniidae)	grasshopper	VE
<i>Buenoa scimitra</i> Bare (Hemiptera: Notonectidae)	backswimmer, predator	MX
<i>Bufo marinus</i> L. (Anura: Bufonidae)	toad	BB, CR, FA, GY, RC
<i>Bufo</i> sp. (Anura: Bufonidae)	toad	BO
<i>Bufo</i> spp. (Anura: Bufonidae)	toads	BO
<i>Bulimus sepulcralis</i> (Poey) (Mollusca: Gastropoda: Bulimulidae)	phytophagous snail	RC
<i>Burkholderia glumae</i> (Kurita and Tabei) Urakami et al. (Burkholdeiales: Burkholderiaceae)	pathogenic bacterium	VE
<i>Byttneria aculeata</i> Jacquin (Malvales: Malvaceae)	Arching weak-stemmed shrub	CR
C		
<i>Cactoblastis cactorum</i> (Berg) (Lepidoptera: Pyralidae)	Argentine moth	AR, MX, RC, 32
<i>Caenorhabditis</i> (Rhabditidae)	nematode	CL
<i>Caesalpinia spinosa</i> (Feuillée ex Molina) Kuntze (Fabales: Fabaceae)	tara	PE
<i>Cajanus cajan</i> (L.) Millspaugh (Fabales: Fabaceae)	pigeon pea	DO
<i>Calendula officinalis</i> L. (Asterales: Asteraceae)	pot marigold	AR
<i>Cales noacki</i> Howard (Hymenoptera: Aphelinidae)	parasitoid	EC, PE, 32
<i>Caligo memnon</i> C. & R. Felder (Lepidoptera: Nymphalidae)	giant owl	VE
<i>Calliandra surinamensis</i> Benth (Fabales: Fabaceae)	tropical shrub	DO
<i>Callosobruchus chinensis</i> (L.) (Coleoptera: Bruchidae)	Chinese bruchid	BB
<i>Callosobruchus maculatus</i> (F.) (Coleoptera: Bruchidae)	cowpea weevil	BB
<i>Calosoma alternans</i> Fabricius (Coleoptera: Carabidae)	ground beetle	VE
<i>Calosoma granulatum</i> Perty (Coleoptera: Carabidae)	ground beetle	PY
<i>Calosoma</i> sp. (Coleoptera: Carabidae)	ground beetle	BO, PY
<i>Calpodes ethlius</i> (Stoll) (Lepidoptera: Hesperiidae)	arrowroot leaf roller	BB, RC
<i>Camnula pellucida</i> Scudder (Orthoptera: Acrididae)	clearwinged grasshopper	AR
<i>Camptetis chlorideae</i> Uchida (Hymenoptera: Ichneumonidae)	parasitoid	BO

<i>Campoletis</i> spp (Hymenoptera: Ichneumonidae).	parasitoid	PY, UY
<i>Camponotus senex</i> (Fr. Smith) (Hymenoptera: Formicidae)	ant	PY
<i>Camponotus sexguttatus</i> (Fabricius) (Hymenoptera: Formicidae)	carpenter ant	FA
<i>Campsomeris servillei</i> (Guérin-Menéville) (Hymenoptera: Scoliidae)	scoliid wasp	VE
<i>Campsomeris tricincta</i> F. (Hymenoptera: Scoliidae)	scoliid wasp	BB
<i>Campsomeris trifasciata</i> (F.) (Hymenoptera: Scoliidae)	scoliid wasp	BB
<i>Campyloneuropsis infumatus</i> (Carvalho) (Hemiptera: Miridae)	predatory mirid	BR
<i>Candidatus Liberibacter</i> (Rhizobiales: Rhizobiaceae)	pathogenic bacterium	BB, NI
<i>Candidatus Liberibacter americanus</i> (Rhizobiales: Rhizobiaceae)	pathogenic bacterium	BB
<i>Candidatus Liberibacter asiaticus</i> (Rhizobiales: Rhizobiaceae)	pathogenic bacterium	BB, CO, DO, FA, GT, PR
<i>Candidatus Liberibacter solanacearum</i> (Rhizobiales: Rhizobiaceae)	zebra chip	NI
<i>Candidatus Liberibacter</i> spp. (Rhizobiales: Rhizobiaceae)	pathogenic bacterium	MX
<i>Capsicum annuum</i> L. (Solanales: Solanaceae)	sweet pepper	CU, VE
<i>Capsicum</i> sp. (Solanales: Solanaceae)	sweet pepper	CO
<i>Carabunia waterstoni</i> Subba Rao (Hymenoptera: Encyrtidae)	parasitoid	TT
<i>Carapa guianensis</i> Aubl.) (Sapindales:Meliaceae)	crabwood	BZ, RC
<i>Cardiochiles diaphaniae</i> Marsh (Hymenoptera: Braconidae)	parasitoid	PR
<i>Cardiochiles nigriceps</i> Viereck (Hymenoptera: Braconidae)	parasitoid	VE
<i>Carduus</i> spp. (Asterales: Asteraceae)	thistle	AR
<i>Carduus acanthoides</i> L. (Asterales: Asteraceae)	thistle	AR
<i>Carduus</i> spp. (Asterales:Asteraceae)	thistles	AR
<i>Carduus thoermeri</i> L. (Asterales: Asteraceae)	thistle	AR
<i>Carica papaya</i> L. (Brassicaceae: Caricaceae)	papaya	CU
<i>Carinodes</i> sp. (Hymenoptera: Ichneumonidae)	parasitoid	BO
<i>Cassia reticulata</i> Willd. (Fabaceae: Leguminosae)	groundnut	CO, CR
<i>Cassia tora</i> L. (Leguminosae)	roadside plant	CR
<i>Castnia daedalus</i> Auctt (Lepidoptera: Castniidae)	coconut stem borer	SR
<i>Castnia licoides</i> (Boisduval) (Lepidoptera:Castniidae)	banana stem borer	TT,32
<i>Castolus plagiaticollis</i> Stål.(Hemiptera:Reduviidae)	predatory stinkbug	TT
<i>Castrida alternans granulatum</i> (Perty) (Coleoptera: Carabidae)	ground beetle	PY
<i>Catana clauseni</i> Chapin (Coleoptera: Coccinellidae)	predatory ladybeetle	CU, JM, RC
<i>Catolaccus grandis</i> (Burks) (Hymenoptera: Pteromalidae)	parasitoid	CO, MX, PY
<i>Cedrela odorata</i> L. (= <i>Cedrela mexicana</i> Roem.) (Sapindales:Meliaceae)	cedar	BZ, RC

<i>Cedrela</i> spp. (Sapindales:Meliaceae)	cedar	CR
<i>Cellulomonas flavigena</i> (Actinomycetales: Cellulomonadaceae)	pathogenic bacteria	PY
<i>Cephalonomia stephanoderis</i> Betrem (Hymenoptera: Eulophidae)	parasitoid	BO, CO, CR, CU, DO, EC, GT, HT, JM, MX, PA, PR
<i>Cephalosporium</i> (= <i>Lecanicillium</i>) <i>lecanii</i> Zimm. (Hypocreales: Cordycipitaceae)	entomopathogenic fungus	BB, SR
<i>Ceraeochrysa cf. claveri</i> (Navás) (Neuroptera: Chrysopidae)	chrysopid predator	CO
<i>Ceraeochrysa cincta</i> (Schneider) (Neuroptera: Chrysopidae)	chrysopid predator	PE
<i>Ceraeochrysa claveri</i> (Navás) (Neuroptera: Chrysopidae)	chrysopid predator	MX
<i>Ceraeochrysa cubana</i> (Hagen) (Neuroptera: Chrysopidae)	chrysopid predator	FA
<i>Ceraeochrysa</i> sp. (Neuroptera: Chrysopidae)	green lacewings	CO, CR
<i>Ceraeochrysa valida</i> (Banks) (Neuroptera: Chrysopidae)	chrysopid predator	MX
<i>Ceraphron Jurine</i> (Hymenoptera: Ceraphronidae)	parasitoid	DO
<i>Ceratitis capitata</i> (Wied.) (Diptera: Tephritidae)	mediterranean fruit fly	AR, BO, BR, CR, EC, FA, GT, PE, SR, UY
<i>Ceratocapsus dispersus</i> (Carvallo & Fontes) (Hemiptera: Miridae)	predatory mirid	PY
<i>Ceratocapsus paraguayensis</i> (Carvallo & Fontes) (Hemiptera: Miridae)	predatory mirid	PY
<i>Ceratogramma etiennei</i> Delvare (Hymenoptera: Trichogrammatidae)	parasitoid	DO, FA
<i>Ceratophyllum demersum</i> L. (Ceratophyllales: Ceratophyllaceae)	coontail	PR
<i>Cerconota anonella</i> (Sepp.) (Lepidoptera: Oecophoridae)	soursop moth	CO, SR
<i>Cercospora</i> (Capnodiales: Mycosphaerellaceae)	pathogenic fungi	PE
<i>Cercospora piaropi</i> Tharp. (Capnodiales: Mycosphaerellaceae)	pathogenic fungi	HN, MX
<i>Cercosporella ageratiniae</i> (nomen nudum) (Capnodiales: Hyphomycetes)	plant pathogen	JM
<i>Cereochrysa cincta</i> (Schneider) (Neuroptera: Chrysopidae)	chrysopid predator	MX
<i>Cereus jamacaru</i> DC. (Caryophyllales:Cactaceae)	mandacaru or cardeiro	AR
<i>Ceroplastes cirripediformis</i> Comstock (Hemiptera: Coccidae)	barnacle scale	CL
<i>Ceroplastes dugesii</i> Lichtenstein (Hemiptera: Coccidae)	duges wax scale	BB
<i>Ceroplastes sinensis</i> (Del Guercio) (Hemiptera: Coccidae)	chinese wax scale	CL
<i>Chaetanaphothrips brevicaulis</i> Hood (Thysanoptera: Thripidae)	thrips	EC
<i>Chaetanaphothrips orchidi</i> (Moulton) (Thysanoptera: Thripidae)	orchid thrips	DO
<i>Chaetanaphothrips signipennis</i> (Bagnall) (Thysanoptera: Thripidae)	banana rust thrips	EC
<i>Cheiromenes sexmaculata</i> (Fabricius) (Coleoptera: Coccinellidae)	predatory ladybeetle	CO
<i>Cheiloneurus</i> sp. (Hymenoptera: Encyrtidae)	parasitoid	CO
<i>Chelonus</i> sp. (Hymenoptera: Braconidae)	parasitoid	DO, PY
<i>Chelonus insularis</i> Cresson (Hymenoptera: Braconidae)	parasitoid	CU, DO, JM, VE
<i>Chenopodium quinoa</i> Willd (Caryophyllales: Amaranthaceae)	quinoa	BO

<i>Chilocorus bipustulatus</i> L. (Coleoptera: Coccinellidae)	predator ladybeetle	RC
<i>Chilocorus bivulnerus</i> (Mulsant) (Coleoptera: Coccinellidae)	predatory ladybeetle	UY, 32
<i>Chilocorus cacti</i> L. (Coleoptera: Coccinellidae)	predatory ladybeetle	CU, DO, FA, JM, RC, VE, 32
<i>Chilocorus cf. cacti</i> (L.) (Coleoptera: Coccinellidae)	predatory ladybeetle	CO
<i>Chilocorus nigritus</i> (F.) (Coleoptera: Coccinellidae)	predatory ladybeetle	FA
<i>Chilocorus stigma</i> (Say) (Coleoptera: Coccinellidae)	twicestabbed lady beetle	UY
<i>Chironomus plumosus</i> L. (Diptera: Chironomidae)	buzzer midges	MX
<i>Chistolia</i> sp. (Hymenoptera: Ichneumonidae)	parasitoid	SR
<i>Chnoodes</i> sp. (Coleoptera: Coccinellidae)	predatory ladybeetle	RC, TT
<i>Chnoodes</i> spp. (Coleoptera: Coccinellidae)	predatory ladybeetle	JM
<i>Chondrilla juncea</i> L (Asteraceae: Cynareae)	rush skeletonweed	AR
<i>Chromaphis juglandicola</i> (Kaltenbach) (Hemiptera: Aphididae)	walnut aphid	CL
<i>Chromolaena odorata</i> (L.) R.M. King & H. Rob. (Asterales: Asteraceae)	Siam weed	TT
<i>Chrysocerca</i> (Neuroptera: Chrysopidae)	lacewing	FA
<i>Chrysocharis caribea</i> Boucek (Hymenoptera: Eulophidae)	parasitoid	FA
<i>Chrysocharis</i> sp. (Hymenoptera: Eulophidae)	parasitoid	BB
<i>Chrysocharis vovones</i> (Walker) (Hymenoptera: Eulophidae)	parasitoid	FA
<i>Chrysodeixis includens</i> (Walker) (Lepidoptera: Noctuidae)	soybean looper	BR, MX, PY, RC
<i>Chrysolina hyperici</i> (Foster) (Coleoptera: Chrysomelidae)	leaf beetle	CL, 32
<i>Chrysolina quadrigemina</i> (Suffrian) (Coleoptera: Chrysomelidae)	St. John's wort beetle	AR, CL
<i>Chrysomphalus aonidum</i> L. (Hemiptera: Diaspididae)	circular scale	MX, 32
<i>Chrysomphalus ficus</i> (Ashmead) (Hemiptera: Diaspididae)	citrus brown scale	AR, PE, SR, SV
<i>Chrysonotomyia diastatae</i> (Howard) (Hymenoptera: Eulophidae)	parasitoid	HN
<i>Chrysopa</i> (Neuroptera: Chrysopidae)	chrysopid predator	FA
<i>Chrysopa</i> sp. (Neuroptera: Chrysopidae)	chrysopid predator	CO, CR, DO, GT, PA, RC, SV
<i>Chrysopa</i> sp. near Silvana Navas (Neuroptera: Chrysopidae)	chrysopid predator	SR
<i>Chrysopa</i> spp. (Neuroptera: Chrysopidae)	chrysopid predator	CU, DO, SR
<i>Chrysoperla</i> (Neuroptera: Chrysopidae)	chrysopid predator	CL, 32
<i>Chrysoperla asoralis</i> (Banks) (Neuroptera: Chrysopidae)	chrysopid predator	PE
<i>Chrysoperla carnea</i> (Stephens) (Neuroptera: Chrysopidae)	chrysopid predator	CO, CR, MX, PE, VE
<i>Chrysoperla comanche</i> (Banks) (Neuroptera: Chrysopidae)	chrysopid predator	MX
<i>Chrysoperla externa</i> (Hagen) (Neuroptera: Chrysopidae)	chrysopid predator	BB, AR, FA, MX, NI, PE, VE
<i>Chrysoperla rufilabris</i> (Burmeister) (Neuroptera: Chrysopidae)	chrysopid predator	CO, MX

<i>Chrysoperla</i> sp. (Neuroptera: Chrysopidae)	chrysopid predator	BB, CO, DO, PE, PY
<i>Chrysoperla</i> spp. (Neuroptera: Chrysopidae)	chrysopid predator	CO, MX
<i>Chrysopodes</i> (Neuroptera: Chrysopidae)	chrysopid predator	FA
<i>Chysocharis</i> sp. (Hymenoptera: Eulophidae)	parasitoid	PA
<i>Chrysomphalus dictyospermi</i> (Morgan) (Hemiptera: Diaspididae)	dictyospermum scale	PE
<i>Cicindela</i> sp. (Coleoptera: Carabidae)	carabid beetle	PY
<i>Cinara</i> (Hemiptera: Aphididae)	giant conifer aphid	BR
<i>Cinara atlantica</i> (Wilson) (Hemiptera: Aphididae)	giant conifer aphid	BR
<i>Cinara pinivora</i> (Wilson) (Hemiptera: Aphididae)	giant conifer aphid	BR
<i>Cinchona pubescens</i> Vahl (Gentianales: Rubiaceae)	quinine tree	EC
<i>Cirrospilus</i> sp. (Hymenoptera: Eulophidae)	parasitoid	FA
<i>Cirrospilus</i> Westwood (Hymenoptera: Eulophidae)	parasitoid	BB, DO
<i>Cirrospilus quadristriatus</i> (Subba Rao and Ramamani) (Hymenoptera: Eulophidae)	parasitoid	DO
<i>Cirsium</i> spp. (Asterales: Asteraceae)	thistles	AR
<i>Citrostichus phylloclistoides</i> (Narayanan) (Hymenoptera: Eulophidae)	parasitoid	PE, UY
<i>Citrus</i> leprosis virus C (Rhabdovirus)	Leprosis of citrus	MX
<i>Citrus sinensis</i> (L.) Osbeck (Sapindales: Rutaceae)	navel orange	CO, VE
<i>Citrus</i> spp. (Rutaceae)	citrus fruits	CO, JM, NI
<i>Cladis nitidula</i> F. (Coleoptera: Coccinellidae)	predatory ladybeetle	FA, RC, 32
<i>Cladobotryum amazonense</i> Bastos, Evans & Samson (Hypocreales: Hypocreaceae)	hyperparasite of cocoa witches' broom	BR, PE
<i>Cladosporium fulvum</i> (Pers.) Link. (Capnodiales: Mycosphaerellaceae)	pathogenic fungus	PE
<i>Cladosporium</i> (Capnodiales: Cladosporiaceae)	common mold	CL
<i>Cladosporium echinulatum</i> (Berkeley) G.A. de Vries (Capnodiales: Cladosporiaceae)	pathogenic fungus	CL
<i>Cladosporium</i> sp. (Capnodiales: Mycosphaerellaceae)	common mold	PE
<i>Clastoptera</i> sp. (Hemiptera: Cercopidae)	spittebug	GY
<i>Clemora smithi</i> Arrow (Coleoptera: Melolonthidae)	white grubs	BB
<i>Cleruchoides noackae</i> Lin & Huber (Hymenoptera: Mymaridae)	parasitoid	AR, BR, UY
<i>Clidemia hirta</i> (L.) D. Don (Myrtales: Melastomataceae)	Koster's curse	TT
<i>Clonostachys</i> (Hypocreales: Bionectriaceae)	mycoparasite of fungal pathogens	CL
<i>Clonostachys rosea</i> (Link) Schroers (Hypocreales: Bionectriaceae)	mycoparasite of fungal pathogens	BR, PE
<i>Closterocerus purpureus</i> (Howard) (Hymenoptera: Eulophidae)	parasitoid	FA
<i>Coccidophilus cariba</i> Gordon (Coleoptera: Coccinellidae)	predatory ladybeetle	RC
<i>Coccidophilus citricola</i> Brethes (Coleoptera: Coccinellidae)	predator ladybeetle	PE

<i>Coccidophilus</i> sp. (Coleoptera: Coccinellidae)	predator ladybeetle	SR
<i>Coccidoxenoides peregrinus</i> (Timberlake) (Hymenoptera: Encyrtidae)	parasitoid	CR, PE
<i>Coccidoxenoides perminutus</i> Girault (Hymenoptera: Encyrtidae)	parasitoid	MX
<i>Coccinella septempunctata</i> (L.) (Coleoptera: Coccinellidae)	predator ladybeetle	AR, FA, RC
<i>Coccinellina</i> sp. (Coleoptera: Coccinellidae)	predator ladybeetle	PY
<i>Coccipolipus epilachnae</i> Smiley (Acarina: Podapolipidae)	ectoparasitic mite	SV
<i>Coccobacillus acridiorum</i> D'Herelle	entomopathogenic bacteria	CO, UY, 32
<i>Coccobius fulvus</i> (Compere and Annecke) (Hymenoptera: Aphelinidae)	parasitoid	BB, CR
<i>Coccophagoides utilis</i> Doutt (Hymenoptera: Aphelinidae)	parasitoid	AR
<i>Coccophagus aleurodici</i> Gir. (Hymenoptera: Aphelinidae)	parasitoid	RC
<i>Coccophagus basalis</i> Compere (Hymenoptera: Aphelinidae)	parasitoid	FA
<i>Coccophagus caridei</i> (Bréthes) (Hymenoptera: Aphelinidae)	parasitoid	AR, CL
<i>Coccophagus gurneyi</i> (Compere) (Hymenoptera: Aphelinidae)	parasitoid	CL, 32
<i>Coccophagus lycimnia</i> (Walker) (Hymenoptera: Aphelinidae)	parasitoid	AR
<i>Coccophagus pulvinariae</i> Compere (Hymenoptera: Aphelinidae)	parasitoid	FA
<i>Coccophagus rusti</i> Compere (Hymenoptera: Aphelinidae)	parasitoid	PE
<i>Coccophagus</i> sp. (Hymenoptera: Aphelinidae)	parasitoid	FA, VE
<i>Coccus hesperidum</i> (Linnaeus) (Hemiptera: Coccoidea)	brown soft scale	CL, GT, VE
<i>Coccus mangiferae</i> (Green) (Hemiptera: Coccoidea)	mango shield scale	BB
<i>Coccus</i> spp. (Hemiptera: Coccoidea)	scales	BB
<i>Coccus viridis</i> (Green) (Hemiptera: Coccoidea)	green coffee scale	BB, BR, GT, SR
<i>Cocos nucifera</i> (L.) (Arecales: Arecaceae)	coconut tree	BB, RC
<i>CodVPN Copitarsia decolora</i>	nuclear polyhedrosis viruses	PE
<i>Coelophora inaequalis</i> F. (Coleoptera: Coccinellidae)	predatory ladybeetle	FA
<i>Coenosia attenuata</i> Stein (Diptera: Muscidae)	hunter fly or killer fly	EC
<i>Coleomegilla cubensis</i> Casey (Coleoptera: Coccinellidae)	predatory ladybeetle	CU, DO
<i>Coleomegilla maculata</i> De Geer (Coleoptera: Coccinellidae)	spotted ladybird	EC, FA, JM, PA, PY, SR, TT, VE
<i>Coleomegilla quadrifasciata</i> (Schoenherr) (Coleoptera: Coccinellidae)	predatory ladybeetle	PY
<i>Colias lesbia</i> (F.) (Lepidoptera: Pieridae)	clouded yellow butterfly	AR, UY
<i>Colias lesbia pyrrhothea</i> (Hubn.) (Lepidoptera: Pieridae)	alfalfa butterfly	BR
<i>Colletotrichum</i> (Glomerellales: Glomerellaceae)	fungi	CL, EC
<i>Colletotrichum acutatum</i> J.H. Simmonds (Glomerellales: Glomerellaceae)	black spot of strawberry	BR
<i>Colletotrichum gloeosporioides</i> (Penz.) Penz. & Sacc (Phyllachorales: Glomerellaceae)	antracnose	BR, CU, JM

<i>Collops femoratus</i> Schaeffer (Coleoptera: Melyridae)	beetle	MX
<i>Colocasia esculenta</i> (L.) Schott (Alismatalis: Araceae)	taro	JM
<i>Comperiella bifasciata</i> Howard (Hymenoptera: Encyrtidae)	parasitoid	AR, 32
<i>Compsilura concinnata</i> (Meigen) (Coleoptera: Coccinellidae)	parasitoid	BB
<i>Compsus viridivittatus</i> (Guérin-Méneville) (Coleoptera: Curculionidae)	citrus weevil	CO
<i>Comstockaspis perniciosa</i> Comstock (Hemiptera: Diaspididae)	San Jose scale	UY, 32
<i>Condylorrhiza vestigialis</i> (Guenée) (Lepidoptera: Crambidae)	alamo moth	BR
<i>Condylostylus graenicheri</i> (Van Duzee) (Diptera: Dolichopodidae)	long-legged fly	PY
<i>Condylostylus similis</i> (Aldrich) (Diptera: Dolichopodidae)	long-legged fly	PY
<i>Condylostylus</i> sp. (Diptera: Dolichopodidae)	long-legged fly	DO, PY
<i>Coniothyrium minitans</i> Campb. (Pleosporales: Leptosphaeriaceae)	sclerotial mycoparasite	BR
<i>Conomyrma</i> sp. (Hymenoptera: Formicidae)	fire ants	DO
<i>Conotrachelus albocinereus</i> Fiedler (Coleoptera: Curculionidae)	stem-galling weevil	AR
<i>Conotrachelus psidii</i> Marshall (Coleoptera: Curculionidae)	guava weevil	BR
<i>Contarinia lycopersici</i> Felt (Diptera: Cecidomyiidae)	tomato flower midge	BB, TT
<i>Conura</i> (Hymenoptera: Chalcididae)	parasitoid	CR, DO
<i>Conura anullifera</i> (Walker) (Hymenoptera: Chalcididae)	parasitoid	EC
<i>Conura destinata</i> (Walker) (Hymenoptera: Chalcididae)	parasitoid	PY
<i>Conura fulvovariegata</i> (Cameron) (Hymenoptera: Chalcididae)	parasitoid	PY
<i>Conura hirtifemora</i> Ashmead (Hymenoptera: Chalcididae)	parasitoid	DO, FA
<i>Conura immaculata</i> (Cresson) (Hymenoptera: Chalcididae)	parasitoid	PY
<i>Conura petioliventris</i> Cameron (Hymenoptera: Chalcididae)	parasitoid	DO
<i>Conura pseudofulvovariegata</i> (Becker) (Hymenoptera: Chalcididae)	parasitoid	DO
<i>Conura pulchripes</i> (Cameron) (Hymenoptera: Chalcididae)	parasitoid	PY
<i>Conura</i> sp. (Hymenoptera: Chalcididae)	parasitoid	CR, PA, PY
<i>Convolvulus arvensis</i> L. (Polemoniales: Convolvulaceae)	bindweed	AR
<i>Copestylum isabellina</i> (Williston) (Diptera: Syrphidae)	Isabelle´s bromeliad fly	VE
<i>Copestylum musicanum</i> (Curran) (Diptera: Syrphidae)	hoverfly	VE
<i>Copestylum punctiferum</i> (Bigot) (Diptera: Syrphidae)	hoverfly	VE
<i>Copestylum rurale</i> Curran (Diptera: Syrphidae)	hoverfly	VE
<i>Copestylum sica</i> (Curran) (Diptera: Syrphidae)	hoverfly	VE
<i>Copidosoma desantisi</i> Annecke & Mynhardt (Hymenoptera: Encyrtidae)	parasitoid	MX
<i>Copidosoma floridanum</i> (Ashmead) (Hymenoptera: Encyrtidae)	parasitoid	FA, PY, 32

<i>Copidosoma gelechiaae</i> Howard (Hymenoptera: Encyrtidae)	parasitoid	BO
<i>Copidosoma koehleri</i> Blanchard (Hymenoptera: Encyrtidae)	parasitoid	EC
<i>Copidosoma</i> sp. (Hymenoptera: Encyrtidae)	parasitoid	BO, DO, PY
<i>Copidosoma truncatellum</i> (Dalman) (Hymenoptera: Encyrtidae)	parasitoid	PA, TT, VE
<i>Copitarsia decolora</i> (Guenée) (Lepidoptera: Noctuidae)	noctuid moth	PE
<i>Copitarsia incommode</i> (Walker) (Lepidoptera: Noctuidae)	quinoa moth	BO
<i>Copitarsia</i> sp. (Lepidoptera: Noctuidae)	defoliator caterpillar	PE
<i>Coptera haywardi</i> Loia. (Hym.: Diapriidae)	parasitoid	MX
<i>Coranus spiniscutus</i> Reuter (Hemiptera: Reduviidae)	predatory assassin bug	BB
<i>Cordia curassavica</i> (Jacq.) Roens. & Schult (Boraginales: Boraginaceae)	black sage or wild sage	BB, RC, TT, 1
<i>Cordyceps barberi</i> Giard (Hypocreales: Cordycipitaceae)	entomopathogenic fungus	RC
<i>Cordyceps sobolifera</i> (Hill) (Hypocreales: Cordycipitaceae)	entomopathogenic fungus	BO
<i>Corynebacterium ammoniagenes</i> (Cooke and Keith) (Actinomycetales: Corynebacteriaceae)	bacterium	PY
<i>Corythucha gossypii</i> (Fabricius) (Hemiptera: Tingidae)	cotton or bean lace bug	CU
<i>Cosmoclopius</i> sp. (Hemiptera: Reduviidae)	predatory bug	PY
<i>Cosmoclopius</i> sp. aff. <i>annulosus</i> Stål (Hemiptera: Reduviidae)	predatory bug	PY
<i>Cosmopolites sordidus</i> (Germar) (Coleoptera: Curculionidae)	banana root borer	BR, CR, CU, DM, DO, EC, HN, JM, MX, PE, PR, RC, VE
<i>Cotesia (Apanteles) plutellae</i> (Kurdjumov) (Hymenoptera: Braconidae)	parasitoid	BB
<i>Cotesia</i> (Hymenoptera: Braconidae)	parasitoid	CR
<i>Cotesia flavipes</i> Cameron (Hymenoptera: Braconidae)	parasitoid	AR, BB, BO, BR, CR, CO, EC, FA, GT, JM, MX, PA, PE, PY, RC, TT, UY, VE, 32
<i>Cotesia glomerata</i> L. (Hymenoptera: Braconidae)	parasitoid	BB, 32
<i>Cotesia marginiventris</i> (Cresson) (Hymenoptera: Braconidae)	parasitoid	BO
<i>Cotesia plutellae</i> (Kurdjumov) (Hymenoptera: Braconidae)	parasitoid	BB, FA, GT, HN, JM, MX, NI, PA, TT
<i>Cotesia sesamiae</i> (Cameron) (Hymenoptera: Braconidae)	parasitoid	32
<i>Cotesia</i> sp. (Hymenoptera: Braconidae)	parasitoid	1, BB, CR, FA, JM, PY
<i>Cotesia vestalis (plutellae)</i> (Haliday) (Hymenoptera: Braconidae)	parasitoid	MX, 32
<i>Crematogaster brevispinosa</i> Mayr (Hymenoptera: Formicidae)	acrobatic ant	JM
<i>Crematogaster</i> spp. (Hymenoptera: Formicidae)	acrobatic ant	CO, CR
<i>Crematogaster torosa</i> (Mayr) (Hymenoptera: Formicidae)	acrobatic ant	CR
<i>Crinipellis perniciosa</i> (Stahel) Aime & Phillips-Mora (Agaricales: Marasmiaceae)	pathogen of cocoa witche's broom	EC
<i>Crocidosema (=Epinotia) aporema</i> (Walsingham) (Lepidoptera: Tortricidae)	bud borer	AR, UY
<i>Croton trinitatis</i> (Millsp.) (Euphorbiales: Euphorbiaceae)	roadside-croton	CO

<i>Crotophaga ani</i> L. (Cuculiformes: Cuculidae)	smooth-billed Ani	SR, TT
<i>Crotophaga major</i> Gmelin (Cuculiformes: Cuculidae)	greater ani	SR
<i>Crypticerya genistae</i> (Hampel) ((Hemiptera: Monophlebidae)	fluted scale	BB, DO, HT
<i>Crypticerya genistae</i> Hempel (Hemiptera: Monophlebidae)	margaroid scale	DO
<i>Crypticerya multicicatrices</i> Kondo & Unruh (Hemiptera: Monophlebidae)	colombian fluted scale	CO
<i>Cryptoblares gnidiella</i> (Millière) (Lepidoptera: Pyralidae)	honeydew moth	BR
<i>Cryptochaetum iceryae</i> (Willston) (Diptera: Cryptochaetidae)	cottony cushion scale parasitoid	EC, RC
<i>Cryptognatha affinis</i> (Coleoptera: Coccinellidae)	predatory ladybeetle	TT, RC
<i>Cryptognatha auriculata</i> Muls. (Coleoptera: Coccinellidae)	predatory ladybeetle	SR, VE
<i>Cryptognatha flaviceps</i> (Crotch) (Coleoptera: Coccinellidae)	predatory ladybeetle	RC
<i>Cryptognatha nodiceps</i> Marshall (Coleoptera: Coccinellidae)	coconut scale predator	BB, DO, JM, RC, TT, 32
<i>Cryptognatha simillima</i> Sic. (Coleoptera: Coccinellidae)	predatory ladybeetle	BB, RC
<i>Cryptolaemus affinis</i> Crotch (Coleoptera: Coccinellidae)	predatory ladybeetle	RC
<i>Cryptolaemus montrouzieri</i> Mulsant (Coleoptera: Coccinellidae)	mealybug destroyer	BB, BR, BZ, CL, CR, CU, DO, FA, GY, MX, PE, PR, PY, RC, SR, TT, VE, 32
<i>Cryptosporiopsis perennans</i> (Zeller & Childs) Wollenw (Helotiales: Dermateaceae)	pathogenic fungus	BR
<i>Cryso</i> sp. (Araneae: Araneidae)	spider	CR
<i>Ctenarytaina eucalypti</i> (Maskell) (Hemiptera: Psyllidae)	psillid	BR, CL, PE, UY, 32
<i>Ctenarytaina spatulata</i> Taylor (Hemiptera: Psyllidae)	psillid	BR
<i>Ctenopharyngodon idella</i> (Valenciennes) (Cypriniformes: Cyprinidae)	grass carp	AR, PR
<i>Cucurbita moschata</i> Duch. ex Poir. (Cucurbitales: Cucurbitaceae)	tropical squash	PR
<i>Cucurbita</i> spp. (Cucurbitales: Cucurbitaceae)	cucurbits	CU
<i>Culex quinquefasciatus</i> Say (Diptera: Culicidae)	southern house mosquito	CO, RC
<i>Culex</i> spp. (Diptera: Culicidae)	mosquitos	CO
<i>Cupressus lusitanica</i> Mill. (Pinales: Cupressaceae)	white cedar	CO
<i>Curinus colombianus</i> Chapin (Coleoptera: Coccinellidae)	predatory ladybeetle	CO
<i>Cuscuta americana</i> L. (Solanales: Convolvulaceae)	love vine, lady's laces, fireweed	BB
<i>Cuscuta indecora</i> Choisy (Solanales: Convolvulaceae)	love vine, lady's laces, fireweed	BB
<i>Cuscuta</i> spp. (Solanales: Convolvulaceae)	love vine, lady's laces, fireweed	RC
<i>Cybocephalus nipponicus</i> Endrody-Younga (Coleoptera: Cybocephalidae)	predatory beetle	BB, DO, EC, MX, RC
<i>Cybocephalus</i> sp. (Coleoptera: Cybocephalidae)	predatory beetle	TT
<i>Cycas revoluta</i> Thun. (Cycadales: Cycadaceae)	cycas palm	CR, DO
<i>Cyclocephala</i> spp. (Coleoptera: Scarabaeidae)	white bug	CR
<i>Cyclonedaa conjugata</i> (Mulsant) (Coleoptera: Coccinellidae)	predatory ladybeetle	PY

<i>Cyclonedda oculata</i> (Thunberg) (Coleoptera: Coccinellidae)	predatory ladybeetle	UY
<i>Cyclonedda sanguinea</i> (L.) (Coleoptera: Coccinellidae)	predatory ladybeetle	BB, BO, CO, CR, DO, EC, FA, JM, MX, PA, PY, SR, VE
<i>Cyclonedda sanguinea limbifer</i> (Casey) (Coleoptera: Coccinellidae)	predatory ladybeetle	BB, CU, MX
<i>Cydia molesta</i> (Busck) (Lepidoptera: Torticidae)	oriental fruit moth, peach moth	AR, UY
<i>Cydia pomonella</i> granulovirus	CpGV	AR
<i>Cydia pomonella</i> L. (Lepidoptera: Tortricidae)	codling moth	AR, CL, UY
<i>Cydia</i> sp. (Lepidoptera: Tortricidae)	codling moth	CO
<i>Cylas formicarius elegantulus</i> (Summers) (Coleoptera: Brentidae)	sweet potato weevil	DO
<i>Cylas formicarius</i> Fabricius (Coleoptera: Brentidae)	sweet potato weevil	CU, HN, JM, RC
<i>Cynara</i> spp. (Asterales: Asteraceae)	thistles	AR
<i>Cynodon dactylon</i> (L.) Pers. (Poales: Poaceae)	Bermuda grass	AR, CU
<i>Cyparissius daedalus</i> Cramer (Lepidoptera: Castniidae)	palm borer	CO
<i>Cyperus rotundus</i> L. (Poales:Cyperaceae)	purple nutgrass	BB
<i>Cyrtobagous salviniae</i> Calder and Sands (Coleoptera: Curculionidae)	salvinia weevil	MX
<i>Cyrtomenus bergi</i> Froeschner (Hemiptera: Cydnidae)	cassava root bug	PA
<i>Cyrtopeltis</i> sp. (Hemiptera: Miridae)	predatory mirid	FA
<i>Cyrtorhinus fulvus</i> Knight (Hemiptera: Miridae)	predatory mirid	JM
<i>Cystiphora schmidti</i> (Rübsaamen) (Rubs.) (Diptera: Cecidomyiidae)	galling fly	AR
D		
<i>Dacnusa sibirica</i> Telenga (Hymenoptera: Braconidae)	parasitoid	CO, MX
<i>Dacnusa</i> sp. (Hymenoptera: Braconidae)	parasitoid	FA
<i>Dactylopius opuntiae</i> (Cocherell) Hemiptera: Dactylopiidae)	prickly pear cochineal	BR
<i>Dactylella</i> sp. (Heliales: Orbiliaceae)	parasite of nematodes	EC
<i>Dactylopius austrinus</i> De Lotto (Hemiptera: Dactylopiidae)	cochineal insect	AR, RC
<i>Dactylopius</i> sp. nr. <i>confusus</i> (Ckll.) (Hemiptera: Dactylopiidae)	cochineal insect	RC
<i>Dactylopius opuntiae</i> (Ckll.) (Hemiptera: Dactylopiidae)	cochineal insect	RC
<i>Dactylopius</i> spp. (Hemiptera: Dactylopiidae)	cochineal insects	RC
<i>Dactylosternum abdominalis</i> (Fabricius) (Coleoptera: Hydrophilidae)	water scavenger beetle	CU, JM, RC
<i>Dactylosternum hydrophiloides</i> (MacLeay) (Coleoptera: Hydrophilidae)	water scavenger beetle	CU, JM, RC
<i>Dactylosternum</i> sp. (Coleoptera: Hydrophilidae)	water scavenger beetle	DM, RC
<i>Dactylosternum subdepressum</i> Lap. (Coleoptera: Hydophilidae)	water scavenger beetle	RC
<i>Dalaca noctuides</i> Pfitzner (Lepidoptera: Hepialidae)	lepidopteran	CL

<i>Dalaca pallens</i> (Blanchard) (Lepidoptera: Hepialidae)	lepidopteran	CL
<i>Dalbulus maidis</i> (De Long & Wolcott) (Hemiptera: Cicadellidae)	leafhopper	BR
<i>Dasiops inedulis</i> Steyskal (Diptera: Lonchaeidae)	passionfruit flower bud fly	CO
<i>Dasiops</i> spp. (Diptera: Lonchaeidae)	passionfruit flower bud fly	CO
<i>Davara caricae</i> Dyar (Lepidoptera: Pyralidae)	papaya webworm moth	CU
<i>Deladenus (= Beddingia) siricidicola</i> Bedding (Tylenchida: Neotylenchidae)	entomopathogenic nematode	AR, BR, CL, UY, 32
<i>Deleboea</i> sp (Hymenoptera: Ichneumonidae)	parasitoid	BO
<i>Delphastus</i> (Coleoptera: Coccinellidae)	predatory ladybeetle	SR
<i>Delphastus argentinicus</i> Nunenmacher (Coleoptera: Coccinellidae)	predatory ladybeetle	PY
<i>Delphastus catalinae</i> Horn (Coleoptera: Coccinellidae)	predatory ladybeetle	JM
<i>Delphastus pallidus</i> Le Conte (Coleoptera: Coccinellidae)	predatory ladybeetle	FA
<i>Delphastus pusillus</i> (LeConte) (Coleoptera: Coccinellidae)	predatory ladybeetle	DO, FA, MX
<i>Delphastus quinculus</i> Gordon (Coleoptera: Coccinellidae)	predatory ladybeetle	CO
<i>Delphastus</i> sp. (Coleoptera: Coccinellidae)	predatory ladybeetle	CR, SV
<i>Delphax maidis</i> Ashmead (Hemiptera: Delphacidae)	corn delphacid	VE
<i>Demostipa</i> sp. (Coleoptera: Chrysomelidae)	beetle	EC
<i>Deois flavopicta</i> (Stal) (Hemiptera: Cercopidae)	spittlebug	BR
<i>Deroceras reticulatum</i> (Müller) (Pulmonata: Stylommatophora)	grey field slug	CL
<i>Derostenus</i> sp. (Hymenoptera: Eulophidae)	parasitoid	SR
<i>Descampsina sesamiae</i> Mesnil (Diptera: Tachinidae)	parasitoid	BO
<i>Diabrotica balteata</i> LeConte (Coleoptera: Chrysomelidae)	banded cucumber beetle	CU
<i>Diabrotica speciosa</i> Germar (Coleoptera: Chrysomelidae)	cucurbit beetle	BR
<i>Diachasmimorpha longicaudata</i> (Ashmead) (Hymenoptera: Braconidae)	parasitoid	AR, BR, CR, EC, FA, MX, PE, SR
<i>Diachasmimorpha tryoni</i> (Cameron) (Hymenoptera: Braconidae)	parasitoid	AR, CR, MX
<i>Diadegma eucerophaga</i> Horstmann (Hymenoptera: Ichneumonidae)	parasitoid	RC
<i>Diadegma insulare</i> (Cresson) (Hymenoptera: Ichneumonidae)	parasitoid	CR, DO, HN, JM, MX, NI
<i>Diadegma molesta</i> Tschech (Hymenoptera: Ichneumonidae)	parasitoid	AR
<i>Diadegma pierisae</i> (Rao) (Hymenoptera: Ichneumonidae)	parasitoid	BB
<i>Diadegma semiclausum</i> Hellen (Hymenoptera: Ichneumonidae)	parasitoid	NI, PA
<i>Diadegma</i> sp. (Hymenoptera: Ichneumonidae)	parasitoid	BO, PY, RC
<i>Diadegma varuna</i> Gupta (Hymenoptera: Ichneumonidae)	parasitoid	RC
<i>Diadromus collaris</i> (Grav.) (Hymenoptera: Ichneumonidae)	parasitoid	BB, BZ, DM, HN, RC
<i>Diaeretiella rapae</i> McIntosh (Hymenoptera: Braconidae)	aphid parasitoid	CU, FA, VE

<i>Dialeurodes citrifolii</i> (Morgan) (Hemiptera: Aleyrodidae)	citrus whitefly	DO
<i>Diaphania hyalinata</i> L. (Lepidoptera: Crambidae)	melon worm	BR, CU, FA, NI, PA, PR
<i>Diaphania nitidalis</i> (Stoll in Cramer & Stoll) (Lepidoptera: Crambidae)	cucumber worm	BB, BR, CU, FA, NI, PA
<i>Diaphania</i> spp. (Lepidoptera: Crambidae)	pickleworms	FA
<i>Diaphorina citri</i> Kuwayama (Hemiptera: Psyllidae)	Asian citrus psyllid	AR, BB, BR, BZ, CO, CR, CU, DO, FA, GT, JM, MX, NI, PR, UY, 32
<i>Diaprepes</i> (Coleoptera: Curculionidae)	citrus weevil	RC
<i>Diaprepes abbreviatus</i> Linnaeus (Coleoptera: Curculionidae)	citrus weevil	BB, FA, DO, PR
<i>Diaprepes</i> spp. (Coleoptera: Curculionidae)	citrus weevils	JM
<i>Diachasmimorpha crawfordi</i> (Viereck) (Hymenoptera: Braconidae)	fruit fly parasitoid	CR
<i>Diaspidiotus perniciosus</i> (Comstock) (Hemiptera: Diaspididae)	mealybug	AR
<i>Diaspis boisduvalii</i> Signoret (Hemiptera: Diaspididae)	boisduval scale	EC
<i>Diatraea andina</i> Box (Lepidoptera: Crambidae)	sugarcane borer	AR
<i>Diatraea busckella</i> Dyar & Heinrich (Lepidoptera: Crambidae)	sugarcane borer	CO, VE
<i>Diatraea centrella</i> (Möschl.) (Lepidoptera: Crambidae)	sugarcane borer	FA, GY, RC, TT, VE
<i>Diatraea guatemalensis</i> Schaus (Lepidoptera: Crambidae)	sugarcane borer	CR
<i>Diatraea impersonatella</i> (Walker) (Lepidoptera: Crambidae)	sugarcane borer	FA, RC, TT, VE
<i>Diatraea indigenella</i> Dyar & Heinrich (Lepidoptera: Crambidae)	sugarcane borer	CO
<i>Diatraea lineolata</i> Walker (Lepidoptera: Crambidae)	sugarcane borer	CO, EC, MX, RC
<i>Diatraea rosa</i> Heinrich (Lepidoptera: Crambidae)	sugarcane borer	CO, VE, 32
<i>Diatraea rufescens</i> Box (Lepidoptera: Crambidae)	sugarcane borer	AR, BO
<i>Diatraea saccharalis</i> (F.) (Lepidoptera: Crambidae)	sugarcane borer	AR, BB, BO, BR, CR, CO, CU, DM, DO, EC, FA, GY, JM, HT, MX, NI, PA, PE, PR, PY, RC, SR, TT, UY, VE, 32
<i>Diatraea</i> sp. (Lepidoptera: Crambidae)	sugarcane borer	EC, PA
<i>Diatraea</i> spp. (Lepidoptera: Crambidae)	sugarcane borer	AR, BB, BO, CO, CR, DM, JM, MX, RC, VE, 32
<i>Diatraea tabernella</i> Dyar (Lepidoptera: Crambidae)	sugarcane borer	CO, CR, PA
<i>Diaulonopsis callichroma</i> Crawford (Hymenoptera: Eulophidae)	parasitoid	FA
<i>Dichelops</i> sp. (Hemiptera: Pentatomidae)	stinkbug	PY
<i>Dichroplus elongatus</i> Giclio-Tos (Orthoptera: Acrididae)	grasshopper	AR, 32
<i>Dichroplus maculipennis</i> (Blanchard) (Orthoptera: Acrididae)	grasshopper	AR, 32
<i>Dichroplus pratensis</i> Bruner (Orthoptera: Acrididae)	grasshopper	AR, 32
<i>Dichroplus vittatus</i> Bruner (Orthoptera: Acrididae)	grasshopper	AR
<i>Dicyma pulvinata</i> (Berk & M.A. Curtis) Arx (Xylariales: Xylariaceae)	hyperparasitic fungus	BR

<i>Digitaria riantha</i> Steud. (= <i>D. decumbens</i>) (Poales: Poaceae)	pangola grass	CU
<i>Diglyphus begini</i> (Ashmead) (Hymenoptera: Eulophidae)	parasitoid	CO, DO, FA
<i>Diglyphus isaea</i> (Walker) (Hymenoptera: Eulophidae)	parasitoid	BB, CO, DO, MX, PA
<i>Diglyphus minoeus</i> (Wlk.) (Hymenoptera: Eulophidae)	parasitoid	BB
<i>Diglyphus</i> sp. (Hymenoptera: Eulophidae)	parasitoid	BB, PA
<i>Diglyphus</i> spp. (Hymenoptera: Eulophidae)	parasitoid	DO
<i>Diglyphus websteri</i> Crawford (Hymenoptera: Eulophidae)	parasitoid	PA
DijnVPN <i>Dione juno</i>	entomopatogenic virus	PE
<i>Dinarmus basalis</i> (Rondani) (Hymenoptera: Pteromalidae)	parasitoid	BB, CO
<i>Dinarmus vagabundus</i> (Timb.) (Hymenoptera: Pteromalidae)	parasitoid	BB
<i>Dinoderus minutus</i> (F.) (Coleoptera: Bostrichidae)	bamboo borer	SR
<i>Diomus seminulus</i> (Mulsant) (Coleoptera: Coccinellidae)	predatory ladybeetle	CO
<i>Diomus</i> sp. (Coleoptera: Coccinellidae)	predatory ladybeetle	JM,RC
<i>Diomus</i> sp. aff. <i>Tantillus</i> (Coleoptera: Coccinellidae)	predatory ladybeetle	PY
<i>Dione juno</i> (Cramer) (Lepidoptera: Nymphalidae)	juno longwing	VE
<i>Dione juno juno</i> (Cramer) (Lepidoptera: Nymphalidae)	juno longwing	BR
<i>Diplazon laetatorius</i> (Fabricius) (Hymenoptera: Ichneumonidae)	parasitoid	PY
<i>Dirhinus giffardii</i> (Silvestri) (Hymenoptera: Chalcididae)	parasitoid	BO, CR, MX
<i>Dissomphalus</i> spp. (Hymenoptera: Bethylidae)	parasitoid	PY
<i>Disorygma pacifica</i> (Yoshimoto) (Hymenoptera: Eucoliidae)	parasitoid	DO
<i>Diuraphis noxia</i> (Mordvilko) (Hemiptera: Aphididae)	Russian wheat aphid	CL
<i>Doassansia eichhorniae</i> Ciferri (Doassaniales: Doassansiaceae)	smut	DO
<i>Dolichogenidea</i> sp (Hymenoptera: Braconidae)	parasitoid	PY
<i>Dolichostoma</i> sp (Diptera: Tachinidae)	parasitoid	BO
<i>Doru lineare</i> (Eschholtz) (Dermaptera: Forficulidae)	predator	PY
<i>Doru luteipes</i> (Scudder) (Dermaptera: Forficulidae)	predator	PY
<i>Doru</i> sp. (Dermaptera: Forficulidae)	predator	CR, PY
<i>Doryctes parvus</i> Mues. (Hymenoptera:Braconidae)	parasitoid	SR
<i>Doryctobracon areolatus</i> Szepligeti (Hymenoptera: Braconidae)	parasitoid	DO, MX, SR
<i>Doryctobracon cereus</i> (Gahan) (Hymenoptera: Braconidae)	parasitoid	BZ, DM, RC
<i>Doryctobracon crawfordi</i> (Vier.) (Hymenoptera: Braconidae)	parasitoid	DM, MX
<i>Doryctobracon</i> sp. (Hymenoptera: Braconidae)	parasitoid	CR
<i>Doryctobracon trinidadensis</i> (Gah.) (Hymenoptera: Braconidae)	parasitoid	DM

<i>Drino inheritis</i> (Wied.) (Diptera: Tachinidae)	parasitoid	BO
<i>Drino</i> sp. (Diptera: Tachinidae)	parasitoid	PA
<i>Drosophila suzukii</i> (Matsumura) (Diptera: Drosophilidae)	spotted wing drosophila	MX, 32
<i>Dusona</i> sp. (Hymenoptera: Ichneumonidae)	parasitoid	SR
<i>Dysdercus andreae</i> (L.) (Hemiptera: Pyrrhocoridae)	red cotton bug	RC
<i>Dysdercus discolor</i> Walker (Hemiptera: Pyrrhocoridae)	cotton stainer	BB
<i>Dysdercus fulvoniger</i> Deg. subsp. <i>discolor</i> Wlk. (Hemiptera: Pyrrhocoridae)	cotton stainer	RC
<i>Dysdercus</i> spp (Hemiptera: Pyrrhocoridae)	red cotton bugs	SR, RC
<i>Dysmicoccus boninsis</i> (Kuwana) (Hemiptera: Pseudococcidae)	pink sugarcane mealybug	BB, RC
<i>Dysmicoccus brevipes</i> Cockerell (Hemiptera: Pseudococcidae)	pineapple mealybug	JM, CR, SR
<i>Dysmicoccus cryptus</i> Williams = <i>bispinosus</i> Beardsley (Hemiptera: Psuedococcidae)	coffee root mealybug	GT
E		
<i>Eacles imperialis magnifica</i> (Walker) (Lepidoptera: Saturniidae)	imperial moth	BR
<i>Ecdytolopha</i> (= <i>Gymnandrosoma</i>) <i>torticornis</i> (Lepidoptera: Tortricidae)	lepidopteran	CR
<i>Ecphoropsis perdistinctus</i> Viereck (Hymenoptera: Ichneumonidae)	parasitoid	BO
<i>Edessa</i> sp. (Hemiptera: Pentatomidae)	stinkbugs	PY
<i>Eichhornia crassipes</i> (Mart.) Solms-Laubac (Commelinaceae: Pontederiaceae)	waterhyacinth	AR, DO, HN, MX, PR, SV, TT
<i>Eiphosoma dentator</i> (Fabricius) (Hymenoptera: Ichneumonidae)	parasitoid	BB, PR, TT
<i>Eiphosoma</i> sp. (Hymenoptera: Ichneumonidae)	parasitoid	PY
<i>Eiphosoma</i> spp. (Hymenoptera: Ichneumonidae)	parasitoid	VE
<i>Elachertus</i> sp. (Hymenoptera: Eulophidae)	parasitoid	SR
<i>Elaeidobius kamerunicus</i> Faust (Coleoptera: Curculionidae)	African oil palm weevil	PE
<i>Elaeidobius plagiatus</i> (Fabricius) (Coleoptera: Curculionidae)	African oil palm weevil	PE
<i>Elaeidobius singularis</i> (Faust) (Coleoptera: Curculionidae)	African oil palm weevil	PE
<i>Elasmopalpus lignosellus</i> Zeller (Lepidoptera: Pyralidae)	lesser corn stalk borer	BB
<i>Elasmopalpus</i> sp. (Lepidoptera: Pyralidae)	lesser corn stalk borer	CO
<i>Elasmus</i> sp. (Hymenoptera: Eulophidae)	parasitoid	FA, DO
<i>Elasmus</i> Westwood (Hymenoptera: Eulophidae)	parasitoid	DO
<i>Empoasca kraemerii</i> Ross and Moore (Hemiptera: Cicadellidae)	leafhopper	HN
<i>Encarsia</i> (Hymenoptera: Aphelinidae)	parasitoid	RC, 32
<i>Encarsia</i> (= <i>Prospaltella</i>) <i>divergens</i> Silvestri (Hymenoptera: Aphelinidae)	parasitoid	CU, JM
<i>Encarsia basicincta</i> (Gahan) (Hymenoptera: Aphelinidae)	parasitoid	FA

<i>Encarsia berlesei</i> Howard (Hymenoptera: Aphelinidae)	parasitoid	AR, BR, CU, UY, 32
<i>Encarsia bimaculata</i> (Heraty and Polaszek) (Hymenoptera: Aphelinidae)	parasitoid	PA
<i>Encarsia citrella</i> (Howard) (Hymenoptera: Aphelinidae)	parasitoid	PA
<i>Encarsia cubensis</i> Gahan (Hymenoptera: Aphelinidae)	parasitoid	FA
<i>Encarsia clypealis</i> (Silvestri) (Hymenoptera: Aphelinidae)	parasitoid	32
<i>Encarsia dispersa</i> Polazeck (Hymenoptera: Aphelinidae)	parasitoid	FA
<i>Encarsia formosa</i> Gahan (Hymenoptera: Aphelinidae)	parasitoid	AR, CO, CR, DO, EC, FA, MX, PE, UY
<i>Encarsia guadeloupae</i> Viggiani (Hymenoptera: Aphelinidae)	parasitoid	CR, FA
<i>Encarsia hispida</i> De Santis (Hymenoptera: Aphelinidae)	parasitoid	FA, PA
<i>Encarsia longitarsis</i> Myartseva (Hymenoptera: Aphelinidae)	parasitoid	MX
<i>Encarsia lounsburyi</i> (Berlèse & Paoli) (Hymenoptera: Aphelinidae)	parasitoid	FA
<i>Encarsia luteola</i> (Howard) (Hymenoptera: Aphelinidae)	parasitoid	FA
<i>Encarsia meritoria</i> Gahan (Hymenoptera: Aphelinidae)	parasitoid	FA, RC
<i>Encarsia nigriceps</i> Dozier (Hymenoptera: Aphelinidae)	parasitoid	FA, HN, PA
<i>Encarsia noyesi</i> (Hayat) (Hymenoptera: Aphelinidae)	parasitoid	32
<i>Encarsia opulenta</i> Silvestri (Hymenoptera: Aphelinidae)	parasitoid	BB, CR, DM, DO, FA, GT, JM, NI, PR, RC, SV, 32
<i>Encarsia pergandiella</i> Howard (Hymenoptera: Aphelinidae)	parasitoid	HN, PA
<i>Encarsia perniciosi</i> Tower (Hymenoptera: Aphelinidae)	parasitoid	AR
<i>Encarsia perplexa</i> Huang & Polaszek (Hymenoptera: Aphelinidae)	citrus blackfly parasitoid	DO, RC, TT, 32
<i>Encarsia porteri</i> (Mercet (Hymenoptera: Aphelinidae)	parasitoid	PA
<i>Encarsia protransvena</i> Viggiani (Hymenoptera: Aphelinidae)	parasitoid	DO
<i>Encarsia quaintancei</i> Howard (Hymenoptera: Aphelinidae)	parasitoid	PA
<i>Encarsia smithi</i> (Silvestri) (Hymenoptera: Aphelinidae)	parasitoid	CU, 32
<i>Encarsia sophia</i> (Girault & Dodd) (= <i>E. transvena</i>) (Hymenoptera: Aphelinidae)	parasitoid	DO, FA
<i>Encarsia</i> sp. (Hymenoptera: Aphelinidae)	parasitoid	PA, RC, SR, 32
<i>Encarsia</i> sp. (<i>parvella</i> group) (Hymenoptera: Aphelinidae)	parasitoid	DO
<i>Encarsia</i> sp. nr. <i>pergandiella</i> Howard (Hymenoptera: Aphelinidae)	parasitoid	DO
<i>Encarsia</i> sp. nr. <i>variegata</i> How (Hymenoptera: Aphelinidae)	parasitoid	RC
<i>Encarsia</i> spp. (Hymenoptera: Aphelinidae)	parasitoid	DO
<i>Encarsia tabacivora</i> (= <i>pergandiella</i>) Viggiani (Hymenoptera: Aphelinidae)	parasitoid	FA
<i>Encarsia telemachusi</i> Evans (Hymenoptera: Aphelinidae)	parasitoid	DO
<i>Encarsiella</i> (Hymenoptera: Aphelinidae)	parasitoid	RC
<i>Encarsiella aleurodici</i> (Girault) (Hymenoptera: Aphelinidae)	parasitoid	CR

<i>Encarsiella</i> new sp. (Hymenoptera: Aphelinidae)	parasitoid	CR
<i>Encarsiella noyesi</i> (Hayat) (Hymenoptera: Aphelinidae)	parasitoid	BB, CR, FA, RC, TT
<i>Encarsiella</i> sp D (Hymenoptera: Aphelinidae)	parasitoid	RC
<i>Encyrtus infelix</i> (Embleton) (Hymenoptera: Encyrtidae)	parasitoid	CR
<i>Encyrtus lecaniorum</i> (Mayr) (Hymenoptera: Encyrtidae)	parasitoid	PE
<i>Engytatus modestus</i> (Distant) (Hemiptera: Miridae)	predatory mirid	DO
<i>Engytatus varians</i> (Distant) (Hemiptera: Miridae)	predatory mirid	BR
<i>Enicospilus americanus</i> (Christ) (Hymenoptera: Ichneumonidae)	parasitoid	SV
<i>Entomophthora</i> (Entomophthorales: Entomophthoraceae)	pathogenic fungi	CL
<i>Entomophthora parvispora</i> MacLeod & Carl (Entomophthorales: Entomophthoraceae)	pathogenic fungus	BB
<i>Entomophthora</i> spp. (Entomophthorales: Entomophthoraceae)	pathogenic fungi	PY
<i>Entomophthora virulenta</i> I.M. Hall & P.H. Dunn (Entomophthorales: Entomophthoraceae)	pathogenic fungus	DO, CO
<i>Entomophthorales</i> sp	pathogenic fungus	JM
<i>Eodiatraea centrella</i> Mosch (Lepidoptera: Crambidae)	borer of the shoots	SR
<i>Eodiatraea</i> sp. (Lepidoptera: Crambidae)	borer of the shoots	VE
<i>Eoreuma morbidella</i> (Dyar) (Lepidoptera: Crambidae)	Mexican rice borer	BO
<i>Ephedrus plagiator</i> (Nees) (Hymenoptera: Braconidae)	aphid parasitoid	AR, BR
<i>Epeorus elutella</i> (Hübner) (Lepidoptera: Pyralidae)	chocolate moth	BR
<i>Epeorus kuehniella</i> Zeller (Lepidoptera: Pyralidae)	Mediterranean flour moth	BR, PE
<i>Epidinocarsis lopezi</i> (De Santis) (Hymenoptera: Encyrtidae)	parasitoid	AR, PY
<i>Epilachna varivestis</i> Mulsant (Coleoptera: Coccinellidae)	bean ladybeetle	AR, MX, SV
<i>Epiphyas postvittana</i> Walker (Lepidoptera: Tortricidae)	light brown apple moth	MX
<i>Epiplagiops littoralis</i> Blanchard (Diptera: Tachinidae)	parasitoid	AR
<i>Eretmocerus californicus</i> Howard (Hymenoptera: Aphelinidae)	parasitoid	MX
<i>Eretmocerus eremicus</i> Rose & Zolnerowich (Hymenoptera: Aphelinidae)	parasitoid	CO, MX
<i>Eretmocerus mundus</i> (Mercet) (Hymenoptera: Aphelinidae)	parasitoid	AR, MX
<i>Eretmocerus portoricensis</i> (Dozier) (Hymenoptera:	parasitoid	FA
<i>Eretmocerus serius</i> (Silvestri) (Hymenoptera: Aphelinidae)	parasitoid	BB, CR, CU, HT, JM, PA, RC, 32
<i>Eretmocerus</i> sp. (Hymenoptera: Aphelinidae)	parasitoid	HN, PA, PY
<i>Eretmocerus</i> spp. (Hymenoptera: Aphelinidae)	parasitoid	DO, HN
<i>Eretmocerus tejanus</i> Rose & Zolnerow (Hymenoptera: Aphelinidae)	parasitoid	FA
EreVG <i>Erinnys ello</i>	entomopathogenic virus	PE
<i>Eriborus</i> sp. (Hymenoptera: Ichneumonidae)	parasitoid	BO, PE

<i>Erinnyis alope</i> (Drury) (Lepidoptera: Sphingidae)	Alope Sphinx Moth	CU, SR
<i>Erinnyis ello</i> (L.) (Lepidoptera: Sphingidae)	cassava hornworm	BR, CO, CU, DO, SR, VE
<i>Erinnyis</i> sp. (Lepidoptera: Sphingidae)	ello sphinx	CO, VE
<i>Eriophyes sheldoni</i> Ewing (Prostigmata: Eryophidae)	citrus bud mite	32
<i>Eriopis chilensis</i> (Hofmann) (Coleoptera: Coccinellidae)	predatory ladybeetle	CH
<i>Eriopis connexa</i> (Germar) (Coleoptera: Coccinellidae)	predatory ladybeetle	AR, PY
<i>Eriopis</i> sp. (Coleoptera: Coccinellidae)	predatory ladybeetle	BO
<i>Eriossoma lanigerum</i> Hausmann (Hemiptera: Aphididae)	woolly apple aphid	AR, BO, BR, CL, CO, CR, EC, MX, PE, UY, VE, 32
<i>Erwinia</i> (Enterobacteriales: Enterobacteriaceae)	pathogenic bacteria	CL
<i>Erwinia carotovora</i> (Smith) (Enterobacteriales: Enterobacteriaceae)	pathogenic bacterium	CL
<i>Esclerotinia</i> sp. (Helotiales: Sclerotiniaceae)	plant pathogenic fungus	EC
<i>Essigella californica</i> (Essig) (Hemiptera: Aphididae)	Monterey pine aphid	BR
<i>Etiella zinckenella</i> Treitschke (Lepidoptera: Pyralidae)	pea pod borer	PR
<i>Eucalyptus</i> (Myrtales: Myrtaceae)	eucalyptus tree	BR
<i>Eucalyptus globulus</i> Labill. (Myrtales: Myrtaceae)	eucalyptus tree	CL
<i>Eucalyptus</i> sp. (Myrtales: Myrtaceae)	eucalyptus tree	CL
<i>Eucalyptus</i> spp. (Myrtales: Myrtaceae)	eucalyptus tree	CL
<i>Eucarcelia illota</i> (Curran) (Diptera: Tachinidae)	parasitoid	BO
<i>Eucelatoria armigera</i> (Coquillet) (Diptera: Tachinidae)	parasitoid	VE
<i>Eucelatoria bryani</i> Sabrosky (Diptera: Tachinidae)	parasitoid	DM
<i>Eucelatoria</i> sp. (Diptera: Tachinidae)	parasitoid	BO
<i>Euderus</i> sp. (Hymenoptera: Eulophidae)	parasitoid	DO, PY
<i>Eueupithecia cisplatensis</i> Prout (Lepidoptera: Geometridae)	lepidopteran	AR
<i>Euglandina rosea</i> (Ferussac) (Mollusca: Gastropoda: Spiraxidae)	predaceous rosy wolfsnail	RC
<i>Eulachnus rileyi</i> (Williams) (Hemiptera: Aphididae)	pine needle aphid	BR
<i>Eunitelus fulvus</i> (Coleoptera: Scarabaeidae)	dung beetle	UY
<i>Eupelmela</i> sp. (Hymenoptera: Eupelmidae)	parasitoid	SR
<i>Eupelmus cushmani</i> (Crawford) (Hymenoptera: Eupelmidae)	parasitoid	PY
<i>EupeVPN Euprosterna eleasa</i>	entomopathogenic virus	PE
<i>Euphorbia heterophylla</i> L. (Malpighiales: Euphorbiaceae)	wild poinsettia	BR
<i>Euphorbia pulcherrima</i> Willd (Malpighiales: Euphorbiaceae)	poinsettia	VE
<i>Euphorocera floridensis</i> Townsend (Diptera: Tachinidae)	parasitoid	VE
<i>Euplectrus comstockii</i> Howard (Hymenoptera: Eulophidae)	parasitoid	PY, SV

<i>Euplectrus platyhypenae</i> Howard (Hymenoptera: Eulophidae)	parasitoid	BB, BO, CU, DM, JM, VE
<i>Euplectrus</i> sp. (Hymenoptera: Eulophidae)	parasitoid	BB, DO, FA, PR, 32
<i>Eupteromalis</i> sp. (Hymenoptera: Pteromalidae)	parasitoid	SR
<i>Eurysacca media</i> Povolný (Lepidoptera: Gelechiidae)	quinoa moth	BO
<i>Eurysacca melanocampta</i> Meyrick (Lepidoptera: Gelechiidae)	quinoa moth	BO
<i>Eurysacca quinoa</i> Povolny (Lepidoptera: Gelechiidae)	quinoa moth	BO, PE
<i>Eurytoma attiva</i> Burks (Hymenoptera: Eurytomidae)	parasitoid	TT
<i>Eurytoma sivinskii</i> Gates & Grissell (Hymenoptera: Eurytomidae)	parasitoid	MX
<i>Euscepes postfasciatus</i> (Fairmaire) (Coleoptera: Curculionidae)	West Indian sweet potato weevil	RC
<i>Euschistus heros</i> (Fabricius) (Hemiptera: Pentatomidae)	Neotropical brown stinkbug	BO, BR, PY
<i>Euschistus</i> sp. (Hemiptera: Pentatomidae)	brown stinkbug	PA
<i>Euseius emanus</i> (El-Banhawy) (Acari: Phytoseiidae)	predatory mite	PE
<i>Euseius (=Amblyseius) victoriensis</i> Womersly (Acari: Phytoseiidae)	predatory mite	MX, PE
<i>Euseius concordis</i> (Chant) (Acari: Phytoseiidae)	predatory mite	PE
<i>Euseius</i> sp. (Acari: Phytoseiidae)	predatory mite	PE
<i>Euseius stipulatus</i> (Athias-Henriot) (Acari: Phytoseiidae)	predatory mite	PE
<i>Eutetranychus banksi</i> (McGreg.) (Acari: Tetranychidae)	Texas citrus mite	DO
<i>Eutinobothrus brasiliensis</i> (Hambleton) (Coleoptera: Curculionidae)	cotton root borer	PY
<i>Euttetrastrichus fennahi</i> (= <i>Tetrastrichus fennahi</i>) Schauff (Hymenoptera: Eulophidae)	parasitoid	JM
<i>Euwallacea</i> nr. <i>fonicatus</i> Eichhoff (Coleoptera: Curculionidae)	polyphagous shot borer beetle	MX
<i>Evania laevigata</i> Olivier (= <i>appendigaster</i> E. Guerin-Ménéville) (Hymenoptera: Evaniidae)	parasitoid	PR
<i>Evippe</i> sp. (Lepidoptera: Gelechiidae)	lepidopteran	AR
<i>Exasticulus fuscicornis</i> (Cameron) (Hymenoptera: Braconidae)	parasitoid	PY
<i>Exochonus bisbinotatus</i> Gorham (Coloeptera: Coccinellidae)	predatory ladybeetle	RC
<i>Exochomus marginipennis</i> (LeConte) (Coleoptera: Coccinellidae)	predatory ladybeetle	MX
<i>Exochomus</i> sp. (Coleoptera: Coccinellidae)	predatory ladybeetle	TT
<i>Exophthalmus similis</i> (Drury) (Coleoptera: Curculionidae)	citrus root weevil	JM
<i>Exophthalmus</i> spp. (Coleoptera: Curculionidae)	citrus root weevils	JM
<i>Exophthalmus vittatus</i> L. (Coleoptera: Curculionidae)	citrus root weevil	JM
<i>Exoplectra dubia</i> Crotch (Coleoptera: Coccinellidae)	predatory ladybeetle	RC
F		
<i>Faronta albilinea</i> Hbn. (Lepidoptera: Noctuidae)	wheat head armyworm	UY

<i>Feltiella acarisuga</i> (Vallot) (Diptera: Cecidomyiidae)	predatory gall midges	MX
<i>Fidobia citri</i> (Nixon) (Hymenoptera: Platygastridae)	parasitoid	BB, JM
<i>Fidobia</i> sp. (Hymenoptera: Platygastridae)	parasitoid	CO, DO
<i>Flaveria bidentis</i> (L.) Kuntze (Asterales: Asteraceae)	weed	AR
<i>Foeniculum vulgare</i> Mill. (Apiales: Apiaceae)	fennel	CU
<i>Fopius arisanus</i> (Sonan) (Hymenoptera: Braconidae)	parasitoid	BR, CR, FA, MX, SR
<i>Fopius ceratitivorus</i> Wharton (Hymenoptera: Braconidae)	parasitoid	GT
<i>Fopius vandenboschi</i> (Fullaway) (Hymenoptera: Braconidae)	parasitoid	CR
<i>Forficula euricularia</i> L. (Dermaptera: Forficulidae)	European earwig	PY
<i>Fornicia</i> sp. (Hymenoptera: Braconidae)	parasitoid	SR
<i>Frankliniella occidentalis</i> (Pergande) (Thysanoptera: Thripidae)	western flower thrips	AR, BR, CO, EC, JM, MX, UY
<i>Frankliniella parvula</i> Hood (Thysanoptera: Thripidae)	banana flower thrips	EC
<i>Franklinothrips vespiformis</i> (Crawford) (Thysanoptera: Aeolothripidae)	predator	BB, DO, FA, PY
<i>Fundella pellucens</i> Zeller (Lepidoptera: Pyralidae)	Caribbean pod borer	BB, TT
<i>Fundiseius cesi</i> (Muma) (Acari: Phytoseiidae)	predatory mite	JM
<i>Fusarium</i> (Hypocreales: Nectriaceae)	pathogenic fungi	CL, EC, PE
<i>Fusarium circinatum</i> (Nirenberg & O'Donnell) (Hypocreales: Nectriaceae)	pathogenic fungus	CL
<i>Fusarium coccophilum</i> (Desm.) Wollenw. & Reinking (Hypocreales: Nectriaceae)	pathogenic fungus	32
<i>Fusarium episphaerae</i> f. sp. <i>coccophila</i> Tul. (Hypocreales: Nectriaceae)	pathogenic fungus	AR
<i>Fusarium euwallaceae</i> S. Freeman, Z. Mendel, T. Aoki & O'Donnell (Hypocreales: Nectriaceae)	pathogenic fungus	MX
<i>Fusarium graminearum</i> Schwabe (Hypocreales: Nectriaceae)	pathogenic fungus	PY
<i>Fusarium guttiforme</i> Nirenberg & O' Donnell (Hypocreales: Nectriaceae)	fusariosis of the pineapple	MX
<i>Fusarium oxysporum</i> f. sp. <i>cubense</i> (E.F. Sm.) (Hypocreales: Nectriaceae)	Panama disease of banana	CU, MX
<i>Fusarium oxysporum</i> f. sp. <i>dianthi</i> W.C. Snyder & H.N. Hansen (Hypocreales: Nectriaceae)	carnation wilt	CO
<i>Fusarium oxysporum</i> f. sp. <i>lycopersici</i> (Saccardo) Snyder & Hansen (Hypocreales: Nectriaceae)	fusarium wilt of tomato	CO
<i>Fusarium oxysporum</i> Schlecht emend. Snyder & Hansen (Hypocreales: Nectriaceae)	pathogenic and antagonistic fungus	CO, NI
<i>Fusarium solani</i> (Mart.) Sacc. (Hypocreales: Nectriaceae)	pathogenic fungus	PE
<i>Fusarium solani</i> f. sp. <i>glycines</i> Roy (Hypocreales: Nectriaceae)	pathogenic fungus	BR
<i>Fusarium solani</i> f. sp. <i>phaseoli</i> Kendrick & Snyder (Hypocreales: Nectriaceae)	fusarium root rot of beans	BR, CL
<i>Fusarium</i> sp. (Hypocreales: Nectriaceae)	pathogenic fungi	DO, PE, PY, VE
<i>Fusarium</i> spp. (Hypocreales: Nectriaceae)	pathogenic fungi	CO, PY

G		
<i>Gaeumannomyces graminis</i> (Sacc.) Arx & Oliv. (Magnaporthales: Magnaporthaceae)	pathogenic fungus	CO
<i>Gaeumannomyces</i> sp. (Magnaporthales: Magnaporthaceae)	black sheath rot	HN
<i>Gahaniella saissetia</i> Timberlake (Hymenoptera: Encyrtidae)	parasitoid	VE
<i>Galega officinalis</i> L. (Fabales: Fabaceae)	goatsrue	AR
<i>Galendromus (=Typhlodromus) occidentalis</i> (Nesbitt) (Acari: Phytoseiidae)	Western predatory mite	CO, MX
<i>Galendromus helveolus</i> (Chant) (Acari: Phytoseiidae)	Western Predatory Mite	MX
<i>Galeopsomyia fausta</i> La Salle & Peña (Hymenoptera: Eulophidae)	parasitoid	FA
<i>Galleria mellonella</i> L. (Lepidoptera: Pyralidae)	greater wax moth	BR, CL, CO, CU, DO, HN, PE
<i>Gambusia affinis</i> Baird & Girard (Cyprinodontiformes: Poeciliidae)	larvivorous fish	CO, MX
<i>Ganaspidium utilis</i> Beardsley (Hymenoptera: Figitidae)	leafminer parasitoid	DO, HN
<i>Ganaspis</i> sp. (Hymenoptera: Figitidae)	parasitoid	DM
<i>Gasteracanthe cancriformis</i> L. (Araneae: Araneidae)	spider	CR
<i>Genea (=Jaynesleskia) jaynesi</i> (Aldrich) (Diptera: Tachinidae)	parasitoid	AR, CO
<i>Geococcus coffeae</i> Green (Hemiptera: Pseudococcidae)	coffee root mealybug	GT
<i>Geocoris callosulus</i> Berg (Hemiptera: Geocoridae)	big-eyed bug	PE
<i>Geocoris punctipes</i> (Say) (Hemiptera: Geocoridae)	big-eyed bug	MX
<i>Geocoris</i> sp. (Hemiptera: Geocoridae)	big-eyed bug	MX, PY
<i>Geocoris ventralis</i> (Fieber) (Hemiptera: Geocoridae)	big-eyed bug	PY
<i>Geoffroea decorticans</i> (Gillies ex Hook. & Arn.) Burkart (Fabales: Fabaceae)	thistle or green wood	AR
<i>Glena bisulca</i> Rindge (Lepidoptera: Geometridae)	geometrid caterpillar	CO
<i>Gliocadium</i> sp. (Hypocreales: Hypocreaceae)	antagonistic fungus	EC
<i>Gliocladium</i> (Hypocreales: Hypocreaceae)	antagonistic fungus	EC
<i>Globodera rostochiensis</i> (Wollenweber) (Nematoda: Heteroderidae)	yellow potato cyst nematode	CL
<i>Glycaspis brimblecombei</i> Moore (Hemiptera: Psyllidae)	red gum lerp psyllid	MX, UY
<i>Glycine max</i> L. Merr. (Fabales: Fabaceae)	soybean	BO, CU
<i>Glypta rufiscutellaris</i> Cresson (Hymenoptera: Ichneumonidae)	parasitoid	AR
<i>Glyptapanteles militaris</i> (Walsh) (Hymenoptera: Braconidae)	parasitoid	PY
<i>Glyptapanteles muesebecki</i> (Blanchard) (Hymenoptera: Braconidae)	parasitoid	PY
<i>Glyptapanteles</i> sp. (Hymenoptera: Braconidae)	parasitoid	DO
<i>Glyptapanteles</i> spp. (Hymenoptera: Braconidae)	parasitoid	PY
<i>Goetheana parvipennis</i> (Gahan) (Hymenoptera: Eulophidae)	parasitoid	FA, JM, RC
<i>Gonatocerus</i> sp. (Hymenoptera: Mymaridae)	parasitoid	PY

<i>Gonaxis quadrilateralis</i> Preston (Stylocephalida: Streptaxidae)	predaceous snail	RC
<i>Gonia peruviana</i> Townsend (Diptera:Tachinidae)	parasitoid	BO
<i>Goniophthalmus halli</i> Mesnil (Diptera: Tachinidae)	parasitoid	BO
<i>Goniozius</i> sp. <i>punctulaticeps</i> group (Hymenoptera: Bethylidae)	parasitoid	BB
<i>Goniozus legneri</i> (Gordh) (Hymenoptera: Bethylidae)	parasitoid	AR, CL
<i>Goniozus natalensis</i> Gordh (Hymenoptera: Bethylidae)	parasitoid	BO
<i>Gonipterus gibberus</i> Boisduval (Coleoptera: Curculionidae)	eucalyptus snout beetle	AR, UY
<i>Gonipterus Schoenherr</i> (Coleoptera: Curculionidae)	eucalyptus snout beetle	BR
<i>Gonipterus scutellatus</i> Gyllenhal (Coleoptera: Curculionidae)	eucalyptus snout beetle	BR, UY
<i>Gonipterus platensis</i> Mareli (Coleoptera: Curculionidae)	eucalyptus snout beetle	AR, CL
<i>Gonodonta</i> spp. (Lepidoptera: Erebidae)	fruit-piercing moth	DM
<i>Gossypium barbadense</i> L. (Malvales: Malvaceae)	Gallini cotton	BB,RC
Granulocyte virus	virus	PY
<i>Graphium</i> sp (Microascales: Microascaceae)	fungi	MX
<i>Grapholita molesta</i> (Brusck) (Lepidoptera: Tortricidae)	Oriental fruit moth	AR, BR, MX, UY
<i>Graptocleptes bicolor</i> (Burmeister) (Hemiptera: Reduviidae)	reduviid predatory bug	PY
<i>Gratiana boliviiana</i> Spaeth (Coleoptera: Chrysomelidae)	leaf-feeding tortoise beetle	AR
<i>Gratiana spadicea</i> (Klug) (Coleoptera: Chrysomelidae)	leaf-feeding tortoise beetle	AR
<i>Guignardia citricarpa</i> Kiely (Botryosphaeriales:Botryosphaeriaceae)	black spot of citrus	MX
<i>Gutierrezia</i> spp. (Asterales:Asteraceae)	snakeweeds	AR
<i>Gymnandrosoma aurantianum</i> Todd M. Gilligan and Marc E. Epstein (Lepidoptera: Tortricidae)	citrus fruit borer	BR
<i>Gymnopolybia</i> sp. (Hymenoptera: Vespidae)	vespid	PY
<i>Gynaikothrips ficorum</i> (Marshal) (Thysanoptera: Phlaeothripidae)	Cuban laurel thrips	DO
<i>Gynaikothrips</i> sp. (Thysanoptera: Phlaeothripidae)	thrips	PA
<i>Gynaikothrips uzeli</i> Zimmermann (Thysanoptera: Phlaeothripidae)	ficus thrips	BB, DO
<i>Gypsophila</i> (Caryophyllales: Caryophyllaceae)	baby´s breath	EC
<i>Gypsophila paniculata</i> L. (Caryophyllales: Caryophyllaceae)	baby´s breath	CO
<i>Gyranusoidea indica</i> Shafee, Alam & Argarwal (Hymenoptera: Encyrtidae)	parasitoid	BZ, DO, JM, MX, PR, RC, 32
<i>Gyranusoidea</i> sp. (Hymenoptera: Encyrtidae)	parasitoid	FA
<i>Gyranusoidea tebygi</i> Noyes (Hymenoptera: Encyrtidae)	parasitoid	FA
<i>Gyron triatomae</i> Msn (Hymenoptera: Scelionidae)	parasitoid	BO
H		

<i>Habrobracon</i> (Hymenoptera: Braconidae)	parasitoid	DO
<i>Habrobracon hebetor</i> Say (Hymenoptera: Braconidae)	parasitoid	BR, MX
<i>Habrobracon</i> spp. (Hymenoptera: Braconidae)	parasitoid	MX
<i>Habrolepis dalmanni</i> (Westwood) (Hymenoptera: Encyrtidae)	parasitoid	
<i>Habronathus</i> sp. (Arachnida: Araneae)	spider	JM
<i>Haematobia irritans</i> (L.) (Diptera: Muscidae)	horn fly	AR, CO
<i>Halticoptera circulus</i> (Walker) (Hymenoptera: Peromalidae)	parasitoid	DO, FA
<i>Halticoptera</i> sp. (Hymenoptera: Pteromalidae)	parasitoid	PA
<i>Hambletonia pseudococcinna</i> Comp. (Hymenoptera: Eulophidae)	parasitoid	JM
<i>Haplothrips gowdeyi</i> (Franklin) (Thysanoptera: Phlaeothripidae)	gold-tipped tubular thrips	BB
<i>Harmonia</i> (= <i>Leis</i>) sp. (Coleoptera: Coccinellidae)	Asian ladybeetle	CU
<i>Harmonia axyridis</i> (Pallas) (Coleoptera: Coccinellidae)	Asian ladybeetle	AR, CO, MX, PY, VE
<i>Harrisia</i> (Caryophyllales: Cactaceae)	cactus	
<i>Harrisia bonplandii</i> (Par.) (Caryophyllales: Cactaceae)	cactus	AR
<i>Harrisia martinii</i> (Labour.) Britton (Caryophyllales: Cactaceae)	Martin applecactus	AR
<i>Harrisia tortuosus</i> (J. Forbes ex Otto & A. Dietr.) Britton & Rose (Caryophyllales: Cactaceae)	Moonlight Cactus	AR
<i>Hedylepta</i> (= <i>Omiodes</i>) <i>indicata</i> (Fabricius) (Lepidoptera: Crambidae)	soybean leaf folder	CU
<i>Hedypathes betulinus</i> (Klug) (Coleoptera: Cerambycidae)	mate tree borer	BR
<i>Heilipodus ventralis</i> Hustache (Coleoptera: Curculionidae)	weevil	AR
<i>Helianthus annus</i> L. (Asterales: Asteraceae)	sunflower	CU
<i>Heliconia bihai</i> (L.) L. (Zingiberales: Heliconiaceae)	macaw flower	GY
<i>Helicosporina veronae</i> Rambeli (Ascomycota)	nematophagous fungi	SV
<i>Helicoverpa</i> (Lepidoptera: Noctuidae)	noctuid moth	BR
<i>Helicoverpa armigera</i> (Hübner) (Lepidoptera: Noctuidae)	cotton bollworm	BR, MX
<i>Helicoverpa quinoae</i> Pogue and Harp (Lepidoptera: Noctuidae)	noctuid moth	BO
<i>Helicoverpa</i> sp. (Lepidoptera: Noctuidae)	noctuid moth	BR
<i>Helicoverpa</i> spp. (Lepidoptera: Noctuidae)	noctuid moths	BB
<i>Helicoverpa titicacae</i> Hardwick (Lepidoptera: Noctuidae)	noctuid moth	BO
<i>Helicoverpa zea</i> (Boddie) (Lepidoptera: Noctuidae)	American cotton bollworm	AR, BB, BR, CL, CU, DO, NI, RC, VE
<i>Heliothis</i> (Lepidoptera: Noctuidae)	noctuid moth	DM, VE
<i>Heliothis</i> sp. (Lepidoptera: Noctuidae)	noctuid moth	PE
<i>Heliothis</i> spp. (Lepidoptera: Noctuidae)	noctuid moth	BB, BO, CO, PE
<i>Heliothis virescens</i> (F.) (Lepidoptera: Noctuidae)	tobacco budworm	BB, BR, CO, CU, DO, PE, RC

<i>Hellula phidilealis</i> (Walker) (Lepidoptera: Crambidae)	cabbage budworm moth	TT, RC
<i>Helminthosporium oryzae</i> Breda de Haan (Pleosporales: Pleosporaceae)	rice brown spot fungus	CO
<i>Helminthosporium</i> sp. (Pleosporaceae)	rice brown spot fungus	DO
<i>Hemerobius tolimensis</i> Banks (Neuroptera: Hemerobiidae)	lacewings	BO
<i>Hemileia vastatrix</i> Berk. & Broome (Pucciniales: Pucciniaceae)	coffe rust	BR, CU, EC, DO, MX, PE, PR
<i>Herpestes auropunctatus</i> Hodgson (Carnivora: Herpestidae)	mongoose	BB, DO, JM, PR, RC, TT
<i>Herpetogramma bipunctalis</i> (Fabricius) (Lepidoptera: Crambidae)	two-spotted herpetogramma moth	CU
<i>Herse cingulata</i> (= <i>Agrius</i>) Fabricius (Lepidoptera: Sphingidae)	sweetpotato hornworm	CU
<i>Heterodera glycines</i> Ichinohe (Tylenchida: Heteroderidae)	soybean cyst nematode	BR
<i>Heteropsylla cubana</i> Crawford (Hemiptera: Psyllidae)	leucaena psyllid	TT
<i>Heterorhabditis</i> (Rhabditida: Heterorhabditidae)	entomophatogenic nematode	EC, SR, VE
<i>Heterorhabditis amazonensis</i> Andaló et al. (Rhabditida: Heterorhabditidae)	entomophatogenic nematode	VE
<i>Heterorhabditis bacteriophora</i> Poinar (Rhabditida: Heterorhabditidae)	entomophatogenic nematode	BO, MX, PE, VE
<i>Heterorhabditis bacteriophora</i> Poinar (strain HC1) (Rhabditida: Heterorhabditidae)	entomophatogenic nematode	CU, HN, SR, MX, PE
<i>Heterorhabditis baujardi</i> LPP7 (Rhabditida: Heterorhabditidae).	entomophatogenic nematode	BR
<i>Heterorhabditis indica</i> Poinar, Karunakar & David (Rhabditida: Heterorhabditidae)	entomophatogenic nematode	BR
<i>Heterorhabditis marelata</i> Liu & Berry (Rhabditida: Heterorhabditidae)	entomophatogenic nematode	JM
<i>Heterorhabditis</i> sp. (Nematoda: Heterorhabditidae)	entomophatogenic nematode	CO, CL, CR, DO, MX, SR
<i>Heterorhabditis</i> spp. (Nematoda: Heterorhabditidae)	entomophatogenic nematode	CU
<i>Heterospilus annulicornis</i> Muesebeck (Hymenoptera: Braconidae)	parasitoid	PY
<i>Heterospilus coffeicola</i> Schmiedeknecht (Hymenoptera: Braconidae)	parasitoid	CO, CR
<i>Heterospilus gossypii</i> Muesebeck (Hymenoptera: Braconidae)	parasitoid	PY
<i>Heterospilus hambletoni</i> Muesebeck (Hymenoptera: Braconidae)	parasitoid	PY
<i>Heterospilus</i> sp. (Hymenoptera: Braconidae)	parasitoid	SR
<i>Hevea</i> (Malpighiales: Euphorbiaceae)	euphorbiaceae	BR
<i>Hexacola</i> sp. (Hymenoptera:Cynipidae)	shore fly parasitoid	SR
<i>Hexameris dactylocercus</i> Poinar Jr. and Linares (Nematoda: Mermithidae)	entomophthogenic nematode	VE
<i>Hibiscus rosa-sinensis</i> L. (Malvales: Malvaceae)	China-rose	BZ
<i>Hibiscus sabdariffa</i> L. (Malvales: Malvaceae)	Roselle	BZ
<i>Hibiscus</i> sp. (Malvales: Malvaceae)	hibiscus	DO
<i>Hippodamia convergens</i> Guérin-Méneville (Coleoptera: Coccinellidae)	predator convergent ladybeetle	BO, CO, CU, DO, EC, MX, NI, PA, PE, PY, VE, 32
<i>Hippodamia quinquesignata</i> Kirby (Coleoptera: Coccinellidae)	predator ladybeetle	BR
<i>Hippodamia</i> sp. (Coleoptera: Coccinellidae)	predator ladybeetle	BO

<i>Hiranetis</i> sp. (Hemiptera: Reduviidae)	reduviid bug	PY
<i>Hirsutella</i> (Hypocreales: Ophiocordycipitaceae)	entomopathogenic fungi	CR, PE
<i>Hirsutella eleutherathorum</i> (Nees ex Gray) Petch (Hypocreales: Ophiocordycipitaceae)	entomopathogenic fungus	CO
<i>Hirsutella nodulosa</i> Petch (Hypocreales: Ophiocordycipitaceae)	entomopathogenic fungus	DO
<i>Hirsutella</i> sp. (Hypocreales: Ophiocordycipitaceae)	entomopathogenic fungus	DO
<i>Hirsutella</i> spp. (Hypocreales: Ophiocordycipitaceae)	entomopathogenic fungus	RC
<i>Hirsutella thompsonii</i> Fisher (Hypocreales: Ophiocordycipitaceae)	entomopathogenic fungus	CO, DO, MX, PE, SR, 32
<i>Hirsutella verticillioides</i> Charles (Hypocreales: Ophiocordycipitaceae)	entomopatogenic fungus	BR
<i>Hister bruchi</i> Lewis (Coleoptera: Histeridae)	predatory beetle	AR
<i>Hololepta</i> (=Leionota) <i>quadridentata</i> (Olivier) (Coleoptera:Histeridae)	predatory beetle	BB, DM, RC
<i>Homalotylus eytelweinii</i> (Ratzeburg) (Hymenoptera: Encyrtidae)	parasitoid	PY
<i>Hoplognathoca</i> sp. (Hymenoptera: Mutillidae)	mutilid wasp	PY
<i>Horismenus</i> (Hymenoptera: Eulophidae)	parasitoid	CR
<i>Horismenus crassus</i> Hansson (Hymenoptera: Eulophidae)	parasitoid	PY
<i>Horismenus</i> sp. (Hymenoptera: Eulophidae)	parasitoid	CR, DO, JM, PY
<i>Horismenus</i> sp.nr. <i>cupreus</i> (Ashm.) (Hymenoptera: Eulophidae)	parasitoid	JM
<i>Horismenus</i> spp. (Hymenoptera: Eulophidae)	parasitoid	FA
<i>Hyalomyia chilensis</i> Macq (Diptera: Tachinidae)	parasitoid	RC
<i>Hydrellia</i> sp. (Diptera: Ephydriidae)	leaf-mining fly	EC, SR
<i>Hylamorpha elegans</i> (Burmeister) (Coleoptera: Scarabaeidae)	white grub	CL
<i>Hylesinus oleiperda</i> F. (Coleoptera: Scolytidae)	bark beetle	PE
<i>Hyperaspis distinguenda</i> (Muls.) (Coleoptera: Coccinellidae)	predatory lady beetle	BB
<i>Hyperaspis donzeli</i> (Muls.) (Coleoptera: Coccinellidae)	predatory lady beetle	BB, RC
<i>Hyperaspis festiva</i> Muls (Coleoptera: Coccinellidae)	predatory lady beetle	PY, SR
<i>Hyperaspis jucunda</i> (Muls.) (Coleoptera: Coccinellidae)	predatory lady beetle	BB, RC, TT
<i>Hyperaspis notata</i> Mulsant (Coleoptera: Coccinellidae)	predatory lady beetle	PY
<i>Hyperaspis onerata</i> (Mulsant) (Coleoptera: Coccinellidae)	predatory lady beetle	PE
<i>Hyperaspis</i> sp. (Coleoptera: Coccinellidae)	predatory lady beetle	BB, JM, PY, RC
<i>Hyperaspis</i> spp. (Coleoptera: Coccinellidae)	predatory lady beetle	BO
<i>Hyperaspis trilineata</i> Mulsant (Coleoptera: Coccinellidae)	predatroy lady beetle	RC, VE
<i>Hypericum perforatum</i> L. (Malpighiales:Hypericaceae)	St John´s wort	AR, CL, 32
<i>Hypoaspis miles</i> Berlese (Acari: Laelapidae)	predatory mite	CO
<i>Hypoaspis</i> sp. (Acari: Laelapidae)	predatory mite	PA

<i>Hypogeococcus festerianus</i> (Lizer & Trelles) (Hemiptera: Pseudococcidae)	cactus mealybug	AR
<i>Hypogeococcus pungens</i> Granara de Willink (Hemiptera: Pseudococcidae)	cactus mealybug	PR
<i>Hypomicrogaster hypsipylae</i> De Santis (Hymenoptera: Braconidae)	parasitoid	CR
<i>Hypothenemus hampei</i> (Ferrari) (Coleoptera: Scolytidae)	coffee berry borer	BO, BR, CO, CR, CU, DO, EC, GT, HN, HT, JM, MX, NI, PA, PE, PR
<i>Hypsipyla grandella</i> (Zeller) (Lepidoptera: Pyralidae)	mahogany shoot borer	BZ, CR, HN, RC
<i>Hypsonotus</i> sp (Coleoptera: Curculionidae)	weevil	BO
HzSNPV (<i>H. zea</i> nucleopolyhedroviruses)	entomophatogenic virus	BR
I		
<i>Iatrophobia brasiliensis</i> (Rübs) (Diptera: Cecidomyiidae)	gall midge	SR
<i>Ibalia leucospoides</i> (Hochenwarth) (Hymenoptera: Ibaliiidae)	parasitoid	AR, BR, CL, UY
<i>Icerya montserratensis</i> Riley and Howard (Hemiptera: Monophelebidae)	montserrat cushion scale	EC, 32
<i>Icerya purchasi</i> Maskell (Hemiptera: Monophelebidae)	cottony cushion scale	AR, BB, BO, CO, CU, DO, EC, FA, JM, MX, PE, PR, RC, UY, VE, 32
<i>Icerya</i> sp. (Hemiptera: Monophelebidae)	scale	CO, 32
<i>Ignelater luminosus</i> (Illiger) (Coleoptera: Elateridae)	cucubano, click beetle	BB
<i>Ilex paraguariensis</i> A. St.-Hil (Aquifoliales: Aquifoliaceae)	mate tree	BR
<i>Incamaia chilensis</i> Aldrich (Diptera: Tachinidae)	parasitoid	EC
<i>Iphiaulax kimballi</i> Kirkland (Hymenoptera: Braconidae)	parasitoid	BO
<i>Iphiaulax grenadensis</i> (Ashm.) (Hymenoptera: Braconidae)	parasitoid	SR
<i>Iphiseiodes zuluagai</i> Denmark & Muma (Acari: Phytoseiidae)	predatory mite	CO
<i>Iphiseius</i> (= <i>Amblyseius</i>) <i>degenerans</i> (Berlese) (Acari: Phytoseiidae)	predatory mite	AR, CO, MX
<i>Ipobracon grenadensis</i> Ashmead (Hymenoptera: Braconidae)	parasitoid	BB, RC, TT
<i>Ipobracon puberuloides</i> Myers (Hymenoptera: Braconidae)	parasitoid	BB
<i>Ipomoea</i> (Solanales: Convolvulaceae)	sweet potato	BR
<i>Ipomoea</i> sp. (Solanales: Convolvulaceae)	sweet potato	BB
<i>Ipomoea batatas</i> (L.) Lam. (Solanales: Convolvulaceae)	sweet potato	CU, JM, RC
<i>Ips</i> spp. (Coleoptera: Curculionidae)	bark beetle	CU
<i>Isaria</i> (= <i>Paecilomyces</i>) (Hypocreales: Clavicipitaceae)	entomopathogenic fungus	HN, MX, PE
<i>Isaria farinosa</i> (Holmsk.) Fr. (Hypocreales: Clavicipitaceae)	entomopathogenic fungus	PE
<i>Isaria fumosorosea</i> Wize (Hypocreales: Clavicipitaceae)	entomopathogenic fungus	AR, BR, CO, DO, HN, MX, PE, UY
<i>Isaria javanica</i> (Friedrichs & Bally) Samson & Hywel-Jones (Hypocreales: Cordycipitaceae)	entomopathogenic fungus	MX, PA
<i>Isaria</i> sp. (Hypocreales: Clavicipitaceae)	entomopathogenic fungus	CO, PA

<i>Isaria</i> spp. (Hypocreales: Clavicipitaceae)	entomopathogenic fungus	PA
<i>Ischnapsis longirostris</i> (Sign) (Hemiptera:Diaspididae)	black scale	SR
<i>Isosomodes</i> sp. (Hymenoptera: Eurytomidae)	parasitoid	VE
<i>Itoplectus narangae</i> Ashm. (Hymenoptera: Ichneumonidae)	parasitoid	BO
J		
<i>Jaynesleskia jaynesi</i> Townsend (Diptera: Tachinidae)	parasitoid	RC
<i>Jocara</i> sp. (Lepidoptera: Pyralidae)	snout moth	CO
<i>Juglans regia</i> L. (Fagales: Juglandaceae)	walnut tree	CL
K		
<i>Keiferia lycopersicella</i> (Walsingham) (Lepidoptera: Gelechiidae)	tomato pinworm	DO
L		
<i>Labidura riparia</i> (Pallas) (Dermaptera: Labiduridae)	predatory earwig	BO
<i>Lactuca sativa</i> L. (Asterales: Asteraceae)	lettuce	CU
<i>Lagochirus dezayasi</i> Dillon (Coleoptera: Cerambycidae)	cerambycid	CU
<i>Lamium amplexicaule</i> L. (Lamiales: Lamiaceae)	henbit deadnettle	AR
<i>Lapaeumides dedalus</i> (Cram.) (Lepidoptera: Castniidae)	oil palm borer	GY
<i>Laphygma</i> (= <i>Spodoptera</i>) <i>frugiperda</i> (J.E.Smith) (Lepidoptera: Noctuidae)	fall armyworm	SR
<i>Larra americana</i> Saussure (Hymenoptera: Crabronidae)	sphecid wasp	VE
<i>Larra bicolor</i> Fabricius (Hymenoptera: Crabronidae)	mole cricket hunter	BO
<i>Larra</i> sp. (Hymenoptera: Crabonidae)	mole cricket hunter	BO
<i>Larra transandina</i> Williams (Hymenoptera: Crabronidae)	mole cricket hunter	BO
<i>Lasioseius</i> (Acari: Blattisociidae)	predatory mite	DO
<i>Lasioseius chaudhrii</i> (Wu & Wang) (Acari: Blattisociidae)	predatory mite	
<i>Lasioseius dominicensis</i> n. sp Abo-Shnaf, Sanchez & De Moraes (Acari: Blattisociidae)	predatory mite	DO
<i>Lasioseius oryzae</i> n. sp. Abo-Shnaf, Sanchez & De Moraes (Acari: Blattisociidae)	predatory mite	DO
<i>Lasioseius prorsoperitrematus</i> n. sp. Abo-Shnaf, Sanchez & De Moraes (Acari: Blattisociidae)	predatory mite	DO
<i>Lasioseius sanchezensis</i> n. sp. Abo-Shnaf, Sanchez & De Moraes (Acari: Blattisociidae)	predatory mite	DO
<i>Lebia</i> sp. (Coleoptera: Carabidae)	carabid beetle	PY
<i>Lecanicillium</i> (=Verticillium) <i>lecanii</i> (Zimm.) Zare & Gams. (Hypocreales: Clavicipitaceae)	entomopathogenic fungus	AR, BO, BR, CL, CO, CU, DO, EC, HN, MX, PE, PY, UY, VE

<i>Lecanicillium</i> (Hypocreales: Clavicipitaceae)	entomopathogenic fungi	CL, EC, HN, MX, PE
<i>Lecanicillium</i> sp. (Hypocreales: Clavicipitaceae)	entomopathogenic fungus	EC
<i>Lecanobius</i> (Hymenoptera: Eupelmidae)	parasitoid	CL
<i>Lecanobius utilis</i> Compere (Hymenoptera: Eupelmidae)	parasitoid	PE
<i>Lejops mexicanus</i> (Macquart) (Diptera: Syrphidae)	hoverfly	VE
<i>Lepidelphax pistiae</i> Remes Lenicor (Hemiptera: Delphacidae)	dephacid	AR
<i>Lepidosaphes beckii</i> (Newman) (Hemiptera: Diaspididae)	purple scale	AR, EC, MX, PE, SV, 32
<i>Lepidosaphes gloverii</i> (Packard) (Hemiptera: Diaspididae)	glover scale	32
<i>Leptinotarsa undecimlineata</i> Stal (Coleoptera: Chrysomelidae)	sassumba beetle	JM
<i>Leptocereus quadricostatus</i> (Bello) Britton & rose (Caryophyllales: Cactaceae)	cactus	PR
<i>Leptocybe invasa</i> Fisher & La Salle (Hymenoptera: Eulophidae)	gall wasp	BR
<i>Leptomastidae</i> sp. (Hymenoptera: Encyrtidae)	parasitoid	PR
<i>Leptomastidea abnormis</i> (Girault) (Hymenoptera: Encyrtidae)	parasitoid	CL, CR, PE, 32
<i>Leptomastix dactylopii</i> (Howard) (Hymenoptera: Encyrtidae)	parasitoid	CL, MX
<i>Leptomastix epona</i> (Noyes) (Hymenoptera: Encyrtidae)	parasitoid	CL
<i>Leptopharsa gibbicarina</i> Froeschner (Hemiptera: Tingidae)	lace bug	CO
<i>Leptopharsa heveae</i> Drake & Poor (Hemiptera: Tingidae)	lace bug	BR
<i>Leptophobia aripa</i> Boisduval (Lepidoptera: Pieridae)	Mexican cabbage butterfly	HN
<i>Leptopilina boulardi</i> Förster (Hymenoptera: Figitidae)	parasitoid	MX
<i>Leskiopalpus diadema</i> Wied. (Diptera: Tachinidae)	parasitoid	SR
<i>Lespesia archippivora</i> (Riley) (Diptera: Tachinidae)	parasitoid	HN
<i>Lespesia</i> n.sp. (Diptera: Tachinidae)	parasitoid	SV
<i>Lespesia</i> sp. (Diptera: Tachinidae)	parasitoid	PA
<i>Lestodiplosis</i> sp. (Diptera: Cecidomyiidae)	predator	BB
<i>Lestophonus iceryae</i> Williston (Diptera: Cryptochetidae)	parasitoid	UY
<i>Leucania</i> spp. (Lepidoptera: Noctuidae)	armyworm	CU
<i>Leucania unipuncta</i> Haw. (Lepidoptera: Noctuidae)	armyworm	CU
<i>Leucochrysa floridana</i> (Banks) (Neuroptera: Chrysopidae)	chrysopid predator	FA
<i>Leucopis bella</i> Loew (Diptera: Chamaemyiidae)	predator	RC
<i>Leucopis obscura</i> Haliday (Diptera: Chamaemyiidae)	balsam wooly aphid predator	32
<i>Leucopodella</i> sp. (Diptera: Syrphidae)	syrphid fly	CO
<i>Leucoptera coffeella</i> (Guérin-Meneville) (Lepidoptera: Lyonetidae)	coffee leafminer	CR, GT, PR
<i>Ligyrus maimon</i> Erichson (Coleoptera: Dynastidae)	white worm	PE

<i>Lincus</i> sp. (Hemiptera: Pentatomidae)	stinkbugs	EC
<i>Lindorus lophanthae</i> Casey (Coleoptera: Coccinellidae)	predatory ladybeetle	AR, PE, UY
<i>Linepithema humile</i> (Mayr) (Hymenoptera: Formicidae)	Argentine ant	CL
<i>Lioscymnus diversipes</i> Champ. (Coleoptera: Coccinellidae)	predatory ladybeetle	RC
<i>Liothrips mikaniae</i> (Priesn.) (Thysanoptera: Phlaeothripidae)	mekania thrips	TT
<i>Liothrips urichi</i> Karny (Thysanoptera: Phlaeothripidae)	clidemia thrips	TT
<i>Lipaphis erysimi</i> (Kltb.) (Hemiptera: Aphididae)	mustard aphid	CU, SR
<i>Lipolexis oregmae</i> (Gahan) (Hymenoptera: Aphidiidae)	brown citrus aphid parasitoid	JM
<i>Lippia</i> (= <i>Phyla</i>) <i>nodiflora</i> (L.) Michx. (Lamiales: Verbenaceae)	common lippia	CO
<i>Liriomyza</i> (Diptera: Agromyzidae)	leafminer	HN
<i>Liriomyza huidobrensis</i> (Blanch.) (Diptera: Agromyzidae)	leafminer	CO, PA, PE
<i>Liriomyza sativae</i> Blanchard (Diptera: Agromyzidae)	leafminer	BB, DO
<i>Liriomyza</i> sp. (Diptera: Agromyzidae)	leafminer	EC
<i>Liriomyza</i> spp. (Diptera: Agromyzidae)	leafminer	HN, MX
<i>Liriomyza trifolii</i> (Burgess) (Diptera: Agromyzidae)	leafminer	BB, CO, CU
<i>Lissorhoptrus brevirostris</i> Suffriam (Coleoptera: Curculionidae)	rice water weevil	CU
<i>Lissorhoptrus oryzophilus</i> Kuschel (Coleoptera: Curculionidae)	rice water weevil	CU
<i>Listroderes costirostris</i> Schoenherr (Coleoptera: Curculionidae)	vegetable weevil	AR
<i>Litomastix</i> sp. (Hymenoptera: Encyrtidae)	parasitoid	BB
<i>Litomastix</i> sp. nr. <i>truncatella</i> (Dalm.) (Hymenoptera: Encyrtidae)	parasitoid	BB
<i>Lixadmontia franki</i> Wood and Cave (Diptera: Tachinidae)	parasitoid	HN
<i>Lixophaga diatraeae</i> (Townsend) (Diptera: Tachinidae)	parasitoid	AR, BB, BO, CO, CR, CU, DM, DO, EC, FA, HT, JM, MX, PA, PR, RC, TT, 32
<i>Lobesia botrana</i> (Denis & Schiffermüller) (Lepidoptera: Tortricidae)	grapevine moth	CL, MX
<i>Longiunguis sacchari</i> (Zhntn) (Hemiptera: Aphididae)	sorghum aphid	SR
<i>Lotis neglecta</i> Muls. (Coleoptera: Coccinellidae)	predatory ladybeetle	RC
<i>Lotis nigerimma</i> Csý (Coleoptera: Coccinellidae)	predatory ladybeetle	RC
<i>Loxotoma elegans</i> Zeller (Lepidoptera: Depressariidae)	oil palm defoliator	CO
<i>Lutzomyia longipalpis</i> (Diptera: Psychodidae)	sand fly	BR
<i>Lycopersicum esculentum</i> Mill. (Solanales: Solanaceae)	tomato	VE
<i>Lycosa</i> spp. (Araneae: Lycosidae)	spider	JM
<i>Lydella minense</i> (Town.) (Diptera: Tachinidae)	amazon fly	AR, BO, BR, CO, CR, CU, DM, DO, EC, FA, GY, JM, RC, SR, VE, 32
<i>Lydinolydella metalica</i> Townsend (Diptera: Tachinidae)	parasitoid	AR

<i>Lygus hesperus</i> Knigh (Hemiptera: Miridae)	western plant bug	MX
<i>Lymantria dispar asiatica</i> Linnaeus (Lepidoptera: Lymantriidae)	Asian gypsy moth	MX
<i>Lysinibacillus sphaericus</i> (Meyer & Neide) (Planococcaceae)	entomopathogenic bacterium	CO
<i>Lysiphlebus testaceipes</i> (Cresson) (Hymenoptera: Braconidae)	aphid parasitoid	AR, BR, CR, CU, FA, JM, MX, PY, TT, VE, 32
M		
<i>Maconellicoccus hirsutus</i> (Green) (Hemiptera: Pseudococcidae)	pink hibiscus mealybug	BB, BR, BZ, DO, FA, GY, HT, JM, MX, PR, SR, TT, VE, 32
<i>Macrocentrus prolificus</i> (Hymenoptera: Braconidae)	parasitoid	BO, MX
<i>Macrocentrus ancylivorus</i> (Rohwer) (Hymenoptera: Braconidae)	parasitoid	AR, UY
<i>Macrocentrus delicatus</i> (Cresson) (Hymenoptera: Braconidae)	parasitoid	AR
<i>Macrocentrus sp.</i> (Hymenoptera: Braconidae)	parasitoid	BB
<i>Macrodactylus pulchripes</i> Blanchard (Coleoptera: Scarabaeidae)	beetle	EC
<i>Macrolophus basicornis</i> (Stal) (Hemiptera: Miridae)	predatory mirid	BR
<i>Macrolophus nr praeclarus</i> Distant (Hemiptera: Miridae)	predatory mirid	FA
<i>Macrolophus praeclarus</i> (Distant) (Hemiptera: Miridae)	predatory mirid	DO
<i>Macromalon orientale</i> Kerrich (Hymenoptera: Ichneumonidae)	parasitoid	BB
<i>Macrophomina phaseolina</i> (Tassi) (Botryosphaeriales: Botryosphaeriaceae)	plant pathogen fungus	PY, VE
<i>Macrosiphum euphorbiae</i> (Thomas) (Hemiptera: Aphididae)	potato aphid	CL, MX, PE
<i>Macrosiphum rosae</i> L. (Hemiptera: Aphididae)	rose aphid	MX
<i>Macrocylops</i> (Copepoda: Cyclopidae)	copepod predator	RC
<i>Mahanarva fimbriolata</i> (Stal) (Hemiptera: Cercopidae)	spittlebug	BR
<i>Mahanarva posticata</i> (Stal) (Hemiptera: Cercopidae)	spittlebug	BR
<i>Mahanarva spectabilis</i> (Distant) (Hemiptera: Cercopidae)	spittlebug	BO
<i>Malachra</i> spp. (Malvales: Malvaceae)	malva	VE
<i>Manduca sexta</i> (L.) (Lepidoptera: Sphingidae)	tobacco hornworm	FA, VE
<i>Manduca sexta paphus</i> (Cramer) (Lepidoptera: Sphingidae)	tobacco hornworm	BR
<i>Manduca</i> spp. (Lepidoptera: Sphingidae)	hawkmoths	DO
<i>Mangifera indica</i> L. (Sapindales: Anacardiaceae)	mango	BZ, CO, DO
<i>Manihot</i> (Malpighiales: Euphorbiaceae)	cassava	BR
<i>Manihot esculenta</i> Crantz (Malpighiales: Euphorbiaceae)	cassava	BR, CU
<i>Maranta arundinacea</i> L. (Zingiberales: Marantaceae)	West Indian arrowroot	BB, RC
<i>Marisa cornuarietis</i> L (Gastropoda: Ampullariidae)	ramshorn snail	DO
<i>Maruca testulalis</i> (Geyer) (Lepidoptera: Crambidae)	spotted pod borer	TT

<i>Mastrus ridens</i> Horstmann (Hymenoptera: Ichneumonidae)	parasitoid	AR
<i>Mastrus ridibundus</i> (Gravenhorst) (Hymenoptera: Ichneumonidae)	parasitoid	AR
<i>Matricaria chamomilla</i> L. (Asterales: Asteraceae)	chamomile	AR
<i>Megacephala carolina</i> (Linnaeus) (Coleoptera: Carabidae)	metallic tiger beetle	BO
<i>Megacephala chilensis</i> (Laporte de Castelnau) (Coleoptera: Carabidae)	tiger beetle	BO
<i>Megacephala</i> sp. (Coleoptera: Carabidae)	carabid beetles	PY
<i>Megalopyge lanata</i> (Stoll.) (Lepidoptera: Megalopygidae)	sassurana	SR
Megalopygidae (Lepidoptera)	flannel moths	SR
<i>Megamelus scutellaris</i> Berg. (Hemiptera: Delphacidae)	waterhyacinth planthopper	AR
<i>Megaphragma</i> sp. (Hymenoptera: Trichogrammatidae)	parasitoid	FA
<i>Megarhyssa nortoni</i> (Cresson) (Hymenoptera: Ichneumonidae)	parasitoid	AR, BR, CL
<i>Megaselia</i> sp. (Diptera: Phoridae)	parasitoid	SR
<i>Melaleucopis simmondsii</i> Sabrosky (Diptera: Chamaemyiidae)	predator	RC
<i>Melanagromyza cuscuteae</i> Hering (Diptera: Agromyzidae)	agromyzid fly	BB, RC
<i>Melanagromyza eupatoriella</i> Spencer (Diptera: Agromyzidae)	shoot-tip boring agromyzid	TT
<i>Melanagromyza obtusa</i> (Malloch) (Diptera: Agromyzidae)	Asian pigeon pea pod fly	DO
<i>Melanagromyza</i> spp. (Diptera: Agromyzidae)	agromyzid flies	DO
<i>Melanaphis sacchari</i> (Zehntner) (Hemiptera: Aphididae)	sugarcane aphid	MX
<i>Melanoplus differentialis</i> (Thomas) (Orthoptera: Acrididae)	spur-throat grasshoppers	MX
<i>Melanoplus</i> spp. (Orthoptera: Acrididae)	spur-throat grasshoppers	AR
<i>Melanthera aspera</i> L. (Asterales: Asteraceae)	pineland squarestem	CR
<i>Melittobia</i> sp. (Hymenoptera: Eulophidae)	parasitoid	DO
<i>Meloidogyne</i> (Tylenchida: Heteroderidae)	plant-pathogenic nematode	CL
<i>Meloidogyne incognita</i> (Kofoid & White) Chitwood (Tylenchida: Heteroderidae)	root-knot nematode	BR, CU, PE
<i>Meloidogyne javanica</i> (Treub) Chitwood (Tylenchidae: Heteroderidae)	sugarcane eelworm	BR
<i>Meloidogyne</i> spp. (Tylenchidae: Heteroderidae)	root knot nematodes	BR, CU, GT, UY
<i>Menochilus sexmaculatus</i> (F.) (Coleoptera: Coccinellidae)	predatory ladybeetle	VE
<i>Mescinia parvula</i> (Zeller) (Lepidoptera: Pyralidae)	snout moth	TT
<i>Mesocyclops</i> (Copepoda: Cyclopidae)	copepod predator	RC
<i>Mesocyclops longisetus</i> (Thiébaud) (Copepoda: Cyclopidae)	copepod predator	CO
<i>Mesocyclops</i> sp. (Copepoda: Cyclopidae)	copepod predator	RC
<i>Mesograpta basilaris</i> Wiedemann (Diptera: Syrphidae)	hover fly	VE
<i>Mesograpta</i> sp. (Diptera: Syrphidae)	hover fly	SR

<i>Metacanthus tenellus</i> Stal (Hemiptera: Berytidae)	stilt bug	PE
<i>Metaleurodicus cardini</i> (Back) (Hemiptera: Aleyrodidae)	cardin´s whitefly	BB
<i>Metamasius anceps</i> Gyllenhal (Coleoptera: Curculionidae)	palm weevil	BO
<i>Metamasius callizona</i> (Chevrolat) (Coleoptera: Curculionidae)	Mexican bromeliad weevil	HN
<i>Metamasius dimidiatipennis</i> Champeon (Coleoptera: Curculionidae)	pineapple weevil	VE
<i>Metamasius hemipterus</i> L. (Coleoptera: Curculionidae)	West Indian cane weevil	DO, EC, PE
<i>Metamasius quadrilineatus</i> Champion (Coleoptera: Curculionidae)	bromeliad weevil	HN
<i>Metamasius</i> sp (Coleoptera: Curculionidae)	weevil	EC
<i>Metaphycus</i> (Hymenoptera: Encyrtidae)	parasitoids	RC
<i>Metaphycus annekei</i> Guerrieri & Noyes (Hymenoptera: Encyrtidae)	parasitoid	32
<i>Metaphycus cereales</i> sp. nov. Myartseva & Ruiz (Hymenoptera: Encyrtidae)	parasitoid	MX
<i>Metaphycus flavus</i> (Howard) (Hymenoptera: Encyrtidae)	parasitoid	CL
<i>Metaphycus helvolus</i> (Compere) (Hymenoptera: Encyrtidae)	parasitoid	AR, CL, CR, PE, 32
<i>Metaphycus lounsburyi</i> (Howard) (Hymenoptera: Encyrtidae)	parasitoid	AR, PE
<i>Metaphycus stanleyi</i> Compere (Hymenoptera: Encyrtidae)	parasitoid	CL
<i>Metarhizium</i> (Hypocreales: Clavicipitaceae)	entomopathogenic fungi	BR, CL, CR, EC, HN, MX, PE, 32
<i>Metarhizium acridum</i> (Driver & Milner) J.F. Bisch, Rehner & Humber (Hypocreales: Clavicipitaceae)	entomopathogenic fungus	BR, MX, PE
<i>Metarhizium anisopliae</i> (Metchnikoff) Sorokin (Hypocreales: Clavicipitaceae)	green muscardine fungus	AR, BZ, BO, BR, CL, CO, CR, CU, DO, EC, GT, HN, JM, MX, NI, PA, PE, PY, RC, SV, TT, UY, VE, 32
<i>Metarhizium brunneum</i> Petch (Hypocreales: Clavicipitaceae)	entomopathogenic fungus	PY
<i>Metarhizium</i> sp. (Hypocreales: Clavicipitaceae)	entomopathogenic fungus	CO, CR, EC
<i>Metarhizium</i> spp. (Hypocreales: Clavicipitaceae)	entomopathogenic fungi	CL
<i>Meteorus laphygmae</i> Vier. (Hymenoptera: Braconidae)	parasitoid	PY, SR, VE
<i>Meteorus</i> sp. (Hymenoptera: Braconidae)	parasitoid	BO
<i>Metopolophium dirhodum</i> Walker (Hemiptera: Aphididae)	rose-grain aphid	AR, BR, CL
<i>Metrogaleruca obscura</i> De Geer (Coleoptera: Chrysomelidae)	chrysomelid beetle	TT
<i>Micranthenus lineola</i> (F) (Hemiptera: Reduviidae)	reduviid predator	SR
<i>Microcera</i> sp . (Hypocreales: Nectriaceae)	leafhopper pathogenic fungi	SR
<i>Microcharops</i> sp. (Hymenoptera: Ichneumonidae)	parasitoid	BO, PY
<i>Microlarinus lareynii</i> (Duv.) (Coleoptera: Curculionidae)	puncturevine seed weevil	JM, RC
<i>Microlarinus lypriformis</i> (Woll.) (Coleoptera: Curculionidae)	puncturevine stem weevil	JM, RC
<i>Microplitis plutellae</i> Muesbeck (Hymenoptera: Braconidae)	parasitoid	NI, PA
<i>Microplitis</i> sp. (Hymenoptera: Braconidae)	parasitoid	BO

<i>Microseromasia sphenophori</i> Vill (Diptera: Tachinidae)	parasitoid	BO
<i>Microsporidian</i> sp. (Opisthosporidia)	fungi	CR
<i>Microtus arvalis</i> (Pallas) (Rodentia: Cricetidae)	common vole	MX
<i>Migdolus fryanus</i> (Westwood) (Coleoptera: Vesperidae)	sugarcane pest	BR
<i>Mikania micrantha</i> Kunth (Asterales: Asteraceae)	bitter vine	TT
<i>Miobiopsis diadema</i> (Wiedemann) (Diptera:Tachinidae)	parasitoid	TT
<i>Mirax insularis</i> Mues. (Hymenoptera:Braconidae)	parasitoid	DM, FA, PR
<i>Mocis latipes</i> Guenée (Lepidoptera: Noctuidae)	striped grass looper	BR, CO, CU, HN, SR, VE
<i>Mocis</i> spp. (Lepidoptera: Noctuidae)	striped grass looper	CU
<i>Momordica charantia</i> L. (Cucurbitales: Cucurbitaceae)	bitter gourd	DO
Moniliasis	pathogenic fungi	PE
<i>Moniliophthora perniciosa</i> (Stahel) Aime & Phillips-Mora (Agaricales: Marasmiaceae)	pathogenic fungus	BR, MX
<i>Moniliophthora roreri</i> (Cif.) H.C. Evans, Stalpers, Samson & Benny (Agaricales: Marasmiaceae)	pathogenic fungus	EC, JM
<i>Monomorium floricola</i> (Jerdon) (Hymenoptera: Formicidae)	bicolored trailing ant	PR
<i>Mononychellus caribbeanae</i> (McGregor) (Acari: Tetranychidae)	green cassava mite	DO
<i>Mononychellus tanajoa</i> (Bondar) (Acari: Tetranychidae)	green cassava mite	CO, RC, SR
<i>Montandoniola</i> sp. (Hemiptera: Anthocoridae)	flower bug	PA
<i>Montina confusa</i> (Stal) (Hemiptera: Reduviidae)	reduviid predator	BR
<i>Mortierella</i> (Mortierellales: Mortierellaceae)	soil fungi	CL
<i>Mucor</i> (Mucorales: Mucoraceae)	moulds	CL
<i>Murraya</i> J. Koenig ex L. (Sapindales: Rutaceae)	orange jessamine	JM
<i>Murraya paniculata</i> (L.) Jack (Sapindales:Rutaceae)	orange jessamine	BR, CO, FA
<i>Musa</i> sp. (Zingiberales: Musaceae)	bananas	BB
<i>Musa</i> spp. (Zingiberales: Musaceae)	bananas	CO, CU
<i>Musca domestica</i> L. (Diptera: Muscidae)	housefly	BR, CO, EC, MX, PE
<i>Musca</i> spp. (Diptera: Muscidae)	housefly	BB, CO, RC
<i>Muscidifurax raptor</i> (Girault & Sanders) (Hymenoptera: Pteromalidae)	parasitoid	MX, VE
<i>Muscidifurax raptorellus</i> Kogan & Legner (Hymenoptera: Pteromalidae)	parasitoid	BR, MX, PE
<i>Muscidifurax</i> spp. (Hymenoptera: Pteromalidae)	parasitoid	BB, MX
<i>Muscidifurax uniraptor</i> Kogan & Legner (Hymenoptera: Pteromalidae)	parasitoid	BR, EC, RC
<i>Muscidifurax zaraptor</i> Kogan & Legner (Hymenoptera: Pteromalidae)	parasitoid	MX, PE
<i>Mus musculus</i> (L.) (Rodentia: Muridae)	house mouse	MX
<i>Mycorrhiza</i> sp.	symbiotic fungi	EC

<i>Mycosphaerella fijiensis</i> Morelet (Mycosphaerellales: Mycosphaerellaceae)	black sigatoka	BR, CO
<i>Myelobia bimaculata</i> (Box) (Lepidoptera: Crambidae)	sugarcane borer	BO
<i>Myiopharus doryphorae</i> (Riley) (Diptera: Tachinidae)	parasitoid	JM
<i>Myrothecium roridum</i> Tode ex Fr. (Hypocreales)	plant pathogen fungus	DO
<i>Mythimna unipuncta</i> Haworth (Lepidoptera: Noctuidae)	rice armyworm	EC
<i>Myzinum ephippium</i> F. (= <i>M. xanthonotus</i> (Rohw.) (Hymenoptera: Tiphiidae)	parasitoid tiphiids	BB
<i>Myzinum haemorrhoidalis</i> F. (Hymenoptera: Tiphiidae)	parasitoid tiphiids	BB
<i>Myzus</i> (Hemiptera: Aphididae)	aphid	CU
<i>Myzus persicae</i> (Sulzer) (Hemiptera: Aphididae)	green peach aphid	AR, CO, CU, MX
N		
<i>Nabis capsiformis</i> (Germar) (Hemiptera: Nabidae)	pale damsel bug	FA, PY
<i>Nabis sordidus</i> Reuter (Hemiptera: Nabidae)	nabid predator	TT
<i>Nabis</i> sp. (Hemiptera: Nabidae)	nabid predator	PY
<i>Nasonia</i> spp. (Hymenoptera: Pteromalidae)	parasitoid	MX
<i>Nasonia vitripennis</i> (Walker) (Hymenoptera: Pteromalidae)	parasitoid	BR, MX
<i>Nassella</i> (= <i>Stipa</i>) <i>trichotoma</i> Nees (Poales: Poaceae)	serrat tussock grass	AR
<i>Nassella neesiana</i> Trin. & Rupr. (Poales: Poaceae)	South American grass	AR
<i>Nasutitermes ephratae</i> (Holmgr.) (Isoptera: Termitidae)	arboreal termite	SR
<i>Naupactus xanthographus</i> (Germar) (Coleoptera: Curculionidae)	South American fruit tree weevil	CL
<i>Nausigaster meridionalis</i> Townsend (Diptera: Syrphidae)	hoverfly	VE
<i>Nemorilla</i> sp. (Diptera: Tachinidae)	parasitoid	BB, PY
<i>Neoaplectana</i> (strain P2M) (Nematoda: Steinernematidae)	entomophatogenic nematode	CU
<i>Neoaplectana carpocapsae</i> Weiser (= <i>Steinernema feltiae</i>) (Nematoda: Steinernematidae)	entomophatogenic nematode	EC, SR
<i>Neocatolaccus longiventris</i> (Gahan) (Hymenoptera: Pteromalidae)	parasitoid	PY
<i>Neochetina bruchi</i> Hustache (Coleoptera: Curculionidae)	waterhyacinth weevil	AR, HN, MX, PR, SV
<i>Neochetina eichhorniae</i> Warner (Coleoptera: Curculionidae)	waterhyacinth weevil	AR, HN, MX, PR, SV, TT
<i>Neochrysocharis</i> sp. (Hymenoptera: Eulophidae)	parasitoid	DO
<i>Neocurtilla hexadactyla</i> (Perty) (Orthoptera: Gryllotalpidae)	northern mole cricket	BO
<i>Neodiplogrammus quadrivittatus</i> (Olivier) (Coleoptera: Curculionidae)	sesbane stem weevil	AR
<i>Neodusmetia sangwani</i> (Subba Rao) (Hymenoptera: Encyrtidae)	parasitoid	BR, 32
<i>Neohydronomus affinis</i> Hustache (Coleoptera: Curculionidae)	water lettuce weevil	AR, HN, PR
<i>Neoleucinodes elegantalis</i> (Guenée) (Lepidoptera: Crambidae)	small tomato borer	BR

<i>Neoseiulus</i> (= <i>Amblyseius</i>) <i>californicus</i> (McGregor) (Acari: Phytoseiidae)	predatory mite	AR, BR, CO, EC, JM, MX, PE
<i>Neoseiulus</i> (Acari: Phytoseiidae)	predatory mite	DO
<i>Neoseiulus</i> (<i>Amblyseius</i>) <i>barkeri</i> Hughes (Acari: Phytoseiidae)	predatory mite	CO, MX
<i>Neoseiulus</i> (<i>Amblyseius</i>) <i>cucumeris</i> (Oudemans) (Acari: Phytoseiidae)	predatory mite	CO, MX
<i>Neoseiulus</i> <i>anonymus</i> (Chant & Baker) (Acari: Phytoseiidae)	predatory mite	CO
<i>Neoseiulus</i> <i>baraki</i> Athias-Henriot (Acari: Phytoseiidae)	predatory mite	PA
<i>Neoseiulus</i> <i>longispinosus</i> (Evans) (Acari: Phytoseiidae)	predatory mite	CU, HN
<i>Neozygites</i> <i>fresenii</i> (Nowakowski) Remaudière and Keller (Entomophthorales: Neozygitaceae)	entomopathogenic fungus	PY
<i>Neozygites</i> <i>parvispora</i> Remaudière and Keller (Entomophthorales: Neozygitaceae)	entomophagous fungus	32
<i>Nephaspis</i> (Coleoptera: Coccinellidae)	predatory ladybeetle	RC
<i>Nephaspis</i> <i>amnicola</i> Wingo (Coleoptera: Coccinellidae)	predatory ladybeetle	BB, RC
<i>Nephaspis</i> <i>bicolor</i> Gordon (Coleoptera: Coccinellidae)	predatory ladybeetle	TT
<i>Nephaspis</i> <i>nigra</i> Gordon (Coleoptera: Coccinellidae)	predatory ladybeetle	BB
<i>Nephaspis</i> sp. (Coleoptera: Coccinellidae)	predatory ladybeetle	CR
<i>Nephus</i> <i>regularis</i> Sicard (Coleoptera: Coccinellidae)	predatory ladybeetle	RC
<i>Nephus</i> sp. (Coleoptera: Coccinellidae)	predatory ladybeetle	BB, PY, RC
<i>Nesidiocoris</i> (= <i>Cyrtopeltis</i>) <i>tenuis</i> (Reuter) (Hemiptera: Miridae)	predatory mirid	DO, FA
<i>Nezara</i> <i>viridula</i> (Linnaeus) (Hemiptera: Pentatomidae)	green stink bug	AR, BR, PY, RC, TT
<i>Nicotiana</i> <i>glauca</i> Graham (Solanales: Solanaceae)	tobacco plant	AR
<i>Nicotiana</i> <i>tabacum</i> L. (Solanales: Solanaceae)	tobacco plant	BR, CU
<i>Nipaecoccus</i> <i>nipae</i> Mask. (Hemiptera: Pseudococcidae)	buf coconut mealybug	RC, 32
<i>Niphograptis</i> <i>albiguttalis</i> (Sameal.) (Lepidoptera: Crambidae)	Waterhyacinth Moth	AR
<i>Nodita</i> sp. (Neuroptera: Chrysopidae)	chrysopid predator	SR
<i>Nomurea</i> <i>rileyi</i> (Farlow) Samson (Hypocreales: Clavicipitaceae)	entomophatogenic fungus	AR, CO, CU, PY
<i>Notiobia</i> <i>laevis boliviensis</i> (Van Emden) (Coleoptera: Carabidae)	ground beetle	BO
<i>Notiobia</i> <i>schnusei</i> Emden (Coleoptera: Carabidae)	ground beetle	BO
<i>Notocyrtus</i> <i>dorsalis</i> (Gray) (Hemiptera: Reduviidae)	bee-mimic reduviid	PY
<i>Notozulia</i> <i>entreriana</i> (Berg.) (Hemiptera: Cercopidae)	spittlebug	BR
NPV (<i>Anticarsia gemmatalis</i> nucleopolyhedrosis virus)	entomopathogenic virus	BR
<i>Nylanderia</i> <i>fulva</i> (Mayr) (Hymenoptera: Formicidae)	tawny crazy ant	FA
O		
<i>Ocyptamus</i> (Diptera: Syrphidae)	hoverfly	FA

<i>Ocyptamus clava</i> (Fabricius) (Diptera: Syrphidae)	aphidophagous syrphid	VE
<i>Ocyptamus dimidiatus</i> (Fabricius) (Diptera: Syrphidae)	aphidophagous syrphid	VE
<i>Ocyptamus gastrostactus</i> (Wiedemann) (Diptera: Syrphidae)	aphidophagous syrphid	VE
<i>Ocyptamus stenogaster</i> (Williston) (Diptera: Syrphidae)	aphidophagous syrphid	VE
<i>Odontomachus brunneus</i> (Patton) (Hymenoptera: Formicidae)	trap-jaw ant	FA
<i>Odontosema anastrephae</i> Borgmeier (Hymenoptera: Figitidae)	figtid parasitoid	MX
<i>Oebalus insulares</i> Stal (Hemiptera: Pentatomidae)	rice stink bug	PA
<i>Oebalus mexicana</i> (Sailer) (Hemiptera: Pentatomidae)	brown bug	MX
<i>Oebalus poecilus</i> (Dallas) (Hemiptera: Pentatomidae)	paddy bug	SR
<i>Oebalus</i> sp. (Hemiptera: Pentatomidae)	paddy bug	GY
<i>Oecanthus</i> sp. (Orthoptera: Gryllidae)	tree cricket	PY
<i>Oeneis nigrans</i> Muls (Coleoptera: Coccinellidae)	predatory lady beetle	SR
<i>Oenonogastra microrhopalae</i> Ashmead (Hymenoptera: Braconidae)	parasitoid	PA
<i>Oenonogastra</i> sp. (Hymenoptera: Braconidae)	parasitoid	PA
<i>Oerskovia</i> (Cellulomonadaceae)	gram-positive bacterium	CL
<i>Oerskovia turbata</i> (Erikson) (Cellulomonadaceae)	gram-positive bacterium	CL
<i>Oidiopsis taurica</i> (Lév.) E.S. Salmon (Erysiphales: Erysiphaceae)	powdery mildew	PE
<i>Oidium</i> sp.	powdery mildew	EC
<i>Oiketicus</i> sp. (Lepidoptera: Psychidae)	psychid moth	CU
<i>Oligonychus milleri</i> (McG.) (Acari: Tetranychidae)	pine mite	JM
<i>Oligosita giraulti</i> Crawford (Hymenoptera: Trichogrammatidae)	parasitoid	TT
<i>Oligota minuta</i> Cameron (Coleoptera: Staphylinidae)	rove beetle	CO, RC, SR
<i>Oligota</i> sp. (Coleoptera: Staphylinidae)	rove beetle	FA
<i>Olla v-nigrum</i> (Mulsant) (Coleoptera: Coccinellidae)	predatory ladybeetle	CO, CR, MX, PY, VE
<i>Olygonichus yothersi</i> (McGregor) (Acari: Tetranychidae)	red mite	CO, CR
<i>Omiodes indicata</i> (Fabricius) (Lepidoptera: Crambidae)	soybean leaf folder	BO, PY
<i>Oncorhynchus mykiss</i> (Walbaum) (Salmoniformes: Salmonidae)	the rainbow trout	AR
<i>Onopordum</i> spp. (Asterales: Asteraceae)	thistles	AR
<i>Ontherus sulcator</i> Fabricius (Coleoptera: Scarabaeidae)	copro-necrophagous beetle	AR
<i>Onthophagus</i> Taurus (Schreber) (Coleoptera: Scarabaeidae)	dung beetle	UY
<i>Ooencyrtus</i> (Hymenoptera: Encyrtidae)	parasitoid	CR
<i>Ooencyrtus</i> sp. (Hymenoptera: Encyrtidae)	parasitoid	CO, RC, SR
<i>Ooencyrtus submetallicus</i> Howard (Hymenoptera: Encyrtidae)	parasitoid	BO, DO, RC, TT

<i>Ooencyrtus trinidadensis</i> Crawford (Hymenoptera: Encyrtidae)	parasitoid	RC, VE
<i>Oomyzus sokolowskii</i> (Kurdj.) (Hymenoptera: Eulophidae)	parasitoid	FA, JM
<i>Oomyzus</i> sp. (Hymenoptera: Eulophidae)	parasitoid	PY
<i>Ooencyrtus</i> sp. (Hymenoptera: Encyrtidae)	parasitoid	JM
<i>Ophion</i> spp. (Hymenoptera: Ichneumonidae)	parasitoid	UR
<i>Ophion</i> spp. (Hymenoptera: Ichneumonidae)	parasitoid	PY
<i>Opius crawfordi</i> Viereck (Hymenoptera: Braconidae)	parasitoid	AR
<i>Opius oophilus</i> Fullaway (Hymenoptera: Braconidae)	parasitoid	BO, AR
<i>Opius anastrephae</i> Vier (Hymenoptera: Braconidae)	parasitoid	DM
<i>Opius bellus</i> Gahan (Hymenoptera: Braconidae)	parasitoid	DM, SR
<i>Opius cereus</i> (Gah) (Hymenoptera: Braconidae)	parasitoid	SR
<i>Opius concolor</i> Szépligeti (Hymenoptera: Braconidae)	parasitoid	EC
<i>Opius concolor</i> var. <i>Siculus Mon.</i> (Hymenoptera: Braconidae)	parasitoid	BO
<i>Opius dimidiatus</i> Ashmead (Hymenoptera: Braconidae)	parasitoid	PA
<i>Opius dissitus</i> Muesebeck (Hymenoptera: Braconidae)	parasitoid	HN
<i>Opius forticornis</i> Cameron (Hymenoptera: Braconidae)	parasitoid	DO
<i>Opius hirsutus</i> Tobias (Hymenoptera: Braconidae)	parasitoid	MX
<i>Opius incisi</i> Silvestri (Hymenoptera: Braconidae)	parasitoid	BO, CR
<i>Opius longicaudatus</i> (Ash.) (Hymenoptera: Braconidae)	parasitoid	BO
<i>Opius oophilus</i> Fullaway (= <i>Biosteres arisanus</i> (Sonan) (Hymenoptera: Braconidae)	parasitoid	CR
<i>Opius</i> sp. (Hymenoptera: Braconidae)	parasitoid	BB, BZ, FA, SR
<i>Opius</i> spp. (Hymenoptera: Braconidae)	parasitoid	DO, RC
<i>Opsiphanes cassina</i> C. & R. Felder (Lepidoptera: Nymphalidae)	split-banded owllet	CO, CR, EC
<i>Opsiphanes invirae</i> Huebner (Lepidoptera: Nymphalidae)	opisifane	BR
<i>Opuntia</i> (Caryophyllales: Cactaceae)	prickly pear	MX
<i>Opuntia aurantiaca</i> Lindley (Caryophyllales: Cactaceae)	prickly pear	AR
<i>Opuntia dillenii</i> (Ker-Gawler) Haworth (Caryophyllales: Cactaceae)	prickly pear	RC
<i>Opuntia ficus-indica</i> Mill. (Caryophyllales: Cactaceae)	prickly pear	AR
<i>Opuntia lindheimeri</i> Engelm. (Caryophyllales: Cactaceae)	prickly pear	AR, RC
<i>Opuntia</i> spp. (Caryophyllales: Cactaceae)	prickly pear	AR, RC, 32
<i>Opuntia stricta</i> (Haw.) (Caryophyllales: Cactaceae)	prickly pear	AR
<i>Opuntia triacantha</i> (Willdenow) (Caryophyllales: Cactaceae)	prickly pear	AR, RC
<i>Opuntia tuna</i> (L.) Mill. (Caryophyllales: Cactaceae)	prickly pear	AR

<i>Opuntia vulgaris</i> Mill. (Caryophyllales:Cactaceae)	prickly pear	AR
<i>Orgilus lepidus</i> (Muesebeck) (Hymenoptera: Braconidae)	parasitoid	PE
<i>Orgilus obscurator</i> (Nees) (Hymenoptera: Braconidae)	parasitoid	CL
<i>Orgilus</i> sp. (Hymenoptera: Braconidae)	parasitoid	
<i>Orius</i> (Hemiptera: Anthocoridae)	minute pirate bugs	NI
<i>Orius euryale</i> Herring (Hemiptera: Anthocoridae)	minute pirate bug	NI
<i>Orius insidiosus</i> (Say) (Hemiptera: Anthocoridae)	minute pirate bug	AR, BB, BR, CO, DO, FA, HN, MX, NI, PA, PE, PY, UY, TT, VE
<i>Orius laevigatus</i> (Fieber) (Hemiptera: Anthocoridae)	minute pirate bug	CO, DO, MX
<i>Orius pumilio</i> (Champion) (Hemiptera: Anthocoridae)	minute pirata bug	FA
<i>Orius</i> sp. (Hemiptera: Anthocoridae)	minute pirate bug	CO, CU, MX, PY
<i>Orius</i> spp. (Hemiptera: Anthocoridae)	minute pirate bugs	NI, PA, 32
<i>Orius tristicolor</i> (White) (Hemiptera: Anthocoridae)	minute pirate bug	CO, MX, VE
<i>Ormia depleta</i> (Wiedemann) (Diptera: Tachinidae)	parasitoid	BO
<i>Ormyrus orientalis</i> Walker (Hymenoptera: Ormyridae)	parasitoid	DO
<i>Ornidia major</i> Curran (Diptera: Syrphidae)	metallic hoverfly	VE
<i>Ornidia obesa</i> F. (Diptera: Syrphidae)	metallic hoverfly	VE
<i>Orthezia insignis</i> Browne (Hemiptera: Ortheziidae)	South American scale	BB
<i>Orthezia olivicola</i> Beingolea (Hemiptera: Ortheziidae)	scale	PE
<i>Orthezia praelonga</i> Douglas (Hemiptera: Ortheziidae)	ensign scale	BB, JM
<i>Orthezia</i> spp. (Hemiptera: Ortheziidae)	scales	RC
<i>Orthoderella ornata</i> Giglio-Tos (Mantodea: Mantidae)	praying mantid	PY
<i>Oryza</i> (Poales: Poaceae)	poaceae	BR
<i>Oryza sativa</i> L. (Poales: Poaceae)	rice	CU, DO
<i>Otiorhynchus sulcatus</i> (Fabricius) (Coleoptera: Curculionidae)	Black vine weevil	CL
<i>Oxydia</i> sp. (Lepidoptera: Geometridae)	geometrid moth	CO
<i>Oxydia trychiata</i> (Guenée) (Lepidoptera: Geometridae)	geometrid moth	CO, 32
<i>Oxydia vesulia</i> Cramer (Lepidoptera: Geometridae)	geometrid moth	PE
<i>Ouichuana picadoi</i> Knab (Diptera: Syrphidae)	hoverfly	VE
P		
<i>Pachnaeus citri</i> Marshall (Coleoptera: Curculionidae)	Citrus root weevil	JM
<i>Pachnaeus litus</i> (Germar) (Coleoptera: Curculionidae)	blue green root weevil	CU
<i>Pachycrepoideus</i> sp. (Hymenoptera: Pteromalidae)	parasitoid	CO

<i>Pachycrepoideus vindemiae</i> Rondani (Hymenoptera: Pteromalidae)	parasitoid	AR, BB, BZ, BO, BR, CO, CR, DM, JM, MX, PE, RC, TT
<i>Pachylister chinensis</i> Quensel (Coleoptera: Histeridae)	clown beetle, predator	BB, RC
<i>Pachyneuron albutium</i> Walker (Hymenoptera: Pteromalidae)	parasitoid	PY
<i>Pachyneuron</i> sp. (Hymenoptera: Pteromalidae)	parasitoid	DO, PY
<i>Pachyneuron</i> (Hymenoptera: Pteromalidae)	parasitoid	DO
<i>Pachyneuron aphidis</i> (Bouché) (Hymenoptera: Pteromalidae)	parasitoid	FA
<i>Paecilomyces</i> (Hypocreales: Clavicipitaceae)	nematopathogenic fungi	CL, CR, EC
<i>Paecilomyces fumosoroseus</i> (Wize) (Hypocreales: Clavicipitaceae)	nematopathogenic fungus	BR, CU, EC, MX, TT
<i>Paecilomyces lilacinus</i> (Thom) Samson (Eurotiales: Trichocomaceae)	nematopathogenic fungus	BR, EC, GT, PE
<i>Paecilomyces</i> sp. (Eurotiales: Trichocomaceae)	nematopathogenic fungus	CR, EC, NI, PA, PY
<i>Paecilomyces tenuipes</i> (Peck) Samson (Eurotiales: Trichocomaceae)	nematopathogenic fungus	EC, TT
<i>Paederus</i> sp. (Coleoptera: Staphylinidae)	rove beetles	PY, VE
<i>Palpada mexicana</i> (Macquart) (Diptera: Syrphidae)	hoverfly	VE
<i>Palpada pusila</i> (Macquart) (Diptera: Syrphidae)	hoverfly	VE
<i>Palpada ruficeps</i> (Macquart) (Diptera: Syrphidae)	hoverfly	VE
<i>Palpada solennis</i> (Walter) (Diptera: Syrphidae)	hoverfly	VE
<i>Palpita persimilis</i> Munroe (Lepidoptera: Crambidae)	olive shootworm	PE
<i>Palpozenilla diatraea</i> Townsend (Diptera: Tachinidae)	parasitoid	BO, RC
<i>Palpozenilla palpalis</i> Aldrich (Diptera: Tachinidae)	parasitoid	AR, BO, GY
<i>Pammaecerus leptotrichopus</i> (B.-B.) (Diptera: Tachinidae)	parasitoid	SR
<i>Panonychus citri</i> (McGregor) (Trombidiformes: Tetranychidae)	citrus red mite	CO, DO, PE
<i>Panonychus ulmi</i> (Koch) (Trombidiformes: Tetranychidae)	European red spider mite	AR, BR, CO
<i>Pantoea agglomerans</i> (Ewing and Fife) Gavini et al (Enterobacteriales: Enterobacteriaceae)	bacterial grapevine blight	VE
<i>Pantomorus cervinus</i> (Boh.) (Coleoptera: Curculionidae)	Fuller's rose beetle	CL
<i>Papilio demoleus</i> L. (Lepidoptera: Papilionidae)	lime swallowtail butterfly	JM
<i>Paracoccus marginatus</i> Williams and Granara de Willink (Hemiptera: Pseudococcidae)	papaya mealybug	BB, DO, JM, PR, RC, 32
<i>Paracremonium (Acremonium) pembeum</i> S.C. Lynch & Eskalen (Hypocreales: Hypocreaceae)	antagonistis fungus	MX
<i>Parahormius pallidipes</i> Ashm. (Hymenoptera: Braconidae)	parasitoid	DO
<i>Parania tricolor</i> (Szépligeti) (Hymenoptera: Ichneumonidae)	parasitoid	PY
<i>Paranosema locustae</i> Camming (Microsporidia)	entomopathogen of grasshoppers and locusts	AR, 32
<i>Paratheresia claripalpis</i> Wulp. (Diptera: Tachinidae)	parasitoid	AR, BB, BO, CU, DM, EC, FA, PA, PE, RC, TT, VE
<i>Pareuchaetes pseudoinsulata</i> Rego Barros (Lepidoptera: Arctiidae)	Siam weed moth	TT

<i>Parkinsonia aculeata</i> L. (Fabales:Fabaceae)	Mexican palo-verde	AR
<i>Parlatoria oleae</i> (Colvée) (Hemiptera: Diaspididae)	olive scale	AR
<i>Parthenium hysterophorus</i> L. (Asterales:Asteraceae)	whitetop weed	AR, CU
<i>Parthenolecanium corni</i> (Bouché) (Hemiptera: Coccidae)	European fruit lecanium scale	CL
<i>Parthenolecanium persicae</i> (Fabricius) (Hemiptera: Coccidae)	European peach scale	CL
<i>Passiflora edulis</i> fo. <i>flavicarpa</i> O. Deg. (Malpighiales:Passifloraceae)	yellow passion fruit	CO
<i>Passiflora edulis</i> Sims. (Malpighiales:Passifloraceae)	passion flower	VE
<i>Pasteuria nishizawae</i> Sayre (Bacillales: Pasteuriaceae)	nematopathogenic bacterium	BR
<i>Pasteuria penetrans</i> (ex Thorne) Sayre & Starr (Bacillales: Pasteuriaceae)	nematopathogenic bacterium	BR
<i>Patasson nitens</i> (Girault) (Hymenoptera: Mymaridae)	parasitoid	AR
<i>Pauridia peregrina</i> (Timberlake) (Hymenoptera: Encyrtidae)	parasitoid	CL
<i>Pectinophora gossypiella</i> (Saunders) (Lepidoptera: Gelechiidae)	pink bollworm	AR, BB, EC, MX, PE, PY, RC
<i>Pectobacterium atrosepticum</i> (Van Hall) (Enterobacteriales: Enterobacteriaceae)	potato blackleg disease.	CL
<i>Pectobacterium carotovorum</i> (Jones) Waldee subsp. <i>Carotovorum</i> (Enterobacteriales: Enterobacteriaceae)	bacterial root rot of sweet potato	CL
<i>Pediobius cajanus</i> Taveras & Hansson (Hymenoptera: Eulophidae)	parasitoid	DO
<i>Pediobius furvus</i> (Gah.) (Hymenoptera: Eulophidae)	parasitoid	BO, RC
<i>Peleopoda</i> sp. (Lepidoptera: Oecophoridae)	moth	CR
<i>Peleopoda</i> spp. (Lepidoptera: Oecophoridae)	moth	PE
<i>Pellioiditis pellio</i> (Schneider) (Nematoda: Rhabditidae)	nematode parasite	CL
<i>Penicillium</i> (Eurotiales: Trichocomaceae)	green mold	CL, CR,RC
<i>Penicillium notatum</i> Thom (Eurotiales: Trichocomaceae)	green mold	VE
<i>Pentagona (Aulacaspis) pentagona</i> Cockerell (Hemiptera: Diaspididae)	scale	JM
<i>Penthobruchus germaini</i> (Pic.) (Coleoptera: Bruchidae)	predator bruchid beetle	AR
<i>Pentilia castanea</i> Muls (Coleoptera:Coccinellidae)	predatory ladybeetle	DO, SR
<i>Pentilia egena</i> Muls (Coleoptera: Coccinellidae)	predatory ladybeetle	RC
<i>Pentilia insidiosa</i> Mulsant (Coleoptera: Coccinellidae)	predatory ladybeetle	BB
<i>Pentilia</i> spp. (Coleoptera: Coccinellidae)	predatory ladybeetle	RC
<i>Perileucoptera coffeella</i> Guer. (Lepidoptera: Lyonetiidae)	coffe leafminer	DM, FA, JM
<i>Perisierola nigrifemur</i> Ashmead (Hymenoptera: Bethylidae)	parasitoid	BB, RC
<i>Peristenus relictus</i> (= <i>stygicus</i>) Loan (Hymenoptera: Braconidae)	parasitoid	MX
<i>Perkinsiella saccharicida</i> Kirkaldy (Hemiptera: Delphacidae)	leaf hopper	EC, 32
<i>Peronospora</i> (Peronosporales: Peronosporaceae)	plant pathogen	EC
<i>Persea americana</i> Mill (Laurales:Lauraceae)	avocado	CU

<i>Pestalotia palmarum</i> (Cooke) (Xylariales: Sporocadaceae)	disease of palm	CU
<i>Petrakina mirabilis</i> Ciferri (Asterinaceae)	pathogenic fungus	DO
<i>Petrusa epilepsis</i> Kirkaldy (Hemiptera: Fulgoridae)	planthopper	PR
<i>Phalacrocooccus howertoni</i> Hodges & Hodgson (Hemiptera: Coccidae)	croton scale	BB, HN
<i>Phalacrus obscurus</i> Sharp (Coleoptera: Phalacridae)	fungal spore feeding coleopteran	BO
<i>Phanerotoma bennetti</i> Mues (Hymenoptera: Braconidae)	parasitoid	BB
<i>Phanerotoma</i> sp. (Hymenoptera: Braconidae)	parasitoid	BB, BZ
<i>Phaseolus lunatus</i> Linnaeus (Fabales: Fabaceae)	lima bean	SV
<i>Phaseolus vulgaris</i> L. (Fabales: Fabaceae)	bean	CO, CU, PA, VE
<i>Pheidole fallax</i> Mayr (Hymenoptera: Formicidae)	predatory ant	FA
<i>Pheidole megacephala</i> (F.) (Hymenoptera: Formicidae)	predatory ant	CU, PR
<i>Pheidole radoszkowskii</i> (Forel) (Hymenoptera: Formicidae)	predatory ant	CR
<i>Phelister rufinotus</i> Marseul (Coleoptera: Histeridae)	beetle	PY
<i>Phenacoccus gossypii</i> Townsend & Cockerell (Hemiptera: Pseudococcidae)	mealybug	PY
<i>Phenacoccus herreni</i> Cox & Williams (Hemiptera: Pseudococcidae)	mealybug	BR
<i>Phenacoccus manihoti</i> Matile-Ferrero (Hemiptera: Pseudococcidae)	mealybug	AR
<i>Pheropsophus aequinoctialis</i> L. (Coleoptera: Carabidae)	ground beetle	BO
<i>Philonthus quadraticeps</i> Boheman (Coleoptera: Staphylinidae)	hove beetle	AR
<i>Philornis downsi</i> Dodge and Aitkem (Diptera: Muscidae)	bird-parasitic muscid fly	EC
<i>Phlugis teres</i> DeGeer (Orthoptera: Tettigoniidae)	predaceous katydid	VE
<i>Phlyctaenodes bifilalis</i> Hamp. (Lepidoptera: Pyraustidae)	pyralid moth	SR
<i>Phoma</i> sp. (Pleosporales: Didymellaceae)	common coelomycetous soil fungi	CO, DO
<i>Phoracantha</i> Newman (Coleoptera: Cerambycidae)	longicorn beetles	BR
<i>Phoracantha semipunctata</i> (Fabricius) (Coleoptera: Cerambycidae)	eucalyptus longhorned borer	UY
<i>Phragmidium violaceum</i> (Schultz) G. Winter (Uredinales: Phagmidiaceae)	rust: blackberry	AR, CL, 32
<i>Phthorimaea operculella</i> (Zeller) (Lepidoptera: Gelechiidae)	potato tuber moth	BO, CO, EC, MX, PE, VE
<i>Phylloconistis citrella</i> Stainton (Lepidoptera: Gracillariidae)	citrus miner	BB, AR, BR, DO, EC, FA, MX, PE, RC, UY
<i>Phyllocoptruta oleivora</i> (Ashmead) (Acari: Eriophyidae)	citrus rust mite	CO, DO, SR, MX, PE, 32
<i>Phyllophaga antiguae</i> (Arr.) (Coleoptera: Scarabeidae)	brown hard-back beetle	RC
<i>Phyllophaga smithi</i> Flecha (Coleoptera: Scarabaeidae)	white grub	PR
<i>Phyllophaga</i> sp. (Coleoptera: Scarabaeidae)	white grub	BB, RC
<i>Phyllophaga</i> spp. (Coleoptera: Scarabaeidae)	white bug	CR, CU, HN, PE, PR, RC
<i>Phyllosticta citricarpa</i> (MacAlpine) (Botryosphaeriales: Botryosphaeriaceae)	citrus black spot	BR

<i>Phymastichus coffea</i> LaSalle (Hymenoptera: Eulophidae)	parasitoid	CO, CR, CU, EC, HT, JM, MX, PA
<i>Phymata fasciata</i> (Gray) (Hemiptera: Reduviidae)	ambush bug	PY
<i>Phymata</i> sp. aff. <i>fortificata</i> (Herrick-Schäffer) (Hemiptera: Reduviidae)	assassin and thread-legged bugs	PY
<i>Phyrdenus</i> sp. (Coleoptera: Curculionidae)	Andean potato weevil	BO
<i>Physalis peruviana</i> L. (Solanales: Solanaceae)	cape gooseberry	EC
<i>Physalis</i> sp.(Solanales: Solanaceae)	groundcherries	AR
<i>Phytomyptera</i> sp. (Diptera: Tachinidae)	parasitoid	BO
<i>Phytonemus pallidus</i> (Banks) (Acari: Tarsonemidae)	strawberry mite	CO
<i>Phytophthora</i> (Pernosporales: Phythiaceae)	soilborne pathogen	CL, MX, PE
<i>Phytophthora cactorum</i> (Lebert & Cohn) (Pythiales: Pythiaceae)	apple collar rot	BR
<i>Phytophthora capsici</i> Leonian (Peronosporales: Pythiaceae)	stem and fruit rot Capsicum	MX
<i>Phytophthora cinnamomi</i> Rands (Peronosporales: Peronosporaceae)	soilborne pathogen	PE
<i>Phytophthora infestans</i> (Mont.) de Bary (Peronosporales: Peronosporaceae)	soilbone pathogen	CL
<i>Phytophthora palmivora</i> Butler (Peronosporales: Peronosporaceae)	coconut budrot	EC, MX, PE, VE
<i>Phytophthora</i> sp. (Pythiales: Pythiaceae)	soilborne pathogen	PE, VE
<i>Phytophthora</i> spp. (Pythiales: Pythiaceae)	soilborne pathogen	CO
<i>Phytoseiulus longipes</i> Evans (Acari: Phytoseiidae)	predatory mite	BR
<i>Phytoseiulus macropilis</i> Banks (Acari: Phytoseiidae)	predatory mite	BR
<i>Phytoseiulus persimilis</i> Athias-Henriot (Acari: Phytoseiidae)	predatory mite	CO, EC, MX
<i>Phytoseiulus persimilis</i> Athias-Henriot (Acari: Phytoseiidae)	predatory mite	DO
<i>Phytoseiulus</i> sp. (Acari: Phytoseiidae)	predatory mite	EC
<i>Phytoseius dominicensis</i> Ferragut & Moraes sp. nov. (Acari: Phytoseiidae)	predatory mite	DO
<i>Piaractus mesopotamicus</i> (Holmberg) (Characiformes: Characidae)	samall-scales pacu	AR
<i>Pieris brassicae</i> (L.) (Lepidoptera: Pieridae)	cabbage butterfly	32
<i>Piezodorus guildinii</i> (Westwood) (Hemiptera: Pentatomidae)	red-banded stink bug	UY
<i>Pimpla</i> sp. (Hymenoptera: Ichneumonidae)	parasitoid	PY
<i>Pineus boernerri</i> Annand (Hemiptera: Adelgidae)	pine wooly aphid	BR, CO, 32
<i>Pinnaspis strachani</i> Ferris and Rao (Hemiptera: Diaspididae)	cotton white scale	PE,32
<i>Pinus</i> (Pinales: Pinaceae)	pinus tree	BR
<i>Pinus caribaea</i> Morelet (Pinales: Pinaceae)	pinus tree	JM
<i>Pinus kesiya</i> (Pinales:Pinaceae)	pinus tree	CO
<i>Pinus maximinoi</i> (Pinales:Pinaceae)	pinus tree	CO
<i>Pinus oocarpa</i> (Pinales:Pinaceae)	pinus tree	CO

<i>Pinus patula</i> Schltdl. & Cham. (Pinales:Pinaceae)	pinus tree	CO
<i>Pinus radiata</i> D. Don (Pinales: Pinaceae)	Monterey pine	CL
<i>Pinus</i> spp. (Pinales: Pinaceae)	pinus tree	CU
<i>Pinus tecunumanii</i> (Pinales:Pinaceae)	pinus tree	CO
<i>Pissodes castaneus</i> (De Geer) (Coleoptera: Curculionidae)	banded pine weevil	BR
<i>Pistia stratiotes</i> L. (Alismatales: Araceae)	water lettuce	AR, HN, PR
<i>Pitangus sulphuratus sulphuratus</i> (L.) (Passeriformes: Tyrannidae)	grote kiskadie	SR
<i>Plaesius javanus</i> Erichson (Coleoptera: Histeridae)	Jepson's beetle	CU, DM, JM, RC
<i>Plagioprospherysa trinitatis</i> Thomps (Diptera: Tachinidae)	parasitoid	BB
<i>Plagiotypes</i> sp. (Hymenoptera: Ichneumonidae)	parasitoid	PY
<i>Planococcus citri</i> Risso (Hemiptera: Pseudococcidae)	citrus mealybug	BR, CL, CR, GT, MX, PE, RC, TT, 32
<i>Planococcus ficus</i> (Signoret) (Hemiptera: Pseudococcidae)	vine mealybug	MX
<i>Planacoccus minor</i> Maskell (Hemiptera: Pseudococcidae)	mealybug	RC
<i>Plasmodiophora brassicae</i> Woronin (Plasmodiophorida: Plasmodiophoraceae)	cabbage club root	EC, VE
<i>Platystasis citri</i> Nixon (Hymenoptera: Platygastridae)	parasitoid	JM
<i>Plesiometra argyra</i> (Walckenaer) (Araneae: Tetragnathidae)	spider	CR
<i>Plutella</i> sp. (Lepidoptera: Plutellidae)	moth	EC
<i>Plutella xylostella</i> (Linnaeus) (Lepidoptera: Plutellidae)	diamondback moth	BB, BZ, BR, CL, CR, CU, DM, DO, FA, GT, HN, JM, MX, NI, PA, PE, RC, TT, 32
<i>Plutella xylostella</i> polyhedrosis virus	entomopathogenic virus	BB
<i>Pochonia</i> (Hypocreales: Clavicipitaceae)	nematode pathogenic fungus	CL, PE
<i>Pochonia chlamydosporia</i> (Goddard) Zare & Gams (Hypocreales: Clavicipitaceae)	nematophagous fungus	BR, CU, MX, PE
<i>Pochonia chlamydosporia</i> var. <i>catenulata</i> (Hypocreales: Clavicipitaceae)	nematophagous fungus	CU
<i>Pochonia chlamydosporia</i> var. <i>chlamydosporia</i> (Goddard) Gams and Zare (Hypocreales: Clavicipitaceae)	nematophagous fungus	MX
<i>Podischnus agenor</i> (Olivier) (Coleoptera: Scarabaeidae)	tropical scarab	VE
<i>Podisus connexus</i> Bergroth (Hemiptera: Pentatomidae)	predatory stinkbug	EC
<i>Podisus maculiventris</i> (Say) (Hemiptera: Pentatomidae)	predatory stinkbug	MX
<i>Podisus nigrispinus</i> (Dallas) (Hemiptera: Pentatomidae)	Brazilian spined soldier bug	BR, PE, PY
<i>Podisus</i> sp. (Hemiptera: Pentatomidae)	predatory stinkbug	PY
<i>Podosphaera pannosa</i> (Wallr.) de Bary (Erysiphaceae)	mildew	CO
<i>Poecilia reticulata</i> Rosen & Bailey (Cyprinodontiformes: Poeciliidae)	larvivorous fish	CO
PoGV <i>Phthorimaea operculella</i>	entomopathogenic virus	PE
<i>Polistes canadensis</i> (Linné) (Hymenoptera: Vespidae)	red paper wasp	PY

<i>Polistes canadensis infuscatus</i> Lep. (Hymenoptera: Vespidae)	red paper wasp	SR
<i>Polistes cavapyta</i> Saussure (Hymenoptera: Vespidae)	avispa colorada	PY
<i>Polistes cinctus cinctus</i> Lepeletier (Hymenoptera: Vespidae)	jackspaniard wasp	RC,32
<i>Polistes cinctus barbadensis</i> Richards (Hymenoptera: Vespidae)	paper wasp	RC
<i>Polistes crinitus</i> (Felton) (Hymenoptera: Vespidae)	caribbean paper wasp	DO
<i>Polistes infuscatus ecuadorius</i> Richards (Hymenoptera: Vespidae)	paper wasp	EC
<i>Polistes panamensis</i> Holmgren (Hymenoptera: Vespidae)	paper wasp	PA
<i>Polistes sp.</i> (Hymenoptera: Vespidae)	paper wasp	BO, PR, PY
<i>Polistes spp.</i> (Hymenoptera: Vespidae)	paper wasp	FA, RC
<i>Polistes versicolor</i> (Olivier) (Hymenoptera: Vespidae)	paper wasp	PY, VE
<i>Polistes versicolor vulgaris</i> Beq. (Hymenoptera: Vespidae)	paper wasp	SR
<i>Polybia chrysotorax</i> (Web.) (Hymenoptera: Vespidae)	social wasp	SR
<i>Polybia ignobilis</i> (Haliday) (= <i>Polybia atra</i> Saussure) (Hymenoptera: Vespidae)	social wasp	PY
<i>Polybia liliacea</i> (F.) (Hymenoptera: Vespidae)	social wasp	SR
<i>Polybia nigra</i> Saussure (Hymenoptera: Vespidae)	social wasp	VE
<i>Polybia occidentalis</i> (Olivier) (Hymenoptera: Vespidae)	social wasp	PY
<i>Polybia paulista</i> Ihering (Hymenoptera: Vespidae)	social wasp	PY
<i>Polybia rejecta</i> (F.) (Hymenoptera: Vespidae)	social wasp	SR
<i>Polybia scutellaris</i> (White) (Hymenoptera: Vespidae)	social wasp	PY
<i>Polybia sericea</i> (Oliv.) (Hymenoptera: Vespidae)	social wasp	PY, SR
<i>Polybia sp.</i> (Hymenoptera: Vespidae)	social wasp	CO, PY
<i>Polybia striata</i> (F.) (Hymenoptera: Vespidae)	social wasp	SR
Polyhedrosis Virus (NPV)	enomopathogenic virus	HN
<i>Polyphagotarsonemus latus</i> (Banks) (Acari: Tarsonemidae)	white mite	BB, CO, CU, DO, PE
<i>Pomacea doliooides</i> (Reeve) (Ampullariidae)	snail, golden apple	SR, 32
<i>Portulaca oleracea</i> L. (Caryophyllales: Portulacaceae)	pepper	AR, NI, PR
<i>Pouteria lucuma</i> (Ruiz & Pav.) Kuntze (Ericales: Sapotaceae)	lucuma	PE
<i>Praon gallicum</i> Stary (Hymenoptera: Braconidae)	aphid parasitoid	AR, BR
<i>Praon volucre</i> (Haliday) (Hymenoptera: Braconidae)	aphid parasitoid	BR
<i>Praticolella griseola</i> Pfeiffer (Gastropoda: Polygyridae)	land snail	CU
<i>Pratylenchus brachyurus</i> (Godfrey) Filipjev & S. Stekhoven (Tylenchida: Pratylenchidae)	plant-parasite nematode	BR
<i>Pratylenchus</i> spp. (Tylenchida: Pratylenchidae)	plant-parasite nematode	CU, GT
<i>Pratylenchus zeae</i> Graham (Tylenchida: Pratylenchidae)	plant-parasite nematode	BR

<i>Premnotrypes latithorax</i> (Pierce) (Coleoptera: Curculionidae)	Andean potato weevil	BO
<i>Premnotrypes</i> spp. (Coleoptera: Curculionidae)	Andean potato weevil	BO, PE
<i>Premnotrypes vorax</i> (Hustache) (Coleoptera: Curculionidae)	Andean potato weevil	CO, EC
<i>Pristomerus</i> (Hymenoptera: Ichneumonidae)	parasitoid	CR
<i>Procalus mutans</i> (Blanchard) (Coleoptera: Chrysomelidae)	chrysomelid beetle	CL
<i>Procalus reduplicatus</i> (Bechyné) (Coleoptera: Chrysomelidae)	chrysomelid beetle	CL
<i>Prochiloneurus</i> sp. (Hymenoptera: Encyrtidae)	parasitoid	DO, PY
<i>Prodilis</i> (<i>Neoporia</i>) sp. (Coleoptera: Coccinellidae)	predatory ladybeetle	JM
<i>Prodilis</i> sp. (Coleoptera: Coccinellidae)	predatory ladybeetle	BB
<i>Prodiplosis longifila</i> Gagné (Diptera: Cecidomyiidae)	gall midge	CO
<i>Promicrogaster</i> sp. (Hymenoptera: Braconidae)	parasitoid	PY
<i>Proprioseiopsis sandersi</i> (Chant) (Acari: Phytoseiidae)	predatory mite	DO
<i>Proprioseiopsis</i> sp. (Acari: Phytoseiidae)	predatory mite	PA
<i>Prorops nasuta</i> Waterston (Hymenoptera: Bethylidae)	parasitoid	BR, CO, CR, EC, HT, JM, MX, PA
<i>Prosapia simulans</i> (Walker) (Hemiptera: Cercopidae)	spittelebug	CR, GT
<i>Prosapia</i> spp. (Homoptera: Cercopidae)	spittelebug	CR, HN, MX
<i>Prosopidopsilla flava</i> (Homoptera: Psyllidae)	psilid	AR
<i>Prosopis ruscifolia</i> Griseb. (Fabales: Fabaceae)	weed	AR
<i>Prosopis</i> spp. (Fabales:Fabaceae)	weed	AR
<i>Prospaltella berlessi</i> How (Hymenoptera: Aphelinidae)	parasitoid	BO, PE
<i>Prospaltella opulenta</i> Silvestri (= <i>Encarsia opulenta</i>) (Hymenoptera: Aphelinidae)	parasitoid	VE
<i>Protolaccus bacchidis</i> Burks (Hymenoptera: Pteromalidae)	parasitoid	SR
<i>Protoparce sexta paphus</i> (Cr.) (Lepidoptera: Sphingidae)	hawk moth	SR
<i>Protopulvinaria pyriformis</i> (Cockerell) (Hemiptera: Coccidae)	cottony avocado scale	CL
<i>Pseudacteon bifidus</i> Brown (Diptera: Phoridae)	parasite fire ants decapting fly	EC
<i>Pseudacteon curvatus</i> Borgmeier (Diptera: Phoridae)	parasite fire ants decapting fly	RC
<i>Pseudacteon litoralis</i> Borgmeier (Diptera: Phoridae)	parasite fire ants decapting fly	RC
<i>Pseudacteon</i> sp. (Diptera: Phoridae)	parasite fire ants decapting fly	EC
<i>Pseudacteon tricuspidis</i> Borgemeier (Diptera: Phoridae)	parasite fire ants decapting fly	RC
<i>Pseudacysta perseae</i> (Heidemann) (Hemiptera: Tingidae)	avocado lace bug	BB, CU
<i>Pseudaleitia adultera</i> (Schaus) (Lepidoptera: Noctuidae)	wheat caterpillar	UY
<i>Pseudaleitia sequax</i> (Franclemont) (Lepidoptera: Noctuidae)	wheat caterpillar	BR
<i>Pseudapanteles dignus</i> Muesebeck (Hymenoptera: Braconidae)	parasitoid	DO, AR

<i>Pseudapanteles</i> sp. (Hymenoptera: Braconidae)	parasitoid	FA
<i>Pseudaphycus angelicus</i> (Howard) (Hymenoptera: Encyrtidae)	parasitoid	
<i>Pseudaphycus flavidulus</i> (Bréthes) (Hymenoptera: Encyrtidae)	parasitoid	CL
<i>Pseudaphycus utilis</i> Timberlake (Hymenoptera: Encyrtidae)	parasitoid	RC
<i>Pseudaulacaspis pentagona</i> (Targioni) (Hemiptera: Diaspididae)	white peach scale	AR, BO, BR, CU, JM, SR, TT, UY, VE, 32
<i>Pseudoleptomastix mexicana</i> Noyes e Schauf (Hymenoptera: Encyrtidae)	parasitoid	DO, JM, RC, 32
<i>Pseudoazya</i> (Azya) <i>trinitatis</i> (Marshall) (Coleoptera: Coccinellidae)	predatory ladybeetle	JM, RC
<i>Pseudoazya trinitatis</i> Gordon (Coleoptera: Coccinellidae)	predatory ladybeetle	BB
<i>Pseudocercospora fijiensis</i> (Morelet) (Capnodiales: Mycosphaerellaceae)	fungal banana Black Sigatoka pathogen	CO
<i>Pseudococcus calceolariae</i> (Maskell) (Hemiptera: Pseudococcidae)	mealybug	CL, 32
<i>Pseudococcus elisae</i> Borchsenius (Hemiptera: Pseudococcidae)	banana mealybug	CR
<i>Pseudococcus longispinus</i> (Targioni & Tozzetti) (Hemiptera: Pseudococcidae)	mealybug	BR, CL, TT
<i>Pseudococcus</i> spp. (Hemiptera: Psedococcidae)	mealybug	CR
<i>Pseudococcus viburni</i> (Signoret) (Hemiptera: Pseudococcidae)	mealybug	AR, CL
<i>Pseudococcus</i> Westwood (Hemiptera: Pseudococcidae)	mealybug	CL
<i>Pseudodorus clavatus</i> (F.) (Diptera: Syrphidae)	hoverfly	DO, FA, PY, VE
<i>Pseudogonatopus saccharivora</i> Richards (Hymenoptera: Dryinidae)	parasitoid	JM, TT
<i>Pseudomonas</i> (Pseudomonadales: Pseudomonadaceae)	saprotrophic soil bacterium	CL
<i>Pseudomonas aeruginosa</i> (Schroter) Migula (Pseudomonadales: Pseudomonadaceae)	saprotrophic soil bacterium	PY
<i>Pseudomonas fluorescens</i> Flügge (Pseudomonadales: Pseudomonadaceae)	pink eye: potato	BR, CL, PY, VE
<i>Pseudomonas putida</i> Trevisan (Pseudomonadales: Pseudomonadaceae)	saprotrophic soil bacterium	VE
<i>Pseudomonas solanacearum</i> (Smith) (= <i>Ralstonia solanacearum</i>) (Pseudomonadales: Pseudomonadaceae)	saprotrophic soil bacterium	CL
<i>Pseudomonas</i> spp. (Pseudomonadales: Pseudomonadaceae)	saprotrophic soil bacterium	CO
<i>Pseudoparasitus</i> sp. (Acari: Laelapidae)	predatory mite	PA
<i>Pseudophycus perdignus</i> (Compere) (Hymenoptera: Encyrtidae)	parasitoid	CL
<i>Pseudoplusia</i> (= <i>Chrysodeixis</i>) <i>includens</i> (Walker) (Lepidoptera: Noctuidae)	soybean looper	BB, DO, PY
<i>Psidium guajava</i> L. (Myrtales: Myrtaceae)	guava	SR
<i>Psyllaephagus blitens</i> Riek (Hymenoptera: Encyrtidae)	parasitoid	MX, PY, UY
<i>Psyllaephagus pilosus</i> Noyes (Hymenoptera: Encyrtidae)	parasitoid	BR, CL, PE, UY, 32
<i>Psyllaephagus yaseeni</i> Noyes (Hymenoptera: Encyrtidae)	parasitoid	TT
<i>Psyllobora divisa</i> (F.) (Coleoptera: Coccinellidae)	predator	SR
<i>Psyllalia concolor</i> (Szepligati) (Hymenoptera: Braconidae)	parasitoid	CR

<i>Psyttalia incise</i> (Silvestri) (Hymenoptera: Braconidae)	parasitoid	CR
<i>Pteromalus puparum</i> (Linné) (Hymenoptera: Pteromalidae)	parasitoid	BB, FA, RC
<i>Pteroptrix smithi</i> (Compere) Hymenoptera: Aphelinidae)	parasitoid	32
<i>Pterostichus</i> sp. (Coleoptera: Carabidae)	ground beetle	BO
<i>Puccinia chondrillina</i> (Bubak & Syd.) (Puccinales:Pucciniaceae)	rust	AR
<i>Puccinia graminis</i> f.sp. <i>raza</i> Ug99 (Puccinales: Puccinaceae)	wheat stem black leaf rust	MX
<i>Pullus gilae</i> (Casey) (Coleoptera: Coccinellidae)	predatory ladybeetle	PY
<i>Pullus loewii</i> Mulsant (Coleoptera: Coccinellidae)	predatory ladybeetle	PY
<i>Pullus</i> spp. (Coleoptera: Coccinellidae)	predatory ladybeetle	PY
<i>Pulvinaria mesembryanthemi</i> Vallot (Hemiptera: Coccidae)	soft scale	CL
<i>Pulvinaria psidii</i> Maskell (Hemiptera: Coccidae)	green shield scale	RC, TT
<i>Pulvinaria pyriformis</i> (Ckll.) (Hemiptera: Coccidae)	soft scale	BB
<i>Purpureocillium</i> (Hypocreales: Ophiocordycipitaceae)	fungi	PE
<i>Purpureocillium lilacinum</i> (Thom) Luangsaard, Hou-braken, Hywl-Jones and Samson (Hypocreales: Ophiocordycipitaceae)	nematode egg-parasitic fungus	BR, CO, CU, HN, PE, SV
<i>Puto barberi</i> (Ckll.) (Hemiptera: Pseudococcidae)	barber giant mealybug	RC
<i>Pyemotes ventricosus</i> (Newport) (Acarina: Pyemotidae)	predatory mite	BB
<i>Pyrenopeziza lycopersici</i> (Schneider & Gerlach) (Pleosporales)	corky root rot phatogen	CL
<i>Pyricularia oryzae</i> Cavara (Magnaporthales: Magnaporthaceae)	rice blast	EC
<i>Pyricularia</i> sp (Magnaporthaceae)	fungi	CO
<i>Pyrophorus luminosus</i> Illiger (Coleoptera: Elateridae)	cucubano	PR
<i>Pythium</i> (Peronosporales: Pythiaceae)	plant pathogen	PE
<i>Pythium</i> sp. (Peronosporales: Pythiaceae)	plant pathogen	CO, MX, NI
<i>Pythium ultimum</i> Trow (Peronosporales: Pythiaceae)	black-leg of seedlings	BR
Q		
<i>Quadrastichus perniciosus</i> Comstock (Hemiptera: Diaspididae)	San Jose scale	AR, PE
<i>Quadrastichus erythrinae</i> Kim (Hymenoptera: Eulophidae)	erythrina gall wasp	BB, DO
R		
<i>Rachiplusia nu</i> (Guenée) (Lepidoptera: Noctuidae)	lettuce looper	AR, BR, UY
<i>Radopholus similis</i> (Cobb) Thorne (Tylenchida: Pratylenchidae)	burrowing nematode	CU
<i>Raffaelea lauricola</i> T.C. Harr., Fraedrich & Aghayeva (Ophiostomatales: Ophiostomataceae)	laurel wilt	MX

<i>Ralstonia solanacearum</i> (Smith) (Burkholderiales: Burkholderiaceae)	bacterial wilt of potato	VE
<i>Ralstonia solanacearum raza 2</i> (Smith) (Burkholderiales: Burkholderiaceae)	Moko disease	MX
<i>Raoiella indica</i> Hirst (Acari: Tenuipalpidae)	red palm mite	BB, CO, DO, GY, JM, MX, RC, 32
<i>Rastrococcus invadens</i> Williams (Hemiptera: Pseudococcidae)	mango mealybug	FA
<i>Rattus argentiventer</i> (Robinson & Kloss) (Rodentia: Muridae)	ricefield rat	MX
<i>Rattus rattus</i> L. (Rodentia: Muridae)	black rat	FA
<i>Rattus</i> sp. (Rodentia: Muridae)	rats	JM
<i>Repipta</i> sp. (Hemiptera: Reduviidae)	predatory assassin bug	PY
<i>Rhaconotus rosiliensis</i> Lal. (Hymenoptera: Braconidae)	parasitoid	BO
<i>Rhaconotus</i> sp. (Hymenoptera: Braconidae)	parasitoid	PY
<i>Rhaphitelus maculatus</i> Walker (Hymenoptera: Pteromalidae)	parasitoid	32
<i>Rhigopsidius tucumanus</i> Heller (Coleoptera: Curculionidae)	andean potato weevil	BO
<i>Rhinella marina</i> L. (Anura: Bufonidae)	cane toad	DO, PR
<i>Rhingia nigra</i> Mcquart (Diptera: Syrphidae)	hoverfly	VE
<i>Rhinocyllus conicus</i> Frölich (Coleoptera: Curculionidae)	weevil	AR
<i>Rhinoleucophenga</i> sp. (Diptera: Drosophilidae)	predator	RC
<i>Rhipicephalus</i> spp. (Ixodida: Ixodidae)	dog and cattle ticks	BR
<i>Rhizaspidiotus donacis</i> (Leonardi) (Hemiptera: Diaspididae)	armored scale	MX
<i>Rhizobius lophantae</i> (Blaisd) (Coleoptera: Coccinellidae)	purple scale predator, scale-eating ladybird	UY
<i>Rhizoctonia solani</i> Kuhn (Cantharellales: Ceratobasidiaceae)	pathogenic fungus	BR, CL, CO, NI, PE, PY, VE
<i>Rhizoctonia</i> sp. (Cantharellales: Ceratobasidiaceae)	pathogenic fungus	EC
<i>Rhizoctonia</i> spp. (Cantharellales: Ceratobasidiaceae)	pathogenic fungus	CO
<i>Rhodococcus chubuensis</i> Tsukamura (Actinomycetales: Nocardiaceae)	bacteria	PY
<i>Rhodotorula glutinis</i> (Fresenius) Harrison (Sporidiobolales: Sporidiobolaceae)	antagonistic yeast	CO
<i>Rhopalosiphum</i> (Hemiptera: Aphididae)	aphids	CU
<i>Rhopalosiphum maidis</i> (Fitch) (Hemiptera: Aphididae)	corn leaf aphid	CU, VE
<i>Rhyacionia buoliana</i> (Denis & Schiffermüller) (Lepidoptera: Tortricidae)	European pine shoot moth	CL
<i>Rhyacionia frustrana</i> (Comstock) (Lepidoptera: Tortricidae)	pine shoot moth	CU
<i>Rhynchophorus palmarum</i> L. (Coleoptera: Curculionidae)	South American palm weevil	EC, RC, SV
<i>Rhynchosia minima</i> (L.) DC. (Fabales: Fabaceae)	least snout-bean	DO
<i>Rhynchosia reticulata</i> (Sw.) DC. (Fabaceae)	weed	DO
<i>Rhyssa persuasoria</i> (L.) (Hymenoptera: Ichneumonidae)	parasitoid	AR, BR
<i>Rhyssomatus marginatus</i> Fahraeus (Coleoptera: Curculionidae)	seed-feeding weevil	AR

<i>Rhyzobius purchellus</i> Montrozier (Coleoptera: Coccinellidae)	predatory ladybeetle	PE, RC
<i>Rhyzobius ventralis</i> (Erichson) (Coleoptera: Coccinellidae)	predatory black ladybeetle	CL
<i>Ricinus communis</i> L. (Malpighiales: Euphorbiaceae)	castor bean or castor oil plant	VE
<i>Rizoctonia</i> (Cantharellales: Ceratobasidiaceae)	pathogenic fungus	CL, EC, MX, PE
<i>Rodolia (Novius) cardinalis</i> Mulsant (Coleoptera: Coccinellidae)	predatory vedalia beetle	AR, BB, BO, CO, CU, DO, EC, FA, JM, PE, PR, RC, UY, VE, 32
<i>Rogas aligarhensis</i> (Quadri) (Hymenoptera: Braconidae)	parasitoid	BB
<i>Rogas gossypii</i> Muesebeck (Hymenoptera: Braconidae)	parasitoid	VE
<i>Rogas</i> spp. (Hymenoptera: Braconidae)	parasitoid	UY
<i>Rogas vaughani</i> Muesebeck (Hymenoptera: Braconidae)	parasitoid	NI
<i>Romanomermis culicivorax</i> Ross & Smith (Rhabditida: Mermithidae)	entomopathogenic nematode	CO, SV, 32
<i>Romanomermis iyengari</i> (Welch) (Rhabditida: Mermithidae)	entomopathogenic nematode	32
<i>Rosellinia</i> sp. (Xylariales: Xylariaceae)	pathogenic fungus	PY
<i>Rostrhamus sociabilis</i> (Vieillot) (Accipitriformes: Accipitridae)	snail kite	SR
<i>Rothschildia aroma</i> Schaus (Lepidoptera: Saturniidae)	saturniid	SV
<i>Rubus fruticosus</i> L. (Rosales: Rosaceae)	blackberry	AR
<i>Rubus glaucus</i> Benth. (Rosales: Rosaceae)	Andean blackberry	CO
<i>Rubus niveus</i> Thunb. (Rosales: Rosaceae)	wild blackberry	EC
<i>Rubus</i> spp. (Rosales: Rosaceae)	blackberry	AR
<i>Rubus ulmifolius</i> (Schott.) (Rosales: Rosaceae)	zarzamora	CL,32
<i>Rupela albinella</i> (Cr.) (Lepidoptera: Pyralidae)	white rice borer	EC, PA, SR, 32
<i>Rutela lineola</i> (L.) (Coleoptera: Scarabaeidae)	rose beetle	SR
<i>Rynchophorus ferrugineus</i> Olivier (Coleoptera: Curculionidae)	red palm tree weevil	MX
S		
<i>Sacadodes pyralis</i> (Dyar) (Lepidoptera: Noctuidae)	Trinidad bollworm	CO
<i>Saccharicoccus sacchari</i> Cockerell (Hemiptera: Pseudococcidae)	grey sugarcane mealybug	BB, BO, PE, RC, 32
<i>Saccharosydne saccharivora</i> (Westwood) (Hemiptera: Delphacidae)	west Indian canefly	BB, BZ, JM, RC, TT, VE
<i>Sagalassa valida</i> Walker (Lepidoptera: Glyphipterigidae)	palm root borer	CO
<i>Saimiri sciureus</i> (L.) (Primates: Cebidae)	squirrel monkey	SR
<i>Saissetia coffeae</i> (Walker) (Hemiptera: Coccidae)	hemispherical scale	CL, 32
<i>Saissetia nigra</i> (Nietner) (Hemiptera: Coccidae)	black scale	BB, GT
<i>Saissetia oleae</i> Olivier (Hemiptera: Coccidae)	olive scale	AR, BO, CL, GT, PE, 32
<i>Saissetia</i> spp. (Hemiptera: Coccidae)	scales	PE

<i>Salpichroa origanifolia</i> (Lam.) Baill (Solanales: Solanaceae)	lily of the valley vine	AR
<i>Salpingogaster nigra</i> Shiner (Diptera: Syrphidae)	syrphid predator	CR, GY, SR, TT, VE
<i>Salvinia molesta</i> D. Mitch. (Polypodiopsida: Salviniaceae)	giant salvinia	MX
<i>Sarcodexia sternodontis</i> Townsend (Diptera: Sarcophagidae)	sarcophagid fly	VE
<i>Sarcophaga acridiorum</i> Weyenberg (Diptera: Sarcophagidae)	sarcophagid fly	PY
<i>Sarcophaga caridei</i> Brèthes (Diptera: Sarcophagidae)	sarcophagid fly	PY, VE
<i>Sarcophaga</i> sp. (Diptera: Sarcophagidae)	sarcophagid fly	RC
<i>Sarocladium oryzae</i> (Sawada) W. Gams & D. Hawksw. (Ascomycetes)	rice sheath rot	CO
<i>Sarucallis kahawaluokalani</i> (Kirkaldy) (Hemiptera: Aphididae)	crape myrtle aphid	BB
<i>Scapteriscus abbreviatus</i> Scudder (Orthoptera: Gryllotalpidae)	mole crickets	32
<i>Scapteriscus didactylus</i> (Latreille) (Orthoptera: Gryllotalpidae)	mole crickets	32
<i>Scapteriscus</i> spp. (Orthoptera: Gryllotalpidae)	mole crickets	BO
<i>Scapteriscus vicinus</i> Latr (Orthoptera: Gryllotalpidae)	changa	PR
<i>Scaptia lata</i> (Guérin-Méneville) (Diptera: Tabanidae)	horse fly	CL
<i>Scelio aegyptiacus</i> Priesner (Hymenoptera: Scelionidae)	parasitoid	BB
<i>Scelio famelicus</i> (Say) (Hymenoptera: Scelionidae)	parasitoid	VE, 32
<i>Scelio</i> sp. nr. <i>serdangensis</i> (Timb.) (Hymenoptera: Scelionidae)	parasitoid	BB
<i>Schistocerca americana</i> (Drury) (Orthoptera: Acrididae)	grasshopper	
<i>Schistocerca paranensis</i> (Burmeister & H.) (Orthoptera: Acrididae)	bird grasshoppers	PY, VE, 32
<i>Schistocerca cancellata</i> (Serville) (Orthoptera: Acrididae)	bird grasshoppers	UY
<i>Schistocerca interrita</i> Scudder (Orthoptera: Acrididae)	bird grasshoppers	PE
<i>Schistocerca pallens</i> (Thnb.) (Orthoptera: Acrididae)	bird grasshoppers	BB
<i>Schistocerca piceifrons piceifrons</i> Walker (Orthoptera: Acrididae)	bird grasshoppers	MX
<i>Schistocerca</i> spp. (Orthoptera: Acrididae)	bird grasshoppers	CR
<i>Schistocerca</i> spp. (Orthoptera: Acrididae)	bird grasshoppers	VE
<i>Schistosoma mansoni</i> Sambon (Diplostomida: Schistosomatidae)	water-borne parasite of humans	DO
<i>Schizaphis graminum</i> (Rondani) (Hemiptera: Aphididae)	spring green aphid	AR, BR, 32
<i>Scirtothrips dorsalis</i> Hood (Thysanoptera: Thripidae)	chilli thrips	BB
<i>Scleria melaleuca</i> Rchb. F.ex. Schltl. Cham. (Poales: Cyperaceae)	cutting edge	CR
<i>Sclerotinia</i> (Helotiales: Sclerotiniaceae)	pathogenic fungi	CL, EC, PE
<i>Sclerotinia minor</i> (Jagger) (Helotiales: Sclerotiniaceae)	pathogenic fungus	CO
<i>Sclerotinia sclerotiorum</i> (Lib.) de Bary (Helotiales: Sclerotiniaceae)	pathogenic fungus	BR, CO, PE, PY
<i>Sclerotium</i> (Atheliales: Atheliaceae)	plant-pathogenic	PE

<i>Sclerotium cepivorum</i> Berk. (Atheliales: Atheliales)	plant-pathogenic	VE
<i>Sclerotium rolfsi</i> Sacc (Atheliales: Atheliaceae)	plant-pathogenic	PE, PY, VE
<i>Scolytus rugulosus</i> (Muller) (Coleoptera: Curculionidae)	shothole borer	32
<i>Scolothrips</i> sp. (Thysanoptera: Thripidae)	thrips	DO
<i>Scotussa lemniscata</i> (Stal (Orthoptera: Acrididae)	grasshopper	AR, 32
<i>Scrobipalpula</i> (Lepidoptera: Gelechiidae)	moth	CO, EC
<i>Scutellista</i> (Hymenoptera: Pteromalidae)	parasitoid	CL
<i>Scutellista cyanea</i> Motschulsky (Hymenoptera: Pteromalidae)	parasitoid	AR, BO, PE
<i>Scymnus coccivora</i> Aiyyar (Coleoptera: Coccinellidae)	predatory ladybeetle	TT, RC, 32
<i>Scymnus rubicundus</i> Erichson (Coleoptera: Coccinellidae)	predatory ladybeetle	CO
<i>Scymnus smithianus</i> Silvestri (Coleoptera: Coccinellidae)	predatory ladybeetle	CU, JM
<i>Scymnus</i> sp. (Coleoptera: Coccinellidae)	predatory ladybeetle	BB, CR, DO, JM, PA, PE, PY, RC, SR, 32
<i>Scymnus</i> spp. (Coleoptera: Coccinellidae)	predatory ladybeetle	JM, VE
<i>Selenaspis articulatus</i> Morgan (Hemiptera: Diaspididae)	west indian red scale	PE, 32
<i>Selenothrips rubrocinctus</i> (Giard) (Thysanoptera: Thripidae)	cocoa thrips	JM, RC, SR
<i>Selitrichodes neseri</i> Kelly & La Salle (Hymenoptera: Eulophidae)	parasitoid	BR
SeNPV <i>Spodoptera exigua</i>	entomopathogenic virus	JM
<i>Sesbania punicea</i> (Cav.) (Fabales: Fabaceae)	red sesbania	AR
SfMNPV (<i>S. frugiperda</i> nucleopolyhedrovirus)	entomopatogenic virus	BR
<i>Sibine fusca</i> (Stoll) (Lepidoptera: Limacodidae)	slug caterpillar	SR
<i>Sibine</i> sp. (Lepidoptera: Limacodidae)	slug caterpillar	EC, PE
<i>Sida</i> spp. (Malvales: Malvaceae)	sida	VE
<i>Signiphora aleyrodis</i> Ashmead (Hymenoptera: Signiphoridae)	parasitoid	DO
<i>Signiphora</i> sp. (Hymenoptera: Signiphoridae)	parasitoid	FA, PA
<i>Silybum</i> spp. (Asterales: Asteraceae)	thistles	AR
<i>Simplicillium</i> (Hypocreales: Cordycipitaceae)	entomopathogenic fungi	MX, RC
<i>Simplicillium</i> spp. (Hypocreales: Cordycipitaceae)	entomopathogenic fungi	BB
<i>Sinea</i> sp. (Hemiptera: Reduviidae)	predator	MX, PY
<i>Singhiella simplex</i> (Singh) (Hemiptera: Aleyrodidae)	ficus whitefly	BB, DO
<i>Sipha flava</i> (Forbes) (Hemiptera: Aphididae)	yellow sugarcane aphid	CO, EC, RC, VE
<i>Sirentha carinata</i> (Fabricius) (Hemiptera: Reduviidae)	predatory bug	BO
<i>Sirex</i> (Hymenoptera: Siricidae)	wood wasps	AR, 32
<i>Sirex noctilio</i> Fabricius (Hymenoptera: Siricidae)	sirex wood wasp	AR, BR, CL, UY, 32

<i>Sitobion avenae</i> (Fabricius) (Hemiptera: Aphididae)	grain aphid	AR, BR, CL
<i>Sitophylus zeamais</i> (Motschulsky) (Coleoptera: Curculionidae)	maize weevil	PY
<i>Sitotroga cerealella</i> Oliver (Lepidoptera: Gelechiidae)	grain moth	BB, DO, EC, NI, PA, PE, SV, VE
<i>Sitotroga</i> sp. (Lepidoptera: Gelechiidae)	grain moth	CO
<i>Smicra</i> (= <i>Conura</i>) <i>punctata</i> (Fabricius) (Hymenoptera: Chalcididae)	parasitoid	PR
<i>Smicra emarginata</i> (Fabricius) (Hymenoptera: Chalcididae)	parasitoid	PR
<i>Smicra flavopicta</i> Cresson (Hymenoptera: Chalcididae)	parasitoid	PR
<i>Smicra ignea</i> (Cresson) (Hymenoptera: Chalcididae)	parasitoid	PR
<i>Smicronyx roridus</i> Marshall (Coleoptera: Curculionidae)	seed feeding weevil	BB, RC
<i>Smicronyx rufovittatus</i> Anderson (Coleoptera: Curculionidae)	seed feeding weevil	BB
<i>Sogatodes oryzicola</i> (Muir) (Homoptera: Delphacidae)	planthopper	EC
<i>Sogatodes oryzicola</i> (Muir) (Homoptera: Delphacidae)	planthopper	EC
<i>Solanum</i> (Solanales: Solanaceae)	solanaceae	BR
<i>Solanum americanum</i> Mill. (Solanales: Solanaceae)	American black nightshade	AR
<i>Solanum betacea</i> Cav. (Solanales: Solanaceae)	tamarillo	EC
<i>Solanum jamaicense</i> Mill (Solanales: Solanaceae)	Jamaican nightshade	CR
<i>Solanum lycopersicum</i> L. (Solanales: Solanaceae)	tomato	CU, EC
<i>Solanum melongena</i> L. (Solanales: Solanaceae))	eggplant	AR, DO
<i>Solanum quitoense</i> var. <i>Septentrional</i> Lam. (Solanales: Solanaceae)	naranjilla	CR, EC
<i>Solanum syssimbrifolium</i> Lam (Solanales: Solanaceae)	stick nightshade	AR
<i>Solanum torvum</i> Sw. (Solanales: Solanaceae)	susumber/gully bean	JM
<i>Solanum tuberosum</i> L. (Solanales: Solanaceae)	potato	CL, CU
<i>Solanum tuberosum</i> L. spp. <i>andigena</i> (Solanales: Solanaceae)	potato	BO
<i>Solanum tuberosum</i> L. spp. <i>tuberosum</i> (Solanales: Solanaceae)	potato	BO
<i>Solanum viarum</i> Dunal (Solanales:Solanaceae)	tropical soda apple	AR
<i>Solenopsis geminata</i> F. (Hymenoptera: Formicidae)	tropical fire ant	CR, DO, EC, FA, HN
<i>Solenopsis invicta</i> Buren (Hymenoptera: Formicidae)	red imported fire ant	DO,RC
<i>Solenopsis richteri</i> Forel (Hymenoptera: Formicidae)	black imported fire ant	RC
<i>Solenopsis</i> sp. (Hymenoptera: Formicidae)	fire ant	PY
<i>Solenopsis</i> spp. (Hymenoptera: Formicidae)	fire ants	DO
<i>Sonchus oleraceous</i> L. (Asterales: Asteraceae)	smooth sow thistle	AR
<i>Sorghum bicolor</i> (L.) Moensch (Poales: Poaceae)	sorghum	CU
<i>Spalangia cameroni</i> (Perkins) (Hymenoptera: Pteromalidae)	parasitoid	AR, BO, BR, CO, MX

<i>Spalangia endius</i> (Walker) (Hymenoptera: Pteromalidae)	parasitoid	AR, BO, BR, MX, PE, VE
<i>Spalangia gemina</i> Boucek (Hymenoptera: Pteromalidae)	parasitoid	AR, BR
<i>Spalangia nigra</i> Latreille (Hymenoptera: Pteromalidae)	parasitoid	BB
<i>Spalangia nigroaenea</i> Curtis (Hymenoptera: Pteromalidae)	parasitoid	MX
<i>Spalangia simplex</i> Perkins (Hymenoptera: Pteromalidae)	parasitoid	MX
<i>Spalangia</i> sp. (Hymenoptera: Pteromalidae)	parasitoid	CO, MX
<i>Spalangia</i> spp. (Hymenoptera: Peromalidae)	parasitoid	CR, EC, MX
SpeVG <i>Spodoptera eridania</i>	entomopathogenic virus	PE
SpeVPN <i>Spodoptera eridania</i>	entomopathogenic virus	PE
SpfVG <i>Spodoptera frugiperda</i>	entomopathogenic virus	PE
SpfVPN <i>Spodoptera frugiperda</i>	entomopathogenic virus	PE
<i>Sphaerotheca fuliginea</i> (Schltdl.) Pollacci (Erysiphales: Erysiphaceae)	powdery mildew	BR
<i>Sphaerotheca macularis</i> (Wallr.) (Erysiphales: Erysiphaceae)	powdery mildew	BR
<i>Sphegigaster</i> sp. (Hymenoptera: Pteromalidae)	parasitoid	BB
<i>Sphenarium purpurascens</i> Charpentier (Orthoptera: Pyrgomorphidae)	grasshopper	MX
<i>Sphenophorus levis</i> Vaurie (Coleoptera: Curculionidae)	sugarcane weevil	BR
<i>Sphictyrtus</i> sp. (Hemiptera: Coreidae)	bug	VE
<i>Sphiximorpha barbipes</i> (Loew) (Diptera: Syrphidae)	hoverfly	VE
<i>Spicaria javanica</i> Bally (Hypocreales: Cordycipitaceae)	fungus	PR
<i>Spilocalcis</i> sp. (Hymenoptera: Chalcididae)	parasitoid	JM, SR
<i>Spilochalcis dux</i> (Walker) (Hymenoptera: Chalcididae)	parasitoid	VE
<i>Spilochalcis fulvomaculata</i> (Cameron) (Hymenoptera: Chalcididae)	parasitoid	VE
<i>Spilochalcis hirtifemora</i> (Ashmead.) (Hymenoptera: Chalcididae)	parasitoid	BB, RC
<i>Spilochalcis torvina</i> (Cress.) (Hymenoptera: Chalcididae)	parasitoid	RC
<i>Spiracantha cornifolia</i> Kunth (Asterales: Asteraceae)	dogwoodleaf	VE
SpocVPN <i>Spodoptera ochrea</i>	entomopathogenic virus	PE
<i>Spodoptera</i> (= <i>Prodenia</i>) <i>eridania</i> (Cram.) (Lepidoptera: Noctuidae)	southern armyworm	PE, PY, SR
<i>Spodoptera</i> (Lepidoptera: Noctuidae)	armyworm moth	BB, RC
<i>Spodoptera dolichos</i> (F.) (Lepidoptera: Noctuidae)	larger cotton cutworm	BB, RC
<i>Spodoptera eridania</i> (Cram.) (Lepidoptera: Noctuidae)	southern armyworm	BB, RC
<i>Spodoptera exigua</i> (Hübner) (Lepidoptera: Noctuidae)	beet armyworm	BB, CO, CU, EC, JM, NI, RC
<i>Spodoptera frugiperda</i> (J.E. Smith) (Lepidoptera: Noctuidae)	fall armyworm	BB, BR, CO, CR, CU, EC, DO, GY, HN, NI, PA, PE, PR, PY, RC, SV, VE, 32
<i>Spodoptera latifascia</i> (Wlk.) (Lepidoptera: Noctuidae)	lateral lined armyworm	BB, RC

<i>Spodoptera omithogalli</i> (Gn.) (Lepidoptera: Noctuidae)	armyworm	RC
<i>Spodoptera</i> sp. (Lepidoptera: Noctuidae)	armyworm	BO, PE, PY, VE
<i>Spodoptera</i> spp. (Lepidoptera: Noctuidae)	armyworms	CO, CU, BO, DM, DO, PE, TT, 32
<i>Spodoptera sunia</i> (Guenee) (Lepidoptera: Noctuidae)	Costa rican armyworm	BB, CU, NI, RC
<i>Spondias mombin</i> L. (Sapindales: Anacardiaceae)	hog plum	DM
<i>Spondias</i> sp. (Sapindales: Anacardiaceae)	hog plum	SV
<i>Sporothrix</i> (Ophiostomatales: Ophiostomataceae)	soil-dwelling fungus	MX
<i>Stantonia</i> sp. (Hymenoptera: Braconidae)	parasitoid	PA
<i>Stegasta basquella</i> (Chamb.) (Lepidoptera: Gelechiidae)	red neck caterpillar	SR
<i>Steinernema</i> (Rhabditida: Steinernematidae)	entomopathogenic nematode	EC, PE, VE
<i>Steinernema australe</i> Edgington, Buddie, Tymo, Hunt, Nguyen, France, Merino & Moore (Rhabditida: Steinernematidae)	entomopathogenic nematode	CL
<i>Steinernema bibionis</i> Bobien (Rhabditida: Steinernematidae)	entomopathogenic nematode	PR
<i>Steinernema brazilense</i> Nguyen, Ginarte, Leite, Santo & Harakava (Rhabditida: Steinernematidae)	entomopathogenic nematode	BR
<i>Steinernema carpocapsae</i> (Weiser) Wouts, Mracek, Gerdin & Bedding (Rhabditida: Steinernematidae)	entomopathogenic nematode	BR, CL, HN, JM, MX, PA
<i>Steinernema feltiae</i> (Fiiipjev) Wouts, Mracek, Gerdin & Bedding (Rhabditida: Steinernematidae)	entomopathogenic nematode	CL, MX, NI, PR
<i>Steinernema glaseri</i> (Steiner) Wouts, Mracek, Gerdin & Bedding (Rhabditida: Steinernematidae)	entomopathogenic nematode	MX, PR
<i>Steinernema puertoricense</i> Roman & Figueroa (Rhabditidae: Steinernematidae)	entomopathogenic nematode	BR
<i>Steinernema</i> sp. (Nematoda: Steinernematidae)	entomopathogenic nematode	CL
<i>Steinernema</i> spp. (Nematoda: Steinernematidae)	entomopathogenic nematode	CO
<i>Steinernema unicornum</i> Eginton, Buddie Tymo, France, Merino & Hunt (Rhabditidae: Steinernematidae)	entomopathogenic nematode	CL
<i>Steneotarsonemus konoii</i> Smiley & Enmanouel (Acari: Tarsonemidae)	mite	DO
<i>Steneotarsonemus spiniki</i> Smiley (Acari: Tarsonemidae)	panicle rice mite	DO, PA
<i>Stenocranophilus quadratus</i> Pierce (Strepsiptera: Halictophagidae)	parasitoid	JM
<i>Stenoma cecropia</i> (Meyrick) (Lepidoptera: Elachistidae)	moth	CR, EC
<i>Stenoma impressella</i> (Busck) (Lepidoptera: Elachistidae)	moth	CO
<i>Stenoma</i> sp. (Lepidoptera: Elachistidae)	moth	CO
<i>Stenopelmus rufinasus</i> Gyllenhal (Coleoptera: Erihinidae)	waterfern weevil	PY
<i>Sternechus subsignatus</i> Boheman (Coleoptera: Curculionidae)	soybean stalk weevil	BO
<i>Stethorus caribus</i> Gordon & Chapin (Coleoptera: Coccinellidae)	predatory ladybeetle	DO
<i>Stethorus punctillum</i> (Weise) (Coleoptera: Coccinellidae)	predatory ladybeetle	MX

<i>Stethorus salutaris</i> Kapur (Coleoptera: Coccinellidae)	predatory ladybeetle	JM
<i>Stethorus</i> sp. (Coleoptera: Coccinellidae)	predatory ladybeetle	CO, DO, PE
<i>Stomoxys calcitrans</i> (L.) (Diptera: Muscidae)	stable fly	BR, CO, CR
<i>Stomoxys</i> spp. (Diptera: Muscidae)	stable flies	BB, RC
<i>Strabotes rupelae</i> nov. spec Zwart (Hymenoptera: Ichneumonidae)	parasitoid	SR
<i>Stratiolaeps scimitus</i> Womersley (Acari: Laelapidae)	predatory mite	BR, CO
<i>Streptomyces</i> (Actinomycetales: Streptomycetaceae)	pathogenic bacteria	CL
<i>Streptomyces racemochromogenes</i> Sugai (Actinomycetales: Streptomycetaceae)	pathogenic bacteria	CO
<i>Strymon basalides</i> H. (Lepidoptera: Lycaenidae)	pineapple borer	BR
<i>Stylopage hadra</i> Drechsler (Zoopagales: Zoopagaceae)	nematophagous fungi	SV
<i>Sulcophanaeus menelas</i> (Laporte) (Coleoptera: Scarabaeidae)	weevil	AR
<i>Swietenia macrophylla</i> G. King (Sapindales: Meliaceae)	mahogany	BZ, RC
<i>Swietenia mahagoni</i> Jacq. (Sapindales: Meliaceae)	mahogany	BZ, RC
<i>Swietenia</i> spp. (Meliaceae)	mahogany	CR
<i>Swinglea glutinosa</i> (Blanco) Merr. (Sapindales: Rutaceae)	tabog	CO
<i>Syllepte helcitalis</i> (Wlk.) (Lepidoptera: Crambidae)	sweet potato leaf roller	BB
<i>Symmetrischema tangolias</i> (Gyer.) (Lepidoptera: Gelechiidae)	Andean potato tuber moth	BO, EC
<i>Sympherobius barberi</i> (Banks) (Neuroptera: Hemerobiidae)	Barber´s brown lacewing	PE
<i>Sympnerobius</i> sp. (Neuroptera: Hemerobiidae)	predator	PY
<i>Syneura cocciphila</i> (Coquillett) (Diptera: Phoridae)	predator	AR, BR, CO
<i>Synoeca cyanea</i> (Fabricius) (Hymenoptera: Vespidae)	social wasp	PY
<i>Synopeas</i> sp. (Hymenoptera: Platygasteridae)	parasitoid	BB, TT
<i>Syntomosphyrum indicum</i> Silv. (Hymenoptera: Eulophidae)	parasitoid	BO
<i>Syrphophagus aphidivorus</i> (Mayr) (Hymenoptera: Encyrtidae)	parasitoid	FA, PY
<i>Syrphophagus nigricornis</i> (De Santis) (Hymenoptera: Encyrtidae)	parasitoid	PY
<i>Syrphophagus</i> sp. (Hymenoptera: Encyrtidae)	parasitoid	PY
<i>Syrphus</i> (Diptera: Syrphidae)	hoverfly	FA
<i>Systoechus vulgaris</i> Loew (Diptera: Bombyliidae)	bee fly, grasshopper	AR
<i>Syzygium samarangense</i> (Blume) Merr. & Perry (Myrtales: Myrtaceae)	java apple	SR
T		
<i>Tachinaephagus zealandicus</i> Ashmead (Hymenoptera: Encyrtidae)	parasitoid	BR
<i>Tamarixia leucaenae</i> Boucek (Hymenoptera: Eulophidae)	parasitoid	TT

<i>Tamarixia radiata</i> (Waterston) (Hymenoptera: Eulophidae)	parasitoid	AR, BB, BR, BZ, CO, CR, DO, FA, JM, MX, NI, PY, PR, UY, 32
<i>Tamarixia triozae</i> (Burks) (Hymenoptera: Eulophidae)	parasitoid	MX
<i>Tapinoma melanocephalum</i> (Fab.) (Hymenoptera: Formicidae)	ghost ant	DO
<i>Tarophagous esculenta</i> (Homoptera: Delphacidae)	taro leaf hopper	JM
<i>Tecia solanivora</i> (Povolný) (Lepidoptera: Gelechiidae)	tuber moth	CO, EC, MX
<i>Tectona grandis</i> L. (Lamiales: Lamiaceae)	teak	EC
<i>Telchin licus</i> (Drury) (Lepidoptera: Castniidae)	giant sugarcane borer	GY
<i>Telenomus</i> (Hymenoptera: Platigastridae)	parasitoid	BO, CR, SR, 32
<i>Telenomus alecto</i> Crawford (Hymenoptera: Platigastridae)	parasitoid	BB, BO, RC, VE
<i>Telenomus alsophilae</i> Viereck (Hymenoptera: Platigastridae)	parasitoid	CO, PE, 32
<i>Telenomus basalis</i> (Wollaston) (Hymenoptera: Platigastridae)	parasitoid	AR
<i>Telenomus connectans</i> Ashm (Hymenoptera: Platigastridae)	parasitoid	SR
<i>Telenomus dilophonotae</i> Cam. (Hymenoptera: Platigastridae)	parasitoid	SR
<i>Telenomus fariae</i> Costa Lima (Hymenoptera: Platigastridae)	parasitoid	
<i>Telenomus nawaii</i> Ash. (Hymenoptera: Platigastridae)	parasitoid	BO
<i>Telenomus nigrocoxalis</i> Ashm (Hymenoptera: Platigastridae)	parasitoid	SR
<i>Telenomus podisi</i> Ashmead (Hymenoptera: Platigastridae)	parasitoid	BO, BR, PA, PY, UY
<i>Telenomus remus</i> Nixon (Hymenoptera: Platigastridae)	parasitoid	BB, BO, CO, DM, FA, HN, MX, PE, PY, RC, SV, TT, VE, 32
<i>Telenomus rowani</i> (Gahan) (Hymenoptera: Platigastridae)	parasitoid	PA, 32
<i>Telenomus</i> sp. (Hymenoptera: Platigastridae)	parasitoid	BO, CO, CU, DO, EC, FA, GY, PE, PY, SR
<i>Telenomus</i> sp. near <i>alecto</i> (Hymenoptera: Platigastridae)	parasitoid	AR
<i>Telenomus</i> sp. prob. <i>dilophonotae</i> Cam. (Hymenoptera: Platigastridae)	parasitoid	SR
<i>Telsimia nitida</i> Chapin (Coleoptera: Coccinellidae)	predatory ladybeetle	RC
<i>Telsimia</i> sp. (Coleoptera: Coccinellidae)	predatory ladybeetle	BB, SV
<i>Temelucha</i> sp. (Hymenoptera: Ichneumonidae)	parasitoid	DO
<i>Thelohania solenopsae</i> (J.D. Knell, G.E. Allen & E.I. Hazard) (Microsporida: Thelohaniidae)	microsporidiam parasite	RC
<i>Termatophylidea opaca</i> Carvalho (Hemiptera: Miridae)	predatory mirid	SV
<i>Tetracnemus pretiosus</i> (Timberlake) (Hymenoptera: Encyrtidae)	parasitoid	CL
<i>Tetramesa romana</i> (Walker) (Hymenoptera: Eurytomidae)	galling wasp	MX
<i>Tetranychus cinnabarinus</i> (Boisduval) (Acari: Tetranychidae)	carmine spider mite	DO, VE
<i>Tetranychus evansi</i> Banks & Pritchard (Acari: Tetranychidae)	red spider mite	DO
<i>Tetranychus gloveri</i> Banks (Acari: Tetranychidae)	cotton red spider mite	DO

<i>Tetranychus lintearius</i> (Dufour) (Acari: Tetranychidae)	gorse spider mite	CL
<i>Tetranychus</i> spp. (Acari: Tetranychidae)	spider mite	CO, EC, HN
<i>Tetranychus tumidus</i> (Banks) (Acari: Tetranychidae)	polyphagous spider mite	CU
<i>Tetranychus urticae</i> Koch (Acari: Tetranychidae)	two-spotted spider mite	AR, BR, CO, DO, EC, HN, MX
<i>Tetrastichus</i> (= <i>Oomyzus</i>) <i>sokolowski</i> Kurd. (Hymenoptera:Eulophidae)	parasitoid	BB, TT
<i>Tetrastichus gala</i> Walker (= <i>Tetrastichus marylandensis</i>) (Hymenoptera:Eulophidae)	parasitoid	JM
<i>Tetrastichus gala</i> Walker (Hymenoptera:Eulophidae)	parasitoid	DM, RC
<i>Tetrastichus gallerucae</i> (Fonscolomber) (Hymenoptera: Eulophidae)	parasitoid	AR
<i>Tetrastichus giffardianus</i> Silvestri (Hymenoptera: Eulophidae)	parasitoid	BR, UY
<i>Tetrastichus haitiensis</i> Gah. (Hymenoptera: Eulophidae)	parasitoid	BB, DO, JM, PR, 32
<i>Tetrastichus howardi</i> (Olliff) (Hymenoptera: Eulophidae)	parasitoid	CU, PE
<i>Tetrastichus sokolowskii</i> Kurd (Hymenoptera: Eulophidae)	parasitoid	RC
<i>Tetrastichus</i> sp. (Hymenoptera: Eulophidae)	parasitoid	BZ, JM, SR, SV
<i>Tetrastichus</i> sp. nr. <i>vaquitarum</i> Wolc. (Hymenoptera: Eulophidae)	parasitoid	BZ, JM
<i>Tetrastichus spirabilis</i> Waterston (Hymenoptera: Eulophidae)	parasitoid	BZ
<i>Thalassa montesumae</i> Mulsant (Coleoptera: Coccinellidae)	predatory ladybeetle	HN
<i>Thaumastocoris peregrinus</i> Carpintero & Dellapé (Hemiptera, Thaumastocoridae)	bronze bug	AR, BR, UY
<i>Thaumatotibia</i> (= <i>Cryptophlebia</i>) <i>leucotreta</i> Meyrich (Lepidoptera: Tortricidae)	false codling moth	CR
<i>Thecla basilides</i> (Geyer) (Lepidoptera: Lycaenidae)	fruit borer	EC
<i>Theobroma cacao</i> L. (Malvales: Malvaceae)	cacao	EC, JM
<i>Theridula gonygaster</i> (Simon) (Araneae: Theridiidae)	cobweb spider	JM
<i>Theroaphis trifolii</i> Monell (Hemiptera: Aphididae)	spotted alfalfa aphid	MX
<i>Theronia lineata</i> (Fabricius) (Hymenoptera: Ichneumonidae)	parasitoid	PY
<i>Theronia</i> sp. (Hymenoptera: Ichneumonidae)	parasitoid	SR
<i>Thersilochus argentiniensis</i> (Blanchard) (Hymenoptera: Ichneumonidae)	parasitoid	AR
<i>Thersilochus parkeri</i> (Blanch.) (Hymenoptera: Ichneumonidae)	parasitoid	AR
<i>Thiara granifera</i> (Lamarck) (Caenogastridae: Thiaridae)	oriental thiariid snail	DO
<i>Thiara tuberculata</i> (Muller) (Caenogastridae: Thiaridae)	freshwater snail	DO
<i>Thielaviopsis paradoxa</i> (De Seynes) (Microascales: Ceratocystidaceae)	pathogenic fungus	CU
<i>Thripastichus gentilei</i> (Del Guercio) (Hymenoptera: Eulophidae)	parasitoid	FA
<i>Thrips palmi</i> Karny (Thysanoptera: Thripidae)	melon thrips	CU, MX, PA, RC, TT
<i>Thrips tabaci</i> Linderman (Thysanoptera: Thripidae)	onion thrips	BB, AR, MX, TT, VE, 32
<i>Thyrinteina arnobia</i> (Stoll) (Lepidoptera: Geometridae)	geometrid moth	BR

<i>Tibraca limbaticollis</i> Stal (Hemiptera: Pentatomidae)	rice stink bug	DO, PA
<i>Tilletia indica</i> Mitra (Tiliellales)	Karnal bunt of wheat	MX
<i>Tiphia parallela</i> Smith (Hymenoptera: Scoliidae)	scoliid wasp	BB, RC
<i>Tiphia</i> sp. (Hymenoptera: Scoliidae)	scoliid wasp	PR
<i>Tipophorus nigritus</i> F. (Coleoptera: Chrysomelidae)	chrysomelid beetle	CU
<i>Tomaspis aff. pubescens</i> Fabr. (Homoptera: Cercopidae)	froghopper	GY
<i>Tomaspis saccharina</i> Dist. (Homoptera: Cercopidae)	sugarcane froghopper	TT
<i>Tomaspis</i> sp. (Homoptera: Cercopidae)	froghopper	GY
<i>Toxomenus floralis</i> (F.) (Diptera: Syrphidae)	hoverfly	PY, VE
<i>Toxomerus</i> (Diptera: Syrphidae)	hoverflies	FA, VE
<i>Toxomerus watsoni</i> (Curran) (Diptera: Syrphidae)	hoverfly	PY
<i>Toxoptera</i> (Hemiptera: Aphididae)	aphids	VE
<i>Toxoptera aurantii</i> (Boyer de Fonscolombe) (Hemiptera: Aphididae)	camellia aphid	DO
<i>Toxoptera citricidus</i> (Kirk.) (syn. <i>Toxoptera citricida</i>) (Hemiptera: Aphididae)	brown citrus aphid	DO, JM, MX, PR, SR, TT
<i>Toxoptera</i> spp. (Hemiptera: Aphididae)	aphids	PE
<i>Toxorhynchites brevipalpis</i> (Theobald) (Diptera: Culicidae)	mosquito predator	RC
<i>Toxotrypana curvicauda</i> Gerstaecker (Diptera: Tephritidae)	papaya fruit fly	CO
<i>Trialeurodes abutilonea</i> (Haldeman) (Hemiptera: Aleyrodidae)	banded-wing whitefly	RC
<i>Trialeurodes</i> spp. (Hemiptera: Aleyrodidae)	whiteflies	HN
<i>Trialeurodes vaporariorum</i> Westwood (Hemiptera: Aleyrodidae)	greenhouse whitefly	AR, CO, CR, DO, EC, FA, MX, PA, PE, RC, UY
<i>Triaspis</i> sp. (Hymenoptera: Braconidae)	parasitoid	AR, PY
<i>Triatoma rubrofasciata</i> (DeG.) (Hemiptera: Reduviidae)	large kissing bug	BO
<i>Triatoma</i> spp. (Hemiptera: Reduviidae)	kissing bugs	BO, BR
<i>Tribulus cistoides</i> L. (Zygophyllales: Zygophyllaceae)	false puncture vine	JM, RC
<i>Tribulus terrestris</i> L. (Zygophyllales: Zygophyllaceae)	false puncture vine	RC
<i>Trichocirocalus horridus</i> Panz. (Coleoptera: Curculionidae)	musk thistle weevil	AR
<i>Trichoderma</i> (Hypocreales: Hypocreaceae)	microbial agent	BR, CL, EC, HN, PE, VE
<i>Trichoderma asperellum</i> Samuels, Lieckf. & Nirenberg (Hypocreales: Hypocreaceae)	microbial agent	BR, CO, CU, MX, NI, PE
<i>Trichoderma atroviride</i> (Karsten) Bissett (Hypocreales: Hypocreaceae)	microbial agent	CO
<i>Trichoderma crassum</i> Bisset (Hypocreales: Hypocreaceae)	microbial agent	VE
<i>Trichoderma gamsii</i> Samuels & Druzhin (Hypocreales: Hypocreaceae)	microbial agent	BR
<i>Trichoderma hamatum</i> (Bonord.) Bainier (Hypocreales: Hypocreaceae)	microbial agent	CO, EC
<i>Trichoderma harzianum</i> Rifai (Hypocreales: Hypocreaceae)	microbial agent	BR, CL, CO, CU, EC, HN, MX, NI, PE, SV, UY, VE

<i>Trichoderma koningii</i> Oudem (Hypocreales: Hypocreaceae)	microbial agent	BR, CO, EC
<i>Trichoderma koningiopsis</i> Samuels, C. Suarez & H.C. Evans (Hypocreales: Hypocreaceae)	microbial agent	BR, CO, EC, VE
<i>Trichoderma lignorum</i> (Tode) Harz (Hypocreales: Hypocreaceae)	microbial agent	BR, CO
<i>Trichoderma longibrachiatum</i> Rifai (Hypocreales: Hypocreaceae)	microbial agent	VE
<i>Trichoderma martiale</i> Samuels (Hypocreales: Hypocreaceae)	microbial agent	PE
<i>Trichoderma ovalisporum</i> Samuels & Schroers (Hypocreales: Hypocreaceae)	microbial agent	JM
<i>Trichoderma pseudokoningii</i> Rifai (Hypocreales: Hypocreaceae)	microbial agent	EC
<i>Trichoderma</i> sp. (Hypocreales: Hypocreaceae)	microbial agent	EC, PE
<i>Trichoderma</i> spp. (Hypocreales: Hypocreaceae)	microbial agent	BR, CO, CU, EC, PY, VE
<i>Trichoderma stromaticum</i> Samuels & Pardo-Schulth (Hypocreales: Hypocreaceae)	microbial agent	BR, EC, PE
<i>Trichoderma virens</i> (Miller, Giddens & Foster) von Arx (Hypocreales: Hypocreaceae)	microbial agent	BR, PE
<i>Trichoderma viride</i> Pers. (Hypocreales: Hypocreaceae)	microbial agent	BR, CO, CU, EC, MX, PE, PY
<i>Trichogramma</i> (Hymenoptera: Trichogrammatidae)	parasitoid	BB, CL, CR, CU, EC, DO, 32
<i>Trichogramma (semifumatum) pretiosum</i> Riley (Hymenoptera: Trichogrammatidae)	parasitoid	BO
<i>Trichogramma atopovirilia</i> Oatman and Platner (Hymenoptera: Trichogrammatidae)	parasitoid	BR, CO, PE, VE
<i>Trichogramma australicum</i> (Girult.) (Hymenoptera: Trichogrammatidae)	parasitoid	AR, CO
<i>Trichogramma beckeri</i> (Nagarkatti) (Hymenoptera: Trichogrammatidae)	parasitoid	CR
<i>Trichogramma bennetti</i> Nagaraja & Nagarkatti (Hymenoptera: Trichogrammatidae)	parasitoid	VE
<i>Trichogramma brasiliensis</i> (Ashm.) (Hymenoptera: Trichogrammatidae)	parasitoid	RC
<i>Trichogramma brassicae</i> Bezdenko (Hymenoptera: Trichogrammatidae)	parasitoid	MX, PE
<i>Trichogramma bruni</i> Nagaraja (Hymenoptera: Trichogrammatidae)	parasitoid	VE
<i>Trichogramma cacoeciae</i> Marchal (Hymenoptera: Trichogrammatidae)	parasitoid	CL, PE
<i>Trichogramma chilonis</i> Ishii (Hymenoptera: Trichogrammatidae)	parasitoid	BB, FA
<i>Trichogramma dendrolimi</i> Matsumura (Hymenoptera: Trichogrammatidae)	parasitoid	PE
<i>Trichogramma diazi</i> Velásquez and Terán (Hymenoptera: Trichogrammatidae)	parasitoid	VE
<i>Trichogramma euproctidis</i> (Girault) (Hymenoptera: Trichogrammatidae)	parasitoid	AR
<i>Trichogramma evanescens</i> Westwood (Hymenoptera: Trichogrammatidae)	parasitoid	BO, MX
<i>Trichogramma exiguum</i> Pinto & Platner (Hymenoptera: Trichogrammatidae)	parasitoid	BB, CO, CU, MX, PE, RC, UY, VE
<i>Trichogramma fasciatum</i> (Perkins) (= <i>minutum</i> auct.) (Hymenoptera: Trichogrammatidae)	parasitoid	BB
<i>Trichogramma fasciatum</i> (Perkins) (Hymenoptera: Trichogrammatidae)	parasitoid	BB, BO, CR
<i>Trichogramma fuentesi</i> Torre (Hymenoptera: Trichogrammatidae)	parasitoid	BB, CU, PE, VE
<i>Trichogramma galloii</i> Zucchi (Hymenoptera: Trichogrammatidae)	parasitoid	BO, BR, PE, UY, VE
<i>Trichogramma lasallei</i> Pinto (Hymenoptera: Trichogrammatidae)	parasitoid	VE

<i>Trichogramma lopezandinensis</i> Sarmiento (Hymenoptera: Trichogrammatidae)	parasitoid	PE
<i>Trichogramma marandobai</i> Brun, Moraes e Soares (Hymenoptera: Trichogrammatidae)	parasitoid	PE
<i>Trichogramma minutum</i> Riley (Hymenoptera: Trichogrammatidae)	parasitoid	CO, EC, MX, NI, PR, RC, VE, 32
<i>Trichogramma near pretiosum</i> (Hymenoptera: Trichogrammatidae)	parasitoid	CR
<i>Trichogramma nerudai</i> (Pintureau & Gerdin) (Hymenoptera: Trichogrammatidae)	parasitoid	AR, CL, PE
<i>Trichogramma nubilale</i> Ertie & Davis (Hymenoptera: Trichogrammatidae)	parasitoid	FA
<i>Trichogramma obscurum</i> Pinto (Hymenoptera: Trichogrammatidae)	parasitoid	VE
<i>Trichogramma perkinsi</i> Girault (Hymenoptera: Trichogrammatidae)	parasitoid	AR, CO
<i>Trichogramma pintoi</i> Voegelé (Hymenoptera: Trichogrammatidae)	parasitoid	CU, MX, PE, VE
<i>Trichogramma platneri</i> Nagarkatti (Hymenoptera: Trichogrammatidae)	parasitoid	MX
<i>Trichogramma pretiosum</i> Riley (Hymenoptera: Trichogrammatidae)	parasitoid	BO, BR, CO, CR, CU, EC, DO, FA, GT, MX, NI, PA, PE, PY, UY, VE, 32
<i>Trichogramma rojasi</i> Nagaraja & Nagarkatti (Hymenoptera: Trichogrammatidae)	parasitoid	CU
<i>Trichogramma semifumatum</i> (Perkins) (Hymenoptera: Trichogrammatidae)	parasitoid	CR, EC, SV, 32
<i>Trichogramma</i> sp. (Hymenoptera: Trichogrammatidae)	parasitoid	BB, CL, CO, EC , GY, JM, PA, PE, RC, VE, 32
<i>Trichogramma</i> sp1 (Hymenoptera: Trichogrammatidae)	parasitoid	VE
<i>Trichogramma</i> sp2 (Hymenoptera: Trichogrammatidae)	parasitoid	VE
<i>Trichogramma</i> spp. (Hymenoptera: Trichogrammatidae)	parasitoid	1, BB, BO, CL, CO, CR, CU, DO, EC, MX, PY, RC, SV, VE, 32
<i>Trichogramma terani</i> Velásquez and Terán (Hymenoptera: Trichogrammatidae)	parasitoid	VE
<i>Trichogrammatoidea armigera</i> (Nagaraja) (Hymenoptera: Trichogrammatidae)	parasitoid	AR, DM
<i>Trichogrammatoidea bactrae</i> Nagaraja (Hymenoptera: Trichogrammatidae)	parasitoid	BB, AR, MX, PE
<i>Trichogrammatoidea cryptophlebiae</i> Nagaraja (Hymenoptera: Trichogrammatidae)	parasitoid	CR
<i>Trichogrammatoidea robusta</i> Nagaraja (as <i>T. nana</i> Zhnt.) (Hymenoptera: Trichogrammatidae)	parasitoid	BZ
<i>Trichogrammatoidea</i> sp. (Hymenoptera: Trichogrammatidae)	parasitoid	BO
<i>Trichomalopsis</i> Crawford (Hymenoptera: Pteromalidae)	parasitoid	DO
<i>Trichoplusia ni</i> (Hubner) (Lepidoptera: Noctuidae)	cabbage looper	BB, BR, CU, DO, JM, MX, NI, RC, TT, VE, 32
<i>Trichoplusia ni</i> nucleopolyhedrovirus (TnNPV)	entomopathogenic virus	32
<i>Trichoplusia</i> sp. (Lepidoptera: Noctuidae)	noctuid lepidopteran	PY
<i>Trichopoda giacomelli</i> (Blanchard) (Diptera: Tachinidae)	parasitoid	AR
<i>Trichopoda pennipes</i> (F.) (Diptera: Tachinidae)	parasitoid	RC
<i>Trichopoda pilipes</i> F. (Diptera: Tachinidae)	parasitoid	RC
<i>Trichopoda</i> sp. (Diptera: Tachinidae)	parasitoid	VE
<i>Trichopria drosophilae</i> (Hymenoptera: Diapriidae)	parasitoid	MX

<i>Trichospilus diatraeae</i> (C. and M.) (Hymenoptera: Eulophidae)	parasitoid	BO, JM
<i>Trichospilus pupivora</i> (= <i>pupivorus</i>) Ferriere (Hymenoptera: Eulophidae)	parasitoid	BB
<i>Trioxys pallidus</i> (Haliday) (Hymenoptera: Braconidae)	parasitoid	CL
<i>Trissolcus</i> (Hymenoptera: Platigastridae)	parasitoid	BO
<i>Trissolcus basalis</i> (Wollaston) (Hymenoptera: Platygastridae)	parasitoid	BO, BR, PA, PY, RC, TT, UY
<i>Trissolcus brochymenae</i> Ashmead (Hymenoptera: Platygastridae)	parasitoid	BO, UY
<i>Trissolcus leviventris</i> (Cameron) (= <i>Dissolcus paraguayensis</i> Brethes) (Hymenoptera: Platygastridae)	parasitoid	PY
<i>Trissolcus mitsukurii</i> (Ashm.) (Hymenoptera: Platigastridae)	parasitoid	RC
<i>Trissolcus</i> sp. (Hymenoptera: Platygastridae)	parasitoid	PY
<i>Trissolcus</i> spp. (Hymenoptera: Platygastridae)	parasitoid	BO
<i>Trissolcus teretis</i> Johnson (Hymenoptera: Platygastridae)	parasitoid	UY
<i>Trissolcus urichi</i> Crawford (Hymenoptera: Platygastridae)	parasitoid	BO, UY
<i>Triticum aestivum</i> (L.) (Poales: Poaceae)	wheat	CL
<i>Trogoderma granarium</i> (Everts) (Coleoptera: Dermestidae)	khapra beetle	MX
<i>Trox suberosus</i> F. (Coleoptera: Trogidae)	hide beetle	PY
<i>Trybliographa daci</i> Weld (Hymenoptera: Cynipidae)	parasitoid	CR, EC
<i>Trypanosoma cruzi</i> Chagas (Trypanosomatidae)	parasitic flagellata protozoa	BO
<i>Tsukamurella paurometabola</i> (Steinhaus) (= <i>Corynebacterium</i>) (Corynebacteriales: Tsukamurellaceae)	pathogenic bacteria	CU
<i>Tucumania tapiacola</i> Dyar (Lepidoptera: Pyralidae)	snout moth	AR
<i>Tupiocoris notatus</i> (Distant) (Hemiptera: Miridae)	predatory mirid	DO
<i>Tuta absoluta</i> (Meyrick) (Lepidoptera: Gelechiidae)	tomato leafminer	AR, BR, CL, CO, EC, MX, PY, 32
<i>Typha domingensis</i> (Pers.) (Poales: Thypaceae)	southern cattail	DO
<i>Typhlodromina</i> (Acari: Phytoseiidae)	predatory mites	DO
<i>Typhlodromips</i> (= <i>Amblyseius</i>) <i>swirskii</i> (Athias-Henriot) (Acari: Phytoseiidae)	swirski mite	DO, MX
<i>Typhlodromus citri</i> Garman & McG (Acari: Phytoseiidae)	predatory mite	JM
<i>Typhlodromus occidentalis</i> (= <i>Galandromus</i>) Nesbitt (Acari: Phytoseiidae)	predatory mite	JM
<i>Typhloseiopsis adventitius</i> Ferragut & Moraes sp. Nov (Acari: Phytoseiidae)	pedatory mite	DO
<i>Tytthus mundulus</i> (Breddin) (Hemiptera: Miridae)	predatory mirid	EC, JM, 32
<i>Tytthus parviceps</i> Reuter (Hemiptera: Miridae)	predatory mirid	EC
U		
<i>Ulex europaeus</i> L. (Fabales Fabaceae)	gorse	CL

<i>Unaspis citri</i> (Comstock) (Hemiptera: Diaspididae)	citrus snow scale	AR, SV
<i>Uredo eichhorniae</i> Fragoso and Ciferri (Pucciniales)	water-hyacinth rust	DO
<i>Urena lobata</i> L. (Malvales: Malvaceae)	caesar weed	CR
<i>Urena trilobata</i> Vell. (Malvales: Malvaceae)	caesar weed	CO
<i>Uromyces pencycanus</i> (Diet. & Neg.) (Pucciniales: Pucciniaceae)	rust fungus	AR
<i>Urosigalpus eulechriopis</i> Cushman (Hymenoptera: Braconidae)	parasitoid	PY
<i>Urtica urens</i> L. (Urticales: Urticaceae)	annual nettle	AR
<i>Ustilago scitaminea</i> Sydow (Ustilaginales)	sugarcane smut	BO
<i>Utetes anastrephae</i> (Viereck) (Hymenoptera: Braconidae)	parasitoid	DO, MX
<i>Utetheisa ornatrix</i> (L.) (Lepidoptera: Erebidae)	bella moth	VE
V		
<i>Varroa destructor</i> Anderson & Truemann (Parasitiformes: Varroidae)	varroa	BB, CU
<i>Vehilius celeus</i> Mab. (Lepidoptera: Hesperiidae)	skipper butterfly	SR
<i>Venturia</i> (Hymenoptera: Ichneumonidae)	parasitoid	CL
<i>Venturia ovivenans</i> nov. spec Zwart (Hymenoptera: Ichneumonidae)	parasitoid	SR
<i>Venturia</i> sp. (Hymenoptera: Ichneumonidae)	parasitoid	?
<i>Verticillium</i> (Hypocreales: Plectosphaerellaceae)	entomopathogenic fungus	CR, EC, RC
<i>Verticillium</i> sp. (Hypocreales: Plectosphaerellaceae)	entomopathogenic fungus	EC
<i>Vigna sesquipedalis</i> (L.) (Fabales: Fabaceae)	yard-long beans	DO
<i>Vincentodiplosis pseudococci</i> (Felt) (Diptera: Cecidomyiidae)	cecidomyiid predator	JM
<i>Vinsonia stellifera</i> (Westw.) (Hemiptera: Coccidae)	stellate scale	BB
<i>Vitis syciodes</i> L. (Vitales: Vitaceae)	uva cimarrona	CR
<i>Voria</i> sp. (Diptera: Tachinidae)	parasitoid	PY
<i>Voria</i> spp. (Diptera: Tachinidae)	parasitoid	UY
VPNH _z (<i>Helicoverpa zea</i> virus)	entomopathogenic virus	NI
VPNSe (<i>Spodoptera exigua</i> virus)	entomopathogenic virus	NI
VPNSf (<i>Spodoptera frugiperda</i> virus)	entomopathogenic virus	NI
VPNSs (<i>Spodoptera sunia</i> virus)	entomopathogenic virus	NI
VPNTni (<i>Trichoplusia ni</i> virus)	entomopathogenic virus	NI
W		
<i>Wasmania auropunctata</i> Roger (Hymenoptera: Formicidae)	little fire ant	PR

<i>Wasmannia rochai</i> Forel (Hymenoptera: Formicidae)	ant	FA
<i>Winthemia pinguoides</i> (Townsend) (Diptera: Tachinidae)	parasitoid	VE
<i>Winthemia pinguis</i> (Fabricius) (Diptera: Tachinidae)	parasitoid	SR
<i>Winthemia</i> sp. (Diptera: Tachinidae)	parasitoid	BB, JM, RC, PY
<i>Winthemia</i> sp. nr. <i>pinguis</i> F. (Diptera: Tachinidae)	parasitoid	BB
<i>Winthemia</i> sp. similar to <i>W. pyrrhopyga</i> (Wied) (Diptera: Tachinidae)	parasitoid	BB
<i>Winthemia</i> spp. (Diptera: Tachinidae)	parasitoid	PY
X		
<i>Xanthogaleruca luteola</i> (Muller) (Coleoptera: Chrysomelidae)	elm-leaf beetle	AR
<i>Xanthomonas campestris</i> (Pammel) Dowson (Xanthomonadales: Xanthomonadaceae)	black rot	VE
<i>Xanthomonas campestris</i> pv. <i>Musacearum</i> (Yirgou & Braddury) (Xanthomonadales: Xanthomonadaceae)	bacterial banana wilt	MX
<i>Xanthomonas citri</i> (Hasse) Gabriel et al. (Xanthomonadales: Xanthomonadaceae))	citrus canker	MX
<i>Xanthomonas phaseoli</i> (Smith) Gabriel et al. (Xanthomonadales: Xanthomonadaceae)	bacterial spot	VE
<i>Xanthomonas vesicatoria</i> (Dodge) Dowson (Xanthomonadales: Xanthomonadaceae)	bacterial spot	BR
<i>Xanthopygus cognatus</i> Sharp (Coleoptera: Staphylinidae)	predator	SV
<i>Xenoencyrtus niger</i> Riek (Hymenoptera: Encyrtidae)	parasitoid	RC
<i>Xenostigmus bifasciatus</i> Ashmed (Hymenoptera: Braconidae)	parasitoid	BR
<i>Xiphinema</i> (Dorylaimida: Longidoridae)	dagger nematodes.	CL
<i>Xubida infusella</i> (Walker) (Lepidoptera: Pyralidae)	waterhyacinth stalk borer	AR
<i>Xyleborus glabratus</i> (Eichhoff) (Coleoptera: Curculionidae)	redbay ambrosia beetle	MX
<i>Xylella fastidiosa</i> sp. <i>multiplex</i> (Xanthomonadales: Xanthomonadaceae)	pierce's disease	MX
<i>Xylella fastidiosa</i> subsp. <i>fastidiosa</i> Well. (Xanthomonadales: Xanthomonadaceae))	pierce's disease	MX
<i>Xylella fastidiosa</i> subsp. <i>pauca</i> Schaad, Postnikova, Lacy, Fatmic & Chang ((Xanthomonadales: Xanthomonadaceae))	citrus variegated chlorosis	MX
<i>Xylocopa</i> sp. (Hymenoptera: Apidae)	carpenter bees	PY
<i>Xylocoris flavipes</i> (Reuter) (Hemiptera: Anthocoridae)	warehouse pirate bug	MX
<i>Xylosandrus compactus</i> Eichoff (Coleoptera: Scolytidae)	ambrosia beetle	CU
Z		
<i>Zachrysia auricoma</i> (Ferussac) (Mollusca: Gastropoda: Pleurodonta)	phytophagous snail	RC
<i>Zaeucoila</i> sp. (Hymenoptera: Figitidae)	parasitoid	FA
<i>Zagloba aenipennis</i> (Sicard) (Coleoptera: Coccinellidae)	predatory ladybeetle	BB

<i>Zaglyptus</i> Forster (Hymenoptera: Ichneumonidae)	parasitoid	DO
<i>Zagrammosoma multilineata</i> Ashm (Hymenoptera: Eulophidae)	parasitoid	PR
<i>Zagrammosoma</i> sp. (Hymenoptera: Eulophidae)	parasitoid	DO
<i>Zagrammosoma</i> spp. (Hymenoptera: Eulophidae)	parasitoid	GT
<i>Zagreus</i> (= <i>Exochomus</i>) <i>bimaculosus</i> Mulsant (Coleoptera: Coccinellidae)	predatory ladybeetle	FA
<i>Zea mays</i> L. (Poales: Poaceae)	maize	CU, VE
<i>Zelomorpha</i> sp. (Hymenoptera: Braconidae)	parasitoid	SR
<i>Zelus argillaceum</i> (L.) (Hemiptera: Reduviidae)	predatory bug	PY
<i>Zelus armillatus</i> (Lepeletier and Serville) (Hemiptera: Reduviidae)	predatory bug	PY
<i>Zelus</i> cf. <i>nugax</i> Stål (Hemiptera: Reduviidae)	predatory bug	CO
<i>Zelus illotus</i> Berg (Hemiptera: Reduviidae)	predatory bug	PY
<i>Zelus laticornis</i> (Herrich-Schäffer) (Hemiptera: Reduviidae)	predatory bug	PY
<i>Zelus leucogrammus</i> (Perty) (Hemiptera: Reduviidae)	predatory bug	PY
<i>Zelus longipes</i> (L.) (Hemiptera: Reduviidae)	predatory bug	FA, PY
<i>Zelus ruficeps</i> Stål (Hemiptera: Reduviidae)	predatory bug	PY
<i>Zelus</i> sp. (Hemiptera: Reduviidae)	predatory bug	PY
<i>Zelus</i> spp. (Hemiptera: Reduviidae)	predatory bug	PY
<i>Zenoria emarginata</i> Gordon (Coleoptera: Coccinellidae)	predatory ladybeetle	RC
<i>Zeta argillaceum</i> (L.) (Hymenoptera: Vespidae)	potter wasp	PY
<i>Zetesima baliandra</i> (Meyr.) (Lepidoptera: Stenomidae)	moth	SR
<i>Zulia entreriana</i> (Berg. (Hemiptera: Cercopidae)	spittebug	BR
<i>Zulia</i> spp. (Hemiptera: Cercopidae)	spittebug	CR

List of abbreviations: to do